Ellipse Desk System Specification Guide

What's New?

Spec News is available on in2.steelcase.com. Go to *Specification Guides-AdStock*, under *Sales Resources/Sales Marketing Materials*, and download the current release's Spec News.

Availability

Electronic price list updated with release 174.B (U.S.) and 143.B (Canada), dated July 18, 2011.

Transitional products in this specification guide are maintained for existing customers only and are likely to be phased out over time. These products are indicated with a 1. Products that are scheduled to be culled are indicated with an 1. followed by the last order entry date.

Working With This Specification Guide	
Twelve Tips: How to Get the Most Out of This Book	2
Identifying Characteristics of Ellipse	4
Examples	6
Additional Resources	10
Understanding Ellipse	11
Specifying Ellipse	51
Surface Materials	133
Resources	145
Lock and Keying	146
Style Number Index	148

▶ For a list of all trademarks, refer to the last page of this specification guide.

This specification guide contains multiple Steelcase product lines which are designed into one specification guide for your convenience. Note that each product may be subject to different pricing terms and conditions.




For Canadian Pricing

Calculate in the following order to avoid rounding

- Multiply the base price and each option by 1.03.
- Round each to the nearest dollar.
- Add base and options for total list price.

Twelve Tips: How to Get the Most Out of This Book




Watch the tabs on the right-hand edges of the pages. They'll always indicate which chapter you are in.



Review the identifying characteristics pages for an introduction to Ellipse and the product features that make it a unique furniture system.

Page 4



Review examples for ideas about how to configure Ellipse components to meet different workplace needs.

Page 6

Tip 4

Use the statement of line pages for an overview of the available components, their sizes, and page references for additional information. Each *Understanding* chapter includes a statement of line after the table of contents.



Find cross references by looking for page numbers flagged with an arrow.

Tip 6

Study the product detail pages in the Understanding section to learn everything an expert knows about specific products. Each product detail page in this section contains the following features, where applicable:

- Product Drawing
- · Actual Dimensions
- Product Details
- Connections
- Wiring and Cabling
- Surface Materials
- Application Topics


Product Drawing shows you what the

product looks like and

points out important

features.

Connections describes how the product is assembled or how it attaches to another product. Surface Materials lists what material is used for each part of the product.



Product Details

gives specific infor-

mation on the

it is used.

product and how

Actual Dimensions table lists the dimensions of the product.

Wiring and Cabling details the cable-routing capabilities of the product.

Application Topics provides useful advice on how to apply the product.

Tip 7

Refer to the specifying

pages for all the information needed to order a product. Each product specifying page contains a variety of elements to help you complete a specification:

- Product Drawing
- · Standard Includes
- · Required to Specify
- Options
- · Related Products
- · Specification Information
- · Style Number
- Dimensions
- Price

Standard Includes


(under the dark grey band) provides a list of what comes standard with the product.

Product Drawing shows you what the product looks like.

Required to Specify
(under the dark grey band)
itemizes the information

Specification
Information
(under the light g

itemizes the information that you must provide to order the standard product and the preferred sequence for specification. (under the light grey band) provides product dimensions, style numbers, prices, and shipping information for the standard product and any surface material choices that are available.



Related Products

provides specification information for products that are directly related.

Options

(under the black band) lists all the options that apply to the product, their price, and what is required to specify.

Tip 8

Required to Specify

Select key number from FR305-FR4 designate quantity per key number. Specify key consecutive and must si beginning key number from FR305-Specify master key random. Select key number from XF101-XF designate quantity per key number. Specify master key consecutive and select beginning key number from XF1001-XF1150. Specify lock not installed. Spleat 82.71200013 for FB earlies.

Italic typeface on specifying pages usually identifies the exact wording that you should use in your order.

Tip 9



tables join to desks only. *Tip: Desks must have an optional I-leg to allow connection.*

Watch for tips throughout the text that give you explanations and helpful instructions.

Tip 10



Learn what you cannot do by looking for drawings crossed out with an "X."

Tip 11

Use the surface materials section near the back of this book to find surface material color numbers.

► Page 134


Tip 12


Style Number	Page
19SEA4	93
19SEUS	93
24SEA4	93
24SEUS	93
4469	91
4479	92

Refer to the style number index when you know a style number and you need to find the page that has more details about the product.

Page 148

Identifying Characteristics of Ellipse







Examples

With a condensed statement of line,

this freestanding product is designed to work in private offices, open spaces, team areas, receptionist stations, and specialized areas for CAD or engineering technicians. Ellipse can be readily moved, joined, and reconfigured.

What can you do with Ellipse? On the following pages you'll find some ideas to help get you started.





A = Desk

- ► Understanding page 18
- ▶ Specifying pages 52–59

E = Triangular Junction Top

- ► Understanding page 24
- ► Specifying page 64

F = "H" Junction Top

- ► Understanding page 24
- ► Specifying page 64

G = Corner Conference Table

- ► Understanding page 26
- ▶ Specifying pages 66–69

H = Conference Table

- ▶ Understanding page 26
- ► Specifying page 70

I = Universal Pedestal

- ► Understanding, see Storage and Freestanding Furniture Specification Guide.
- ▶ Specifying pages 76–82

K = Universal Storage Towers

- Understanding, see Storage and Freestanding Furniture Specification Guide.
- Specifying, see Storage and Freestanding Furniture Specification Guide.

M = Universal Combination Cabinet

- ▶ Understanding, see Storage and Freestanding Furniture Specification Guide.
- Specifying page 88

N = Screens and Supports

- ► Understanding page 30
- ► Specifying pages 71–72

O = Details Freestanding Slatwall Stanchions

See Details SpecGuide.

P = Details Slatwall

See Details SpecGuide.

R = Corner Desk

- Understanding page 22
- ► Specifying page 61

A = Desk

- ► Understanding page 18
- ▶ Specifying pages 52–59

B = Return

- ► Understanding page 18
- ► Specifying page 60

C = 90° Radius Junction Top

- ► Understanding page 24
- ► Specifying page 62

D = 60° Radius

Junction Top (not shown)

- ► Understanding page 24
- ► Specifying page 62

E = Triangular Junction Top

- Understanding page 24Specifying page 64
- F = "H" Junction Top
- ▶ Understanding page 24
- ► Specifying page 64

G = Corner

Conference Table

- ▶ Understanding page 26
- ▶ Specifying pages 66–69

I = Universal Pedestal

- ► Understanding, see Storage and Freestanding Furniture Specification Guide.
- ► Specifying pages 76–82

J = Universal Lateral File

- ► Understanding, see Storage and Freestanding Furniture Specification Guide.
- ► Specifying page 84

L = Common Top

- ► Understanding, see Storage and Freestanding Furniture Specification Guide.
- ► Specifying page 102

M = Universal Combination Cabinet


- ▶ Understanding, see Storage and Freestanding Furniture Specification Guide.
- ► Specifying page 88


N = Support

- Understanding page 30Specifying page 71
- P = Screen
- ► Understanding page 30
- ► Specifying page 72

Q = Transaction Top

- ► Understanding page 30
- ► Specifying page 73





Additional Resources

Ellipse is supported with an array of informational materials, tools, and software to help you plan, specify, and order an installation efficiently.

Product brochures and planning tools can be ordered through your Steelcase area office by calling 1.800.784.0358 or through the Steelcase Marketing Communications Web site at in2.steelcase.com.

Product Brochures

Ellipse Product Brochure

05-0002128

Universal Storage Product Overview

Planning Tools

Quick Ship and Delivery Guide

This handbook describes all Steelcase, Turnstone, Details, and Coalesse products that are available for Rapid2 (ships in 2 days), Rapid5 (ships in 5-7 days), Express12 (12-day delivery), or Coalesse Rapid10 (ships in 10 days).

Printed Materials

Surface Materials Reference Manual

This publication provides:

- An explanation of the surface materials program
 "Available on" matrices
- Vertical surface fabric and seating upholstery selection listing
- Technical data for surface materials
- Surface material care and cleaning instructions

Computer Tools

Steelcase

Product Info

Product Info

Electronic versions of this and many other specification guides in Acrobat PDF (Portable Document Format) allow you to scan, search, and print any page on virtually any computer. You can access these files at the Steelcase.com Web site or My Sales Online at in 2 Steelcase.com

Electronic Catalog

Accurate sales quotations and purchase orders for Steelcase products are created with specification software that uses Steelcase Electronic Catalog data. Use the data to specify and price style numbers and options for every Steelcase product. The data is updated bimonthly by Steelcase and provided to software programs including: the Hedberg Business System, SmartTools-Steelcase's design and specification software (for more information on SmartTools, please email SmartTools@steelcase.com), the ProjectMatrix ProjectSymbols libraries, as well as 20-20 CAP Studio.

Furniture Symbol Graphic Data

Steelcase creates 2D and 3D furniture symbols (with attributes) for planning and initially specifying Steelcase products. This data is incorporated into several add-on software packages that work in either a Microstation or an AutoCAD drafting environment.

For more information about these and other software tools to help you plan effective work environments, please email fsl@steelcase.com.

Ellipse Product Training

Basic training for Ellipse is available as part of the Building Product Muscle (BPM) curriculum on the Steelcase University Web site at in2.steelcase.com.

The Ellipse BPM is a selfpaced, printable module designed to build knowledge of Ellipse's positioning, statement of line, features and benefits, competitive products, application, and sales presentation for Steelcase and dealer salespeople. The Ellipse BPM is course SAL107.

Support

Steelcase Capabilities

Steelcase products are distributed, installed, and serviced through a network of more than 600 dealers worldwide. Steelcase is also represented with offices and corporate showrooms in 26 U.S. cities, 4 Canadian cities, and in France, Germany, Great Britain, and Japan. Every Steelcase product meets our exceptionally high standards of quality and durability and comes with the Steelcase assurance of excellence in service.

For assistance, please call your local dealer, the Steelcase Solutions Resource Team, or the Steelcase Solutions Fulfillment Team at 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

Call the Steelcase Solutions Resource Team prior to placing an order, when working on a bid, or when you need information about product applications and specifications.

Call the Steelcase Solutions Fulfillment Team if you have submitted an order to Steelcase and you need to speak to your Solutions Fulfillment Team Representative about the order. Also call if you have any post-shipment quality or warranty concerns or service parts questions.


Outside the U.S.A., Canada, Mexico, Puerto Rico, and the U.S. Virgin Islands, call 1.616.247.2500.

For information about Steelcase, the name of your nearest Steelcase dealer, or for product literature, call 1.800.333.9939, or visit our Web site: www.steelcase.com.

Related Products

Avenir panels and upper storage are visually compatible with Ellipse furniture. Panels can be used to increase privacy. Overhead storage bins and shelves can be used with panels when storage above a work area is needed.

Avenir Specification Guide



Details worktools

include a full line of ergonomically designed products that enhance and improve the work setting. Product platforms include computer support tools, organizational worktools, and personal lighting. For additional product information, contact Details, 6100 East Paris Avenue

5th Floor, Corporate Development Center Caledonia, MI 49316 Telephone 1.800.833.0411 Fax 1.256.230.6551


Jnderstanding

Understanding Ellipse

Statement of Line	12
Ellipse Product Details	
Desks and Returns	18
Corner Desks	22
Junction Tops	24
Conference Tables	26
Leg Choices	28
Supports, Screens, and Transaction Tops	30
Universal Storage	
See Storage and Freestanding Furniture Specification Guide.	
Application Topics	
Safe Use of Storage Products	32
Ellipse Storage Capacities and Dimensions	33
Wiring and Cabling Overview	34
Cable Capacities	35
Internode Product Details	
Internode Power and Communication Overview	36
Internode Statement of Line	37
Internode Wiring Schematics and Circuit Choices	38
Internode Power Infeeds	39
Internode Components	40
How to Calculate Power Needs	42
Locations with Special Requirements	43
Lighting	
Shelf Lights	44
LED Lights	46

Statement of Line

Ellipse




Understanding
► Page 18
Specifying
► Pages 52–57

67 ⁵ /8"H

42"

Understanding
► Page 19
Specifying
► Page 58

Desk	S							
	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
24"D	•	•	•	•		•	•	•
30"D	•	•	•	•	•	•	•	•
36"D						•		•







42" 24"	48" 30"
42" 24"	48" Understanding Page 22 Specifying Page 61

42"


Retu	rns					
	30"W	36"W	42"W	48"W	60"W	
24"D	•	•	•	•	•	

Corner	Desks				
	24"/24"D	24"/30"D	30"/24"D	30"/30"D	
90°	•	•	•	•	





Radius J	unction '	Tops		
	30"/30"D	30"/24"D	24"/30"D	
90° Radius	•	•	•	



Understanding Page 26 Specifying ▶ Pages 66–69

For the full Universal Storage offering and the **Storage Products Style Number Conversion** List, see Storage and Freestanding Furniture **Specification Guide.**




Corner Conference Tables

	36"W	
30"D	•	

Round and Rectangular Conference Tables

	42" Diameter	78"W	
42"D	•	•	





18³/8"D 18³/₈"D or 231/2"D

Understanding See Storage and
Freestanding Furniture Specification Guide. Specifying


▶ Pages 76–82

Supports, Screens, and Transaction Tops

	30"W	36"W	42"W	48"W	54"W	60"W	66"W	72"W
Screens	•	•	•	•	•	•	•	•
Transaction Tops	•	•	•	•	•	•	•	•

Pedestals

	Fixed	Mobile	Hanging
15"W x 18"H			•
15"W x 21"H		•	
15"W x 25½"H	•		
15"W x 27"H	•	•	



18"D 18⁷/8"D 23¹/8"D 24"D Flush steel Proud steel front or wood front



Lateral Files

	30"W	36"W	42"W
28"H	•	•	•
40"H	•	•	•
52"H	•	•	•
65 ¹ /2"H	•	•	•

Tip: 42"W lateral files are available 18"D and 187/8"D only.


Combination Cabinets

	30"W	36"W	42"W
52"H	•	•	•
65 ¹ /2"H	•	•	•
83½"H	•	•	•

Tip: 42"W combination cabinets are available 18"D and 187/6"D only.

Statement of Line


Universal Storage



Storage Cabinets				
	30"W	36"W	42"W	
28"H	•	•	•	
40"H	•	•	•	
52"H	•	•	•	
65½"H	•	•	•	
83½"H	•	•	•	

Tip: 42"W storage cabinets are available 18"D and 187/8"D only.

For the full Universal Storage offering and the Storage Products Style Number Conversion List, see Storage and Freestanding Furniture Specification Guide.



Wardrobe Cabinets				
	30"W	36"W	42"W	
52"H	•	•	•	
65½"H	•	•	•	
83½"H	•	•	•	

Tip: 42"W wardrobe cabinets are available 18"D and 187/8"D only.

LightingStatement of Line and Comparison Lighting

Shelf lights mount into the recessed bottom of storage shelves and bins to illuminate the worksurface. Three types of shelf lights are available to control the quality of light for specific applications. Each type is compatible with Steelcase systems furniture and all major competitive furniture lines.

Shelf Lights

Storage-Mounted Lights

Standard Shelf Light

Utility Shelf Light



	~	
Mounting Options	 Universal mounting package (standard) Competitive mounting package Flush mounting package 	Universal mounting package (standard) Competitive mounting package Flush mounting package
	Understanding ▶ Page 44 Specifying ▶ Page 126	Understanding ➤ Page 44 Specifying ➤ Page 128
Depth	91/4"	51/2"
Width	25", 37", or 49"	25", 37", or 49"
Description	The right choice for the majority of people in today's workplace who switch frequently from task to task throughout the day.	Designed for use in display areas, service centers, under transaction tops, and other applications where glare control is not a primary consideration.
Optics	Faceted, white reflector	White reflector
	Contrast sleeve that can be manually rotated to vary light intensity	Prismatic lens— flat acrylic diffuser
Ballasts	Electronic ballast	Electronic ballast Normal-power-factor ballast
Electronic Dimmer	Not available	Not available
Lens Options	None	Bat-wing lens option

▶ Lighting, continued 15 Ellipse Specification Guide

Lighting, continued

Shelf lights offer end users added control and adjustability to place the proper amount of task lighting to create a holistic worksetting. Ideally suited for recessed mount applications to bottom of bin or shelf.

LED Lights

Storage-Mounted Lights

LED Shelf Light



Mounting	Standard includes magnetic mount for steel bins and shelves. Optional fastener kit for wood and aluminum shelves are available.
	Understanding ► Page 46 Specifying ► Page 130
Depth	21/2"
Width	18"
Description	The most environmentally-friendly light in the portfolio. Consumes only 11 watts of power, contains no harmful metals (mercury), and has a useful life of over 50,000 hours. Ideally suited for recessed mount applications to bottom of bin or shelf.
Finish Options	Bottom surface clear anodized aluminum only. Plastic cover Arctic White (4231) only
Ballasts	Energy saving low-voltage power supply
Electronic Dimmer	Standard on all lights
Lens Options	Polycarbonate matte film
Average Rated Lamp Life	• 50,000 hrs.
Warranty	Power supply - 5 years Fixture - 12 years

Personal task lights

offer end users added control and adjustability to place the proper amount of personal lighting to create a holistic worksetting. Ideally suited for rail-mount, desk, or freestanding applications.

LED Lights

Rail-Mounted and Non-Rail-Mounted

LED Personal Task Light





Mounting

- Rail-mount attaches directly to rail systems in c:scape, FrameOne, Elective Elements 6, Impact, Turnstone Campfire Big Table, and Details SOTO Rail. The non-rail version attaches to most freestanding desks and tables.
- Understanding
 ► Page 48
 Specifying
- Page 131

Depth Width

6" 30"

Description

Intended to be a primary light source, LED personal task light covers the user's active work zone with a smartly-designed array of light. The light is specifically designed to direct light where it is needed. Energy efficient at only 14 watts, LED personal task light is engineered to have a useful life of over 50,000 hours. It attaches directly to the rail systems of c:scape, FrameOne, Impact, Elective Elements 6, Turnstone Big Table, and Details SOTO Rail. A non-rail-mounted version attaches to freestanding desks and tables.

Finish Options

 Top of light and stanchions, paint: 0835 Black, 4799 Platinum, and 4231 Arctic White. Plastic cover Arctic White (4231) only.

Ballasts

· Energy saving low-voltage power supply

Electronic Dimmer

• Standard on all lights

Lens Options

· Polycarbonate matte film

Average Rated Lamp Life

• 50,000 hrs.

Warranty

- Power supply 5 years
- Fixture 12 years

Desks and Returns

Desks are the primary building block of Ellipse workspaces. ▶ Specifying, pages 52–59

Returns are one of the ways to extend the desk's worksurface. Returns cannot be attached to corner desks.

Specifying, page 60

Worksurfaces have a wood core with a laminate or wood surface. Surface

material wraps front and

back edges.

Ends of laminate worksurfaces are finished with a 1 mm plastic edge.


Ends of wood worksurfaces are wood.

Grommets are standard on both the left- and right-hand side of desks and returns and allow cords and cables to pass through the worksurface.

Access covers on legs are removable to allow cords and cables to be routed inside the legs.

Leg trim strips finish the vertical seam on the legs.

Glide covers conceal the leveling glides that adjust to allow installation on uneven floors.




Actual Dimensions			
	Desk	Return	Power beam
Depth	24", 30", or 36"	24"	13⁄4"
Width	30", 36", 42", 48", 54", 60", 66", or 72"	30", 36", 42", 48", or 60"	24½", 30½", 36½", 42½", 48½", 54½", 60½", or 66½"
Height (with fixed leg)	281/2"	281/2"	N.A.
Height (with adjustable leg in ½" increments)	24½" to 32½"	N.A.	N.A.
Worksurface thickness	13/16"	13/16"	N.A.
Modesty panel-to-floor clearance	71/2"	N.A.	N.A.
Modesty panel recess	15/8", 75/8", or 135/8"	N.A.	N.A.
Power beam-to-floor clearance	22 ¹ /2"	N.A.	N.A.
Kneespace width clearance	Overall desk width minus 51/2"	Overall return width minus 23/4"	N.A.
Leveling glide range	5/8"	5/8"	N.A.

Product Details




Legs are available in different versions to accommodate different worksurface depths and various combinations of components.

Page 28




Adjustable legs are available on desks with a modesty panel. They allow worksurfaces to be supported at any height from 241/2" to 32" in 1/2" increments.


Page 28



Modesty panel, available factory or field installed on desks, ends 71/2" above the floor. Modesty panel, if selected, attaches to the power beam on desks and secures to the inside of the legs. Returns are not available with modesty panels.



Overhanging top on 36"D desks provides kneespace for visitors and enables the desk to be used for conferencing. Overhang on the visitor's side is 135/8".




Grommets are 43/16"D and 51/4"W. They are located 7/8" in from the worksurface edge.


Connections



Flat bracket, shipped with the return, joins a return to a desk at the same height.




Filler is available to fill the gap between the contoured front edge of a desk and the end of a return or perpendicular desk at the same height.




Junction tops and corner conference tables

ioin to desks only. Tip: Desk must have an optional I-leg to allow the connection.

Tip: In-line ganging bracket can be used to connect two desks. Order part number 1105703SR.




Support has pins that lock onto a bracket that is field installed in the recess that is adjacent to the grommet. A plastic cover conceals the recess if the supports are removed later.




Details slatwall with freestanding slatwall stanchions added to desks accommodate a wide variety of worktools and accessories.

See the Details SpecGuide.




Screens connect to supports that are attached to desks and returns. They are available in two heights (12"H and 22"H) and have fabric-covered, tackable surfaces on both sides.

► Page 30



Transaction tops attach to the supports used with 12"H screens. Screens must be used.


Page 30



Hanging pedestals are field installed on desks and returns.


Tip: Maximum: two pedestals.

Tip: Returns can support only one pedestal mounted beneath the worksurface.




Universal pedestals can be installed beneath desks and returns.

- Fixed
- Mobile
- Freestanding
- (with Ellipse top)
- Hanging




Desks with overhead cabinet accommodate binders and other resources within easy reach.




Lock in overhead cabinets is concealed from view beneath the shelf. Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Two-door units are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Fieldinstalled lock cylinders must be specified separately. Lock and Keying, page 146


Overhead storage cabinet height accepts standard and A4 binders.



Door assist mechanism, optional, consists of a gas cylinder and spring that provides an assisted open and close of the door. When opening the door, the spring pulls the door to the fully recessed position. When closing the door, the assist mechanism will slowly close the door. The Ellipse overhead cabinet ships with one assist mechanism per door when specified.



Dividers are available as an option for use on bins. Dividers ship in a package of four.



Distance from back of cabinet to back of worksurface is 5".



Shelf lights are available to recess into the bottom of overhead storage units.


Page 44

See Ellipse Storage
Capacities and Dimensions,
page 33.

Wiring & Cabling




Removable plastic cover, on factory-installed grommet, permits plugs to pass through the worksurface. A small triangular door opens to allow cords and cables to pass through.




Power beam on desks routes cords and cables horizontally. Returns are not available with power beams.


Front lip on power beam is 1½"H. Power beam is always 20½" from front edge of desk.




Space within legs of desks and returns allows cords and cables to be routed vertically from the floor to the power beam or worksurface. A removable cover provides access.



Cutout in the base of the leg serves as an entry and exit point for cords and cables.




Power beam receptacle can be installed on the power beam beneath the worksurface to provide convenient outlets.



Internode components

provide routing and access to receptacles and communication outlets on the underside and top of freestanding worksurfaces.

▶ Page 40



Both faces of the power block accommodate receptacles.

Surface Materials

Worksurface

- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)

A program including non-Steelcase laminates which are suitable for use on Steelcase products.

- See Surface Materials
 Reference Manual.
- Wood veneer
- Customiz stain or full-fill finish (option on wood veneer)



Tip: Grain direction of wood veneer and wood grain laminate is always parallel to the front edge of the worksurface.

Wood grain direction

will alter the color and appearance of any worksurface. Two surfaces with grain directions that are at different angles to each other may look different even when they are identical. If you're not comfortable with the natural look of directional materials like wood, you should specify non-directional laminates.

Worksurface end

- Plastic default (standard on laminate worksurface)
 Color Coordination Lists
- Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Legs, power beam, and modesty panel

Paint

Leg trim strips and glide covers

Plastic

Grommets

- Plastic default (standard on laminate worksurface)
- Color Coordination Lists, page 140
- 6000 Black plastic (standard on wood worksurface)

Return filler

Plastic

Application Topics

Cable Capacities


Page 35

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 10-20 worksurfaces. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of nine or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.


Corner Desks

Corner desks are freestanding and can be used in conjunction with 24"D and 30"D desks.



Product Details


Freestanding corners are not intended to be connected to returns, but are designed to stand alone.



Back edge of freestanding corner is finished with plastic T-mold in a color that is determined by the worksurface color. See Color Coordination Lists, page 140.


Actual Dimensions

floors.




Wiring and Cabling

Power beam routes cords and cables horizontally.




Unsupported cables

Cables routed through the freestanding corner will be unsupported for a short distance between the power beams of the adjacent desks.




Space within legs of freestanding corners allows cords and cables to be routed vertically from the floor to the power beam or worksurface. A removable cover provides access.




Cut out in the base of the leg serves as an entry and exit point for cords and cables.

Front lip on power beam is 1½"H. Power beam is always 20½" from front edge of desk.




Power beam receptacle can be installed on the power beam beneath the worksurface to provide convenient outlets.



Internode components

provide routing and access to receptacles and communication outlets on the underside and top of freestanding worksurfaces.

▶ Page 40



Both faces of the power block accommodate receptacles.

Surface Materials

Worksurface

- Laminate
- See Surface Materials
- Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on
- Steelcase products.

 ▶ See Surface Materials
 Reference Manual.
- · Wood veneer
- Customiz stain or full-fill finish (option on wood veneer)



Tip: Grain direction of wood veneer and wood grain laminate is always parallel to the front edge of the worksurface.

Wood grain direction

will alter the color and appearance of any worksurface. Two surfaces with grain directions that are at different angles to each other may look different even when they are identical. If you're not comfortable with the natural look of directional materials like wood, you should specify non-directional laminates.

Worksurface end

- Plastic default (standard on laminate worksurface)
- ► Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Back edge

- Plastic T-mold default (standard on laminate worksurface)
- ► Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Legs

• Paint

Leg trim strips and glide covers

Plastic

Application Topics


Cable Capacities

▶ Page 35

Shipping


Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 10-20 worksurfaces. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of nine or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Junction Tops



Product Details 71/2"

Modesty panel, if selected, ends 7½" above the floor and aligns with modesty panels on adjacent desks.




Back edge of all junctions is finished with plastic T-mold in a color that is determined by the worksurface color. Speckled worksurfaces will have solid-color back edges. Refer to the Color Coordination Lists.

See Color Coordination Lists, page 140.

Connections

Junction tops cannot be used to terminate a run of worksurfaces. Both sides of a junction top must be connected to a desk.

Attachment (ganging) brackets are shipped with junction tops and are attached to the worksurface.




I-legs must always be specified on the ends of desks that are intended to support junction tops. Other desk legs don't accommodate worksurface connections.

Actual Dimensions	
Depth	30"/30", 30"/24", or 24"/30"
Worksurface thickness	13/16"
Modesty panel-to-floor clearance	71/2"
Power beam-to-floor clearance	221/2"
Power beam to user edge	185/8"


24

Modesty panel, if selected, is field installed to the power beam.




Junction tops do not connect to each other. *Tip: Junction tops are not designed to be converted to a freestanding desk.*

Wiring & Cabling




Power beam is available to route cords and cables horizontally.

Front lip on power beam is 1½"H. Power beam is always 201/8" from front edge of desk.



Power beam receptacle can be installed on the power beam beneath the worksurface to provide convenient outlets.



Internode components

provide routing and access to receptacles and communication outlets on the underside and top of freestanding worksurfaces.

▶ Page 40


Surface Materials

Worksurface

- Laminate
- See Surface Materials
- Reference Manual.

 Open Line laminate
- (option)
 A program including nonSteelcase laminates which are suitable for use on
- Steelcase products.


 See Surface Materials
 Reference Manual.
- · Wood veneer
- Customiz stain or full-fill finish (option on wood veneer)



Tip: Grain direction of wood veneer and wood grain laminates is always parallel to the front edge of the worksurface.

Wood grain direction

will alter the color and appearance of any worksurface. Two surfaces with grain directions that are at different angles to each other may look different even when they are identical. If you're not comfortable with the natural look of directional materials like wood, you should specify non-directional laminates.



Tip: Make a sketch of the grain direction on adjacent worksurfaces to be sure they are suitable for your installation.

Worksurface end

- Plastic default (standard on laminate worksurface)
 Color Coordination Lists,
- Color Coordination Lists
 page 140
 Wood (standard on wood worksurface)

Back edge

- Plastic T-mold default (standard on laminate worksurface)
- Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Power beam and modesty panel

Paint

Application Topics


Cable Capacities

Page 35

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 10-20 worksurfaces. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of nine or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Junction Tops Require I-Legs




Radius junction tops provide curved transitions between adjacent desks. Both desks can have 30"D worksurfaces or one of the

worksurfaces can be 24"D.

I-legs must be specified on the ends of the desks that are intended to connect

to the junction tops.



Triangular junction tops provide angled connections between adjacent desks. Both desks must have 30"D worksurfaces.

I-legs must be specified on the ends of the desks that are intended to connect to the junction tops.


Conference Tables

Worksurface thickness

Leveling glide range

13/16"

5/8"



13/16"


5/8"



Modesty panel, if selected on a corner conference table, ends 7½" above the floor and aligns with the modesty panel on the adjacent desk.

Adjustable legs are available on corner conference tables with a modesty panel. They allow worksurfaces to be supported at any height from 241/2" to 32" in 1/2" increments. Round and rectangular conference tables cannot be supported by adjustable legs.

Page 28



Back edge of corner conference tables is finished with plastic T-mold in a color that is determined by the worksurface color. Speckled worksurfaces will have solid-color back edges. Refer to the Color Coordination Lists.

See Color Coordination Lists, page 140.

26 Ellipse Specification Guide

13/16"

5/8"


Connections

Corner conference tables connect to desks only and are used at the end of a run of worksurfaces. No worksurface can be connected to extend the run of worksurfaces beyond a corner conference table


Only 30"D desks

connect to corner conference tables. 24"D and 36"D desks do not connect to corner conference tables.

Attachment (ganging) brackets are shipped with corner conference tables.




I-leg must always be specified on the end of the desk that is intended to support a corner conference table. Other desk legs don't accommodate worksurface connections.



Corner conference tables do not connect to each other.

Round and rectangular conference tables are


freestanding and do not connect to other Ellipse components. They also do not have power beams.




Modesty panel on a corner conference table is available shipped knocked down (K.D.). In the field the modesty panel attaches to the power beam and secures to the inside of the leg.

Wiring & Cabling

Power beam on corner conference tables routes cords and cables horizontally. Freestanding conference tables are not available with power beams.



Space within leg on a corner conference table allows cords and cables to be routed vertically from the floor to the worksurface. A removable cover provides access.



Cut out in the base of the leg on a corner conference table serves as an entry and exit point for cords and cables.

Power beam receptacle can be installed on the power beam beneath the worksurface of a corner conference table to provide convenient outlets.

Surface Materials

Worksurface

- Laminate
- See Surface Materials
 Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on
- Steelcase products.

 See Surface Materials
 Reference Manual.
- · Wood veneer
- Customiz stain or full-fill finish (option on wood veneer)





Tip: Grain direction of wood veneer and wood grain laminate is always parallel to the front edge of the worksurface.

Wood grain direction

will alter the color and appearance of any worksurface. Two surfaces with grain directions that are at different angles to each other may look different even when they are identical. If you're not comfortable with the natural look of directional materials like wood, you should specify non-directional laminates.

Worksurface end

- Plastic default (standard on laminate worksurface)
- ► Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Back edge

- Plastic T-mold default (standard on laminate worksurface)
- ► Color Coordination Lists, page 140
- Wood (standard on wood worksurface)

Legs and modesty panel

Paint

Column and base

Paint

Leg trim strips and glide covers

Plastic

Application Topics

Cable Capacities

▶ Page 35

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 10-20 worksurfaces. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of nine or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Leg Choices


Tip: Wiring and cabling opening in all legs is $2^{1/2}$ " x 1".


C-Legs

Standard on 24"D desks

C-legs support 24"D worksurfaces only, so they do not have a back cantilever.

Adjustable-height C-legs are available. These legs adjust in ½" increments. Other increments can be achieved with adjustable glides. Modesty panels are required for stability on units with adjustable-height legs.





27⁷/16"H

21"W

23¹/16"W

T-Legs


Standard on 30"D and 36"D desks

T-legs support 30"D and 36"D worksurfaces

so they always have a back cantilever. They cannot be used to support a 24"D worksurface.

Adjustable-height

T-legs are available. These legs adjust in ½" increments. Other increments can be achieved with adjustable glides. Modesty panels are required for stability on units with adjustable-height legs.







I-Legs


Option on desks linked to junction tops

I-legs come in two versions—one for 24"D worksurfaces and the other for 30"D and 36"D worksurfaces. Specify I-legs at the ends of desks that support adjacent junction tops or corner conference tables.

I-legs without back cantilever support 24"D worksurfaces.

Adjustable-height

I-legs are available. These legs adjust in 1/2" increments. Other increments can be achieved with adjustable glides. Modesty panels are required for stability on units with adjustable-height legs.




I-legs with back cantilever support 30"D and 36"D worksurfaces.

I-legs always have access slots in both sides of the leg cover. This allows the routing of cables from the desk's power beam to the junction top's power beam.


Foot of I-leg is 8" to allow clearance on 30"D and 36"D worksurfaces. Foot of I-leg is 14" to allow clearance on 24"D worksurfaces.

24" Deep Worksurface



30" and 36" Deep Worksurfaces








High-Capacity I-Legs


Option on desks linked to junction tops

High-capacity I-legs

with oversized notch accommodates a high volume of cables beneath a 30"D and 36"D desks.


Adjustable-height highcapacity I-legs are not available.





30" and 36" Deep Worksurfaces

Supports, Screens, and Transaction Tops




Actual Dimensions				
	Supports	Screens	Transaction tops	
Depth	11"	1"	12"	
Width	1"	30",36",42", 48",54",60", 66", or 72"	30",36",42", 48",54",60", 66",or 72"	
Height	10"	12" or 22"	1"	
Clearance to worksurface	N.A.	0"	12"	

Product Details



Screens can be installed back to back on adjacent worksurfaces, or two back-to-back workspaces can share a screen.

Tip: Screens cannot span two units.



Details slatwall and Details freestanding stanchions are available for use on straight Ellipse desks with or without a modesty panel. Worktools can easily be repositioned by the

► See the Details SpecGuide.

Connections




Support has pins that lock onto a bracket that is field installed in the recess that is adjacent to the grommet. A plastic cover conceals the recess if the supports are removed later.

Tip: Supports must be ordered to install and support screens.

Transaction tops can only be installed above 12"H screens.



Length of screen and transaction top must match the length of corresponding desk or return.



Screens can be installed beneath overhead cabinet unit flush with back of unit or flush with back of worksurface.

Tip: Screens, if specified, must be one size smaller in width than the worksurface. Example: Order 48"W for 54"W worksurface, 54"W for 60"W worksurface, etc.

Surface Materials

Supports

· Textured paint

Screen

 Vertical surface fabric (both surfaces must be the same fabric color)

Plastic trim strip on screen top

· 6681 Grotto plastic only

Transaction top


- Laminate
- See Surface Materials Reference Manual.
- Open Line laminate (option)
 A program including non-Steelcase laminates which are suitable for use on
- Steelcase products.

 See Surface Materials
 Reference Manual.
- · Wood veneer
- Customiz stain or full-fill finish (option on wood veneer)


Attachment brackets for transaction top

Textured paint (specify color to match supports ordered separately)

Application Topics



Screens can be flush to the back of 24"D and 30"D desks.



On 36"D desks, the screen is inset 6" from the back of the worksurface.




Transaction worksurface extends 57/16" beyond screen and will extend beyond the worksurface when used with either 24"D or 30"D worksurfaces.

Safe Use of Storage Products

Universal Storage and Lateral Files

Stability of unit is assured if they are properly installed and loaded. To avoid personal injury, each unit with roll-out components is standard with an interlock system that allows only one drawer or roll-out shelf to be opened at a time. In addition, there are steps that must be followed to prevent the tipping of a unit.




Gang unit with adjacent units, either side-byside or back-to-back, or bolt unit to the floor or wall for stability. Ganging hardware is included with each unit.

Order a counterweight package option if recommended on specifying page and freestanding unit is not ganged to adjacent units or bolted to the floor or wall.

Counterweight packages prevent accidental tipping when an upper drawer or shelf is opened. They are ordered as an option, shipped separately and field-installed.

Load files starting with the bottom drawers or shelves. The upper drawers or shelves should be loaded last. Load units with the heaviest contents at the bottom.




Follow the instructions that are shipped with the units to ensure that they are properly installed to provide safe performance.


Complete instructions

for the safe installation and use of universal storage products are taped to the inside of the unit. Instructions include information about:

- · Leveling files
- Ganging files together
- Counter-balancing files
- Removing and reinstalling drawers and shelves
- Moving files



A temporary, peel-off caution label is affixed to the front of the top drawer or door exterior.



A permanent caution label is affixed to the left side of the top drawer or rollout shelf and is visible when the drawer or shelf is opened.

Safety information for storage cabinets, bookcases, and overfiles is included with the installation instructions that are shipped with the products.


Ellipse Storage Capacities and Dimensions

Plastic Center Drawer




Inside	e Dimensio		
D	W	Н	
10"	19"	13/6"	

Overhead Cabinets



Size	Inside	ıs	
	D	W	н
42"W cabinet	133/8"	41 ¹³ ⁄16"	131/4"
48"W cabinet	133/8"	47 ¹³ /16"	131/4"
54"W cabinet	133/8"	53 ¹³ /16"	131/4"
60"W cabinet	133/8"	59 ¹³ / ₁₆ "	131/4"
72"W cabinet	133/8"	71 ¹³ /16"	131/4"

Wiring and Cabling Overview




Cable Capacities

Test and verify capacities for your individual situation. Cable capacities in this table are based on non-plenum rated cables installed by a cable contractor under ideal conditions.

Figures are approximations.

Actual capacities may vary slightly depending on which manufacturer produced the cable and the specific field conditions.

Figures in the table are for a single cable carrier. In most applications, two or more cable carriers can be used. One cable carrier can be installed behind an upper beltway cover and two behind a lower beltway cover.




Grommet and leg accommodate cable capacities shown below.

Neatness of installation can affect capacities. In critical situations, you should try a test using the specific cable types your installation requires.

			1			
	Category 5 4-Pair	Category 5 4-Pair 350 mghz	Category 5 25-Pair	Category 3 4-Pair	Category 3 25-Pair	Multimode Fiber 4 Strand
Capacities for Cables						
Straight run: via power beam	45	45	8	75	20	60
T-leg	10	10	2	30	5	17

Internode Power and Communication Overview



Internode

Statement of Line

Internode Statement of Line



Floor power infeed

- Understanding ▶Page 39
- Specifying ▶Page 113



Multipurpose power infeeds

- Understanding ▶Page 39
- Specifying
- ▶Page 114



Modular infeed

- cover Understanding
- ▶Page 39
- Specifying ▶Page 114



Power modules

- Understanding
- ▶Page 39
- Specifying ▶Page 115





Block-to-block connector

- Understanding
- ▶Page 40 Specifying
- ▶Page 115



Mounting bracket

- Understanding
- ▶Page 40 Specifying
- ▶Page 116



Modular har-

- nesses Understanding
- ▶Page 40
- Specifying ▶Page 117



Harness-to-harness connector

- Understanding
- ▶Page 41
- Specifying
- ▶Page 117



Communication module

- Understanding
- ▶Page 40
- Specifying ▶Page 119



Receptacles

- Understanding
- ►Page 40
- Specifying
- ▶Page 120



Convenience tri-receptacles

- Understanding
- ▶Page 40
- Specifying ▶Pages 122–123



Convenience communication outlet housing

- Understanding
- ▶Page 41 Specifying
- ▶Page 123



Above-worksurface clamp kit

- Understanding ▶Page 41
- Specifying
- ▶Page 124



Below-worksurface mounting bracket

- Understanding
- ▶Page 41
- Specifying ▶Page 124



Cord and cable manager

- Understanding
- ▶Page 41
- Specifying
- ▶Page 125



- ▶Page 41
- Specifying ▶Page 125

Internode Wiring Schematics and Circuit Choices

Details for the Electrician

Internode offers three different wiring schematics to allow you to match your specific wiring strategy to any typical building wiring plan.


Tip: All the components in an electrical system must use the same wiring schematic. The components are color coded and keyed to make it impossible to connect mismatched parts.


Black = Four-circuit, 3+1

Brown = Four-circuit, 2+2

Rust = Three-circuit, separate neutrals Shared neutral conductors = 10 gauge Separate neutral conductors = 12 gauge Hot conductors = 12 gauge Grounding conductors = 12 gauge


Four-Circuit, 3+1






In the four-circuit 3+1 schematic, circuits 1, 2, and 3 are distributed from the first circuit panel and are supported with one shared neutral and one shared ground. Circuit 4 is distributed from a second circuit panel and is supported with a separate neutral and ground.

Single 3-Phase




On a single 3-phase circuit panel, all four circuits are distributed as shown.

Four-Circuit, 2+2




Circuit Panel 2




In the four-circuit 2+2 schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel and are supported with one shared neutral and one shared ground. Circuits 3 and 4 are distributed from a second circuit panel and supported by their own shared neutral and ground.

Single 3-Phase




On a single 3-phase circuit panel, all four circuits are distributed as shown.


Split-Phase Circuit Panel



On a split-phase circuit panel, all four circuits are distributed as shown.


Three-Circuit, Separate Neutrals






In the three-circuit, separate neutral schematic, circuits 1 and 2 are distributed from two different phases from the first circuit panel. Each circuit is supported with its own neutral and a common ground. Circuit 3 is distributed from the second circuit panel and is supported by its own neutral and ground.

Single 3-Phase Circuit Panel



On a single 3-phase circuit panel, three circuits are distributed as shown.


Split-Phase



On a split-phase circuit panel, three circuits are distributed as shown.

Internode Power Infeeds

Internode power infeed brings building power to a power module.



Internode floor power

infeed includes flexible liquid-tight harness that brings power from the monument in the floor of the building to an Internode power module.

► Page 113


Tip: Floor power infeed cannot be used in New York City. Use a multipurpose power infeed instead.

Product Details



Multipurpose power

infeed is made from flexible conduit. One end allows either a modular or hardwire connection to the building power source. The opposite end has a modular connector that attaches to a power module or harness-to-harness connector.



Modular connector receptacle is included with modular multipurpose


with modular multipurpose power infeed to hardwire to a junction box. It allows modular connector to snap into position. This allows furniture to be disconnected, moved, and reconnected later.



Modular infeed cover

is available to conceal the connection in a visible location.


Flexible conduit is available in two lengths—
12' or 24!



Harness from a Low-Profile Floor transition

module can bring power to an Internode power module from the floor. Cables can also be routed to Internode from Low-Profile Floor.

See Architectural Solutions Specification Guide.



Harnesses are available to connect power modules in adjoining workstations.

Tip: When connecting power from one worksurface to another, harnesses may be routed through the power beam.

Surface Materials


Power block and housing

· 4793 Solar Black only

Infeed conduit


· 4793 Black plastic only

Internode Components



Actual Dimensions											
	Power module	Communication module	Convenience tri-receptacle	Convenience communication outlet housing	Mounting bracket	Modular harnesses					
Depth	3"	3"	23/4"	23/4"	4"	N.A.					
Width	10"	5"	51/4"	51/4"	10"	N.A.					
Height	31/2"	4"	21/2"	21/2"	11/2"	N.A.					
Harness length	N.A.	N.A.	72"	N.A.	N.A.	12" to 144"					
Power cord length	N.A.	N.A.	96"	N.A.	N.A.	N.A.					

Product Details



Power module accommodates up to four duplex receptacles—two on each side.

Covers are included for each side to fill the openings when receptacles are not used.

Tip: Power module is attached to the mounting bracket or another power module.



Communication mod-

ule is a metal housing that supports NEMA or modular furniture faceplates. Faceplates are located on one side of the module. It can be attached to a power module to the mounting bracket, or directly onto underside of worksurface.

Convenience tri-recep-

tacle houses three receptacles. It is designed to sit on a worksurface or attach beneath it with the belowworksurface mounting bracket.




Convenience tri-receptacle with modular

harness draws power from the end of a power module. Attachment clamps are included. Below-worksurface mounting bracket can be ordered separately.



Convenience communication outlet housing

supports customer-supplied modular furniture faceplates. It is designed to sit on a worksurface using the above-worksurface clamp kit. Attach beneath the worksurface by using belowworksurface mounting bracket. Order mounting hardware separately.




15-amp and 20-amp receptacles snap into power blocks. Tools are not required for installation.




Convenience tri-receptacle with cord and

plug has an 8' cord to drawer power. It can be attached to a power module to the mounting bracket, or directly onto underside of worksurface. Order mounting hardware separately.



Modular harness must be specified to route power between two power modules.



Harness-to-harness connector is available to join harnesses and extend the length of a run.

▶Page 117

Connections



Mounting bracket


attaches power or communication modules to the underside of a worksurface. Power module can be ordered with or without a mounting bracket. Communication module is standard without a mounting bracket. Mounting bracket can be ordered separately.

Tip: Communication module can also be installed directly to the underside of a worksurface without using a mounting bracket.



Vertically stack power and communication modules to increase the number of receptacles and communication outlets beneath a worksurface. Order a 22" modular harness to extend power to the stacked module.

Tip: Two communication modules can be attached beneath a power module. Tip: If two power modules are stacked, it is recommended the communication modules be placed beside power modules instead of adding them below.



Horizontally connect

power and communication modules to increase the number of receptacles and communication outlets beneath a worksurface. Order a block-to-block connector to join adjacent modules.



Internode cord and cable manager attaches to the underside of a work-surface or the mounting bracket to help organize and store cords and cables.

▶ Page 125



Internode harness clip

attaches to the underside of a worksurface to route and manage modular harnesses.

▶ Page 125



Below-worksurface mounting bracket

mounts convenience trireceptacle or a convenience communication outlet housing to the underside of a worksurface.

Surface Materials

Power block and housing

4793 Solar Black only

Infeed conduit

· 4793 Black plastic only

Convenience tri-receptacle housing

· Plastic

Convenience tri-receptacles

· 6000 Black only

Convenience communication outlet housing

Plastic

How to Calculate Power Needs

Use This to Determine How Many Power-Ins You'll Need

When planning a power network, you must calculate the amperage requirements of all your electrical components so you can provide sufficient electricity to power them.

If your usage is not known in advance:

The National Electrical Code (NEC) allows a maximum of 13 receptacles on each 20-amp circuit. This provides up to 39 receptacles for each 3-circuit power-in and 52 receptacles for each 4circuit power-in. In Canada, the Canadian Electrical Code allows a maximum of 10 receptacles on each 15amp circuit. This provides up to 30 receptacles for each 3-circuit power-in and 40 receptacles for each 4-circuit power-in.

If your usage is known in advance:

Add up the amperage used by each piece of equipment in the workstation. Whenever you reach 60 amps—20 amps times 3 circuits—(45 amps in Canada) from items that are likely to be used at the same time, you have reached the limit for a single power-in. Specify another power-in and continue until all equipment is powered.

See table at right for typical and actual amperage usages for components.

To calculate amperage when the wattage of a device is known, divide watts by 120.

If the circuits will normally be subject to a continuous load (three or more hours of continuous use, such as lights or computers), the NEC requires that circuit capacity be "de-rated" by 20 percent. Therefore, treat circuits used for continuous loads as if they were rated at 16 amps (12 amps in Canada) instead of the regular 20 amps.

Try to anticipate future increases in power requirements and build some excess capacity into your plan.

Some appliances, such as large copiers, coffee makers, or space heaters require most of the current available on a circuit. It is recommended that such devices be supplied with their own dedicated circuit.

Local electrical codes vary. Consult a qualified electrical contractor or engineer for the proper planning of electrical circuits in your locale.

Requirements of Office Equipment in Amps

General Equipment (Typical Amperage)	
A.C. adapter	0.05
Adding machine	0.05
Answering machine	0.08
Calculator	0.25
Clock	0.03
Coffee pot	10.00
Copy machine	15.00
Desk-top copiers	7.00 to 10.00
Stand-alone copiers	15.00
Electric eraser	0.25
Fan	1.00
Manuscript holder	0.75
Microfiche	0.85
Microwave	8.00 to 12.00
Pencil sharpener	0.25
Radio	0.05
Slide projector	2.00 to 6.00
Space heater, 1000 watts	8.50
Space heater, 1500 watts	12.50
Transcriber	0.15
Typewriter	1.50

Electronic Equipment (Typical Amperage)

Desk-top memory storage devices	0.08 to 12.00
Modems	0.15
Desk-top printers	1.20 to 5.00
Stand-alone printers	3.00 to 11.00
VDTs and PCs	0.08 to 4.80

Steelcase Lighting (Actual Amperage)

Shelf light:	
25"W, 17 watts	0.2
37"W, 25 watts	0.3
49"W, 32 watts	0.3

Peerless (50-watt Biax lamps with electronic ballasts):

1 lamp	0.5
2 lamps, 1 ballast	0.9
2 lamps, 2 ballasts	0.9
3 lamps	1.4

Locations with Special Requirements

Locations with Special Requirements

Understanding

Local electrical codes

vary. Consult a qualified electrical contractor or engineer for the proper installation of all electrical components. Here are the special conditions for the cities of Chicago, New York, Los Angeles, and San Francisco.

Chicago

Chicago electrical

code requires the power distribution network to be hardwired on site. There is no hardwired version of Internode.

Shelf lights are available with a built-in circuit breaker to meet the Chicago electrical code

New York City

New York City electri-

cal code requires modular components to be installed on site by the electrician. Because all Internode modular components are field installed, they are acceptable for use in New York City. Internode convenience tri-receptacles are not approved for use in New York City.

New York City code

also requires the electrician to complete the hardwired connection to the building's power supply. The Internode floor power infeed cannot be used in New York City. Use a hardwire multipurpose power infeed instead. The modular version of the multipurpose power infeed is not acceptable in New York City.

Los Angeles

All modular power

components are acceptable for use in Los Angeles. Cord-connected power connections are not acceptable.

San Francisco


Cannot have exposed metal conduit.

Desktop receptacles

cannot be housed in plastic casings.

Shelf Lights

Standard and Utility



Actual Dimensions							
	Standard	Utility					
Depth	91/4"	51/2"					
Width	24 ⁵ / ₈ ", 36 ⁵ / ₈ ", or 48 ⁵ / ₈ "	24 ⁵ /8", 36 ⁵ /8", or 48 ⁵ /8"					
Height	13⁄4"	13⁄4"					

Product Details

Shelf light includes the lamp, ballast, and either a 9' cord with three-prong plug or daisy-chain cords.




Plug configuration

allows two shelf lights to engage adjacent outlets in one receptacle.

Energy-saving T8 lamps have triphosphor coating for balanced color and pleasing light.

Connections


Shelf light mounts recessed under overhead storage cabinet. Installation is done in the field.



Universal bracket allows shelf light to be installed recessed without tools under overhead storage cabinet. The bracket snaps into the end caps and then shelf light snaps into place.

Width	Lamp width	Lamp wattage	Replacement lamps
245/8"	24"	17 watts	F17T8-TL735
365/8"	36"	25 watts	F25T8-TL735
485/8"	48"	32 watts	F32T8-TL735

Competitive mounting package provides attachment hardware to mount Steelcase shelf lights on all major competitive furniture lines. Package includes screws and installation instructions.



Shelf light can be mounted anywhere from side to side beneath overhead storage cabinet. The cord length is the only limitation.

Wiring & Cabling

Power drawn is approximately ½ amp.

Daisy chaining permits interconnecting up to six shelf lights from a single power outlet.

▶ Page 127

Starter cord powers first light in a daisy chain and allows you to convert any daisy chain light for independent operation.

Normal-power-factor electronic ballasts are available on utility shelf lights.

Electronic high-powerfactor ballast that is roughly 45% more efficient than a normal-power-factor ballast is available.

Bat-wing lens is available as an option on Utility shelf lights for applications where moderate improvement to light distribution of regular prismatic lens is required, and low cost is critical.

Surface Materials

Housing

- · Black paint (standard)
- Paint colors (option)

Reflector

 White on Standard and Utility shelf lights

Cord

Black plastic only

End cap cord manager

· Black plastic only

Desk with Overhead Cabinet Light Fit Matrix

Overhead Cabinet Width	Shelf Light Width
42"	25", 37"
48"	25", 37"
54"	25", 37", 49" or 2–25"
60"	25", 37", 49" or 2–25"
72"	25", 37", 49" or 2–25"

Photometric Data									
Standard Initial horizontal footcandles for LSM24K Worksurface rear									
3"	88	85	78	67	55	42	31	22	
6"	93	90	82	70	57	43	31	23	
9"	91	88	81	69	56	41	30	21	
12"	82	80	72	62	50	38	28	20	
15"	69	67	61	53	43	33	24	18	
18"	56	55	49	43	36	28	21	16	
21"	41	40	37	32	27	22	17	13	
24"	29	28	26	23	23 19		13	10	
27"	19	19	18	16	14	12	10	8	
30"	13	13	3 12		10	9	7	6	
	CL	3"	6"	9"	12"	15"	18"	21"	
			Wo	rksurface	front				
Utility Initial horizontal footcandles for LSB24K Worksurface rear									
3"	113	109	98	84	65	49	36	25	
6"	129	123	112	93	73	53	37	26	
9"	135	129	117	96	75	53	38	26	
12"	127	119	107	89	68	49	36	25	
15"	104	99	89	74	58	43	32	22	

9" 1 Worksurface front

12"

15"

18"

21"

18"

21"

24"

27"


30"

CL

3"

6"

LED Shelf Lights



Product Details


Shelf light includes the lamp and power supply with cord set. Daisy chain primary light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.




Power supply uses a modular cord with standard two prong plug an integrated low voltage cord and connector to attach to light. Tip: Energy saving mini-LEDs greatly reduce power use.


Connections

Shelf light mounts recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.





Magnetic mounting allows shelf light to be installed without tools under most metal overhead storage bins and shelves. This mounting allows the light to be mounted to most competitive steel bins and shelves.



Optional fastener kit allows shelf light to be mounted to wood or aluminum shelves.

Wiring & Cabling

Shelf light includes the lamp and power supply with cord set. Daisy chain starter light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.

Power supply uses a modular cord with standard two prong plug and integrated low voltage cord and connector to attach to light. Tip: Daisy chain starter light comes with larger power supply to support up to three lights. Daisy chain secondary lights do not come with a power supply, but instead come with a daisy chain cord set.

Surface Materials

Housing

· Arctic white only

Reflector

 Clear anodized aluminum only

Cord

Black plastic only

Actual Dimensions

Depth 25/8"


Width 181/8"

Height 1/2"

Power Supply Cord Set (12')
-Line voltage cord: 6'
-Low voltage cord: 6'

Pho	Photometric Data									
	LED Shelf Light Initial horizontal footcandles for LSL18 Worksurface rear									
3"	83	80	71	58	45	32	23	17		
6"	94	90	78	64	48	34	24	18		
9"	98	94	81	65	49	35	25	17		
12"	93	89	75	61	46	34	24	17		
15"	78	74	63	53	40	30	22	15		
18"	59	57	50	43	32	25	18	14		
21"	40	41	36	32	25	19	15	11		
24"	28	27	24	22	18	14	11	9		
27"	18	17	16	14	12	10	8	7		
30"	11	10	10	9	8	7	6	5		
	CL 3" 6" 9" 12" 15" 18" 21" Worksurface front									

LED Personal Task Lights



Product Details

Personal task light

includes the lamp and power supply with cord set. Railmounted version includes rail brackets. Non-rail mounted version includes Universal Mounting brackets.



Power supply uses a modular cord with standard two prong plug an integrated low voltage cord and connector to attach to light. Tip: Energy saving mini-LEDs greatly reduce power use.

Wiring & Cabling

includes the lamp and power supply with cord set.

Personal task light

Power supply uses a modular cord with standard two prong plug and integrated low voltage cord and connector to attach to light.

Surface Materials

Housing

· Arctic white only

Fixture and Stanchions

· Available in Arctic White. Platinum, and Low Gloss Black


Cord

· Black plastic only

Connections



LED personal task light mounts directly to the rail systems of c:scape, Frame-One, Elective Elements 6, Impact, Turnstone Campfire Big Table, and Details SOTO



Non-Rail version attaches to most freestanding desks and tables.

Actual Dimensions

Depth 6"

Width 30"

Height 17"

Power Supply Cord Set (12') -Line voltage cord: 6' -Low voltage cord: 6'

Photon	Photometric Data												
LED Personal Task Lights Initial horizontal footcandles for LPTL30 Worksurface rear													
0"	15	14	13	12	11	9	6	6	5	4	3	2	2
3"	21	20	18	17	15	13	11	8	6	5	3	3	2
6"	31	31	29	26	23	19	15	12	9	7	5	3	2
9"	51	50	46	42	36	29	23	18	13	9	6	4	3
12"	82	79	73	64	53	43	32	23	16	11	7	5	3
15"	109	105	96	83	68	53	39	27	19	12	8	6	4
18"	105	102	93	81	66	51	37	27	18	12	9	6	4
21"	76	75	69	59	50	39	30	22	16	11	7	5	4
24"	48	47	44	39	33	27	21	16	12	9	6	5	3
27"	29	28	27	24	21	17	14	11	9	7	5	4	3
30"	18	18	17	16	14	12	10	8	7	5	4	3	2
	CL	3"	6"	9"	12" W	15" /orksu	18" rface 1	21" front	24"	27"	30"	33"	36"

Specifying Ellipse

Desks	
24"D Desks	52
30"D Desks	54
36"D Desks	56
30"D Desks with Overhead Cabinet	58
Returns	
281/2"H Returns	60
Corner Desks	61
Radius Junction Tops	62
Triangular Junction Tops	64
Left-Hand Corner Conference Tables	66
Right-Hand Corner Conference Tables	68
Round and Rectangular Conference Tables	70
Supports	71
Screens	72
Transaction Tops	73
Accessories	74
Universal Storage	
Universal Fixed Pedestals	76
Universal Fixed to Freestanding Pedestal Conversion Kits	78
Universal Mobile Pedestals	80
Universal Hanging Pedestal	82
Universal Lateral Files	84
Universal Combination Cabinets	88
Universal Storage Cabinets	94
Universal Wardrobe Cabinets	98
Storage Tops, Shelves, and Accessories	101
Ellipse-Style Lateral File Tops	112
Internode Power and Communication Components	113
Standard Shelf Lights	126
LED Shelf Lights	130
LED Personal Task Lights	131

24"D Desks



► Need help?

page 18

Product details,

Standard Includes

• Left- and right-hand C-legs: paint price group 1

- Power beam: paint price group 1
- Modesty panel, if selected: paint price group 1
 Worksurface: laminate or wood
 Worksurface ends: plastic default or wood

- Two grommets: plastic default
- Leg trim strips and glide covers: plastic

Required to Specify

- 1 Style number
- 2 Paint color number for legs, power beam, and modesty panel, if selected
- 3 Color number for worksurface 4 Plastic color number for leg trim strips and glide covers
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify		
Surface	Desks without modesty	panel			
Materials	Paint price group 1	No cost	Specify paint color number.		
	Paint price group 2	+\$ 36	Specify paint color number.		
	Paint price group 3	+\$ 62	Specify paint color number.		
	Open Line laminate	+\$ 64	See Surface Materials Reference Manual.		
		plus cost of laminate			
	 Full-fill finish on 	Prices at right	Specify with full-fill finish and select		
	wood worksurface		wood color number.		
			See Surface Materials, page 134.		
	 Customiz stain on wood 	Prices at right	See Surface Materials Reference Manual.		
	worksurface				
	Desks with modesty pan				
	 Paint price group 1 	No cost	Specify paint color number.		
	 Paint price group 2 	+\$ 63	Specify paint color number.		
	 Paint price group 3 	+\$108	Specify paint color number.		
	Open Line laminate +\$ 64		See Surface Materials Reference Manual.		
		plus cost of laminate			
I-Legs for Junction Tops	On left-hand side of worksurface	No cost	Specify with ACAC2400L9.		
-	 On right-hand side of worksurface 	No cost	Specify with ACAC2400R5.		
	On both sides of worksurface	No cost	Specify with ACAC2400L9 and ACAC2400R5.		
Adjustable-	Available on desks with	+\$554	Replace the last character of the		
Height Legs	modesty panel only		style number with a letter A.		
			Example: Change ADXM2430L8		
			to ADXM2430LA.		
			▶ Page 28		
Related	Supports		▶Page 71		
Products	Screens		▶ Page 72		
	 Transaction tops 		▶ Page 73		
	Accessories		▶ Page 74		
	 Internode power and communi 	cation components	▶ Page 113		

Tip: I-leg must be specified in place of a desk's standard leg wherever a desk will be linked to a junction top. 24"D desks do not connect to corner conference tables.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Spe	Specification Information										
·Dim	ensions	i	·Style	·U.S.	· Options						
D	W	н	Number	Base	· (Add \$ to						
:			•	Price	Base Price	e)					
			•	•	•						
			:	:	· Full-Fill	· Customiz					
:			:	:	Finish	Stain					



Desks without Modesty Panel

			-				
Lami	nate						
24"	30"	281/2"	ADXP2430L7	\$ 731	N.A.	N.A.	
24"	36"	281/2"	ADXP2436L9	\$ 766	N.A.	N.A.	
24"	42"	281/2"	ADXP2442L4	\$ 802	N.A.	N.A.	
24"	48"	281/2"	ADXP2448L6	\$ 837	N.A.	N.A.	
24"	60"	281/2"	ADXP2460L6	\$ 908	N.A.	N.A.	
24"	66"	281/2"	ADXP2466L3	\$1000	N.A.	N.A.	
24"	72"	281/2"	ADXP2472L3	\$1037	N.A.	N.A.	
Wood	1						
24"	30"	281/2"	ADXP2430V9 11/11	\$1258	+\$26	+\$12	
24"	36"	281/2"	ADXP2436V1 11/11	\$1320	+\$26	+\$12	
24"	42"	281/2"	ADXP2442V6 11/11	\$1382	+\$44	+\$22	
24"	48"	281/2"	ADXP2448V8 11/11	\$1444	+\$44	+\$22	
24"	60"	281/2"	ADXP2460V8 11/11	\$1560	+\$44	+\$22	
24"	66"	281/2"	ADXP2466V5 11/11	\$1725	+\$44	+\$22	
24"	72"	281/2"	ADXP2472V5 11/11	\$1788	+\$64	+\$32	
:			•	:	:	:	



Tip: Modesty panels available through customer service parts can be added to desks without modesty panels.

Desks with Modesty Panel

Lami	Laminate							
24"	30"	281/2"	ADXM2430L8	\$ 826	N.A.	N.A.		
24"	36"	281/2"	ADXM2436L0	\$ 869	N.A.	N.A.		
24"	42"	281/2"	ADXM2442L5	\$ 913	N.A.	N.A.		
24"	48"	281/2"	ADXM2448L7	\$ 958	N.A.	N.A.		
24"	60"	281/2"	ADXM2460L7	\$1042	N.A.	N.A.		
24"	66"	281/2"	ADXM2466L5	\$1147	N.A.	N.A.		
24"	72"	281/2"	ADXM2472L4	\$1188	N.A.	N.A.		
:			:	:	:	:		

30"D Desks



► Need help?

page 18

Product details,

Standard Includes

• Left- and right-hand T-legs: paint price group 1

- Power beam: paint price group 1
- Modesty panel, if selected: paint price group 1
 Worksurface: laminate or wood
 Worksurface ends: plastic default or wood

- Two grommets: plastic default
- · Leg trim strips and glide covers: plastic

Required to Specify

- 1 Style number
- 2 Paint color number for legs, power beam, and modesty panel, if selected
- 3 Color number for worksurface 4 Plastic color number for leg trim strips and glide covers
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

Surface Materials Paint price group 1 Paint price group 2 Paint price group 3 Prices at right						
Paint price group 2		Options	U.S. Price	Required to Specify		
Paint price group 2	Surface	Desks without modesty	panel			
Paint price group 3 Prices at right Prices at right Posses with full-fill finish and select wood color number. Paint price group 1 Paint price group 1 Paint price group 1 Paint price group 3 Paint color number. Specify paint color number.	Materials			Specify paint color number.		
Paint price group 3 Prices at right Prices at right Posses with full-fill finish and select wood color number. Paint price group 1 Paint price group 1 Paint price group 1 Paint price group 3 Paint color number. Specify paint color number.			+\$ 36			
- Open Line laminate - Full-fill finish on wood worksurface - Customiz stain on wood Prices at right - Paint price group 1 - Paint price group 1 - Paint price group 3 - Paint price group 4 - Paint price group 5 - Paint price group 6 - Paint price group 7 - Paint price group 8 - Paint price group 9 - Paint price group 1 - Paint price group 1 - Paint price group 1 - Paint price group 3 - Paint price group 4 - Paint price group 5 - Paint price group 5 - Paint price group 7 - Paint price group 1 - Paint price group 1 - Paint price group 1 - Paint price group 2 - Paint price group 3 - Paint price group 4 - Paint price group 5 - Paint price group 5 - Paint price group 7 - Paint price group 1 - Paint price group 1 - Paint price group 1 - Paint price group 2 - Paint price group 3 - Paint price group 4 - \$63 - Specify paint color number Specify paint color number Specify with full-fill finish and select wood color number Specify with full-fill finish and select wood color number Specify with full-fill finish and select wood color number Specify with full-fill finish and select wood color number See Surface Materials, page 134 See Surface Materials, page 134 See Surface Materials Paference Manua - Specify with full-fill finish and select wood color number See Surface Materials Paference Manua - Specify with ACAC3036R9 On left-hand side of No cost Specify with ACAC3036R9 On both sides of worksurface - On both sides of worksurfac			*			
Pull-fill finish on wood worksurface - Customiz stain on wood worksurface - Paint price group 1 - Paint price group 2 - Paint price group 2 - Paint price group 3 - Paint						
wood worksurface Customiz stain on wood worksurface Paint price group 1 No cost Paint price group 2 +\$ 63 Paint price group 3 +\$108 Pull-fill finish on Prices at right Pood worksurface Pull-fill finish on Prices at right Wood worksurface Customiz stain on wood worksurface Pill-fall finish on Prices at right Pood worksurface Pood worksurface Pood worksurface Pood worksurface Pon left-hand side of worksurface Pon ference Tables On right-hand side of Worksurface Pon both sides of Worksurface Pon left-hand side of Worksurface Pon left-hand side of Worksurface Pon ference Tables Pon left-hand side of Worksurface Pon loft-hand side of Worksurfac		open zme rammate	* -	, coc curiaco maiorialo riciorence mariaan		
wood worksurface Customiz stain on wood worksurface Pesks with modesty panel Paint price group 1 No cost Paint price group 2 +\$ 63 Paint price group 3 +\$108 Pull-fill finish on Prices at right Pull-fill finish on Prices at right Poducts Pon left-hand side of worksurface Conference Tables On left-hand side of worksurface Von left-hand side of worksurface On both sides of No cost Vorsumface On left-hand side of worksurface On both sides of No cost Vorsumface On left-hand side of worksurface On both sides of No cost Vorsumface On left-hand side of worksurface On both sides of No cost Vorsumface On left-hand side of No cost Specify with ACAC3036R9. Vorsumface On left-hand side of No cost Specify with ACAC3036L2. Vorsumface On both sides of No cost Specify with ACAC3036L2. Vorksurface On left-hand side of No cost Specify with ACAC3036L2. Vorksurface On both sides of No cost Specify with ACAC3036R8. ACAC3036R9. Worksurface On left-hand side of No cost Specify with ACAC3036L2. Vorksurface ACAC3036R9. Page 71 Page 72 Page 73 Page 74 Page 74 Page 74 Page 74		Full-fill finish on		Specify with full-fill finish and select		
Customiz stain on wood worksurface Desks with modesty panel Paint price group 1 Paint price group 2 Paint price group 3 Page 74 Page 73 Page 74 Page 74 Page 74 Page 73 Page 74 Page 73 Page 74		wood worksurface	3 .			
Customiz stain on wood worksurface Peaint price group 1 Paint price group 2 Paint price group 3 Page 71 Paint price group 4 Page 72 Paint price group 4 Page 74 Page 72 Paint price group 4 Page 72 Paint price group 4 Page 72 Paint price group 4 Page 72 Paint price group 4 Paint price group 4 Paint price group 3 Page 74 Paint price group 4 Paint price group 4 Paint price group 4 Page 72 Paint price group 4 Paint price group 4 Page 74 Paint price group 4 Paint price group 4 Page 74 Paint price group 5 Page 74 Paint price group 6 Paint price group 6 Paint price group 6 Paint print color number. Specify paint color number. Specif						
Paint price group 1 Paint price group 2 Paint price group 2 Paint price group 3 Page 77 Page 74 Page 74 Page 74 Page 74		- · · · · · · · · · · · · · · · · · · ·		See Surface Materials Reference Manual.		
Paint price group 1 Paint price group 2 Paint price group 2 Paint price group 3 Page 77 Page 74 Page 74 Page 74 Page 74		Dooks with madesty you				
Paint price group 2 Paint price group 3 Page 77 Paint price group 3 Page 74 Page 74 Page 74 Page 74 Page 74				Charify point color number		
Paint price group 3 Open Line laminate Full-fill finish on wood worksurface Customiz stain on wood worksurface On left-hand side of worksurface On left-hand side of worksurface On both sides of worksurface On left-hand side of worksurface On both sides of worksurface On left-hand side of worksurface On both sides of worksurface Tables On both sides of worksurface Tables On both sides of worksurface On both sides of worksurface On both sides of worksurface Tables Adjustable-Height Legs Related Products Page 71 Page 72 Page 73 Page 74 Page 74 Page 74						
- Open Line laminate - \$ 64 - Full-fill finish on wood worksurface - Customiz stain on wood worksurface - Conference - On left-hand side of worksurface - On both sides of worksurface - On both sides of worksurface - On left-hand side of worksurface - On both sides of worksurface - On						
Pill-fill finish on wood worksurface - Full-fill finish on wood worksurface - Customiz stain on wood worksurface - On left-hand side of worksurface - On left-hand side of worksurface - On right-hand side of worksurface - On both sides of worksurface - On left-hand side of worksurface - On both sides of work						
Full-fill finish on wood worksurface - Customiz stain on wood Prices at right - See Surface Materials, page 134. - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices at right - See Surface Materials Reference Manual Prices And Indices Prices Pri		Open Line laminate	* -	► See Surface Materials Reference Manual.		
wood worksurface Customiz stain on wood worksurface Customiz stain on wood Prices at right On left-hand side of worksurface On right-hand side of worksurface On both sides of worksurface On left-hand side of worksurface On both sides of worksurface On right-hand side of worksurface On both sides of worksurface On right-hand side of worksurface On left-hand side of worksurface On left-hand side of worksurface On left-hand side of worksurface On right-hand side of worksurface No cost Specify with ACAC3036L2. Specify with ACAC3036R8. Feplace the last character of the style number with a letter A. Example: Change ADXM2430L8 to ADXM2430L8. Page 28 Related Products Page 71 Page 73 Page 73 Page 74		E 0.00.0 date	•	0		
Customiz stain on wood worksurface Prices at right Customiz stain on wood worksurface On left-hand side of worksurface On right-hand side of worksurface Tables On both sides of worksurface On both sides of worksurface Tables On left-hand side of worksurface On both sides of worksurface On both sides of worksurface On both sides of worksurface Von left-hand side of worksurface On both sides of worksurface On both sides of worksurface On left-hand side of worksurface On right-hand side of worksurface Von left-hand side of worksurface On both sides of worksurface No cost Specify with ACAC3036R8. Specify with ACAC3036R8. Page if with ACAC3036R8. Replace the last character of the style number with a letter A. Example: Change ADXM2430L8 to ADXM2430L8. Page 28 Related Products Page 71 Page 73 Page 73 Page 73 Page 74			Prices at right			
• Customiz stain on wood worksurface I-Legs for Junction Tops or Corner Conference Tables • On left-hand side of worksurface • On both sides of worksurface • On left-hand side of worksurface • On both sides of worksurface • On left-hand side of worksurface • On both sides of worksurface • On left-hand side of worksurface • On both sides of worksurface • On cost • Specify with ACAC3036R8. • Specify with ACAC3036R8. • Specify with ACAC3036R8. • On both sides of worksurface • On both sides of worksur		wood worksurface				
worksurface I-Legs for Junction Tops or Corner On right-hand side of worksurface On both sides of worksurface On left-hand side of No cost Specify with ACAC3036R9. On both sides of worksurface On both sides of worksurface On left-hand side of No cost Specify with ACAC3036R9. High-Capacity On left-hand side of worksurface I-legs for Junction Tops On right-hand side of worksurface On both sides of worksurface On both sides of worksurface On both sides of worksurface No cost Specify with ACAC3036R8. Specify with ACAC3036R8. Adjustable-Height Legs Adjustable-Height Legs Page 71 Page 72 Page 74 Page 74						
Junction Tops or Corner Conference Tables On right-hand side of worksurface Tables On left-hand side of worksurface No cost Specify with ACAC3036R9. No cost Specify with ACAC3036L3 and ACAC3036R9. High-Capacity I-legs for Junction Tops On right-hand side of worksurface On right-hand side of worksurface On right-hand side of worksurface On both sides of worksurface No cost Specify with ACAC3036R8. Specify with ACAC3036R8. Adjustable- Height Legs Adjustable- Height Legs Adjustable- Height Legs Specify with ACAC3036R8. No cost Specify with ACAC3036R8. Page 78 Page 78 Page 71 Page 73 Page 73 Page 73 Page 74			Prices at right	See Surface Materials Reference Manual.		
Junction Tops or Corner Conference Tables On right-hand side of worksurface Tables On left-hand side of worksurface No cost Specify with ACAC3036R9. No cost Specify with ACAC3036L3 and ACAC3036R9. High-Capacity I-legs for Junction Tops On right-hand side of worksurface On right-hand side of worksurface On right-hand side of worksurface On both sides of worksurface No cost Specify with ACAC3036R8. Specify with ACAC3036R8. Adjustable- Height Legs Adjustable- Height Legs Adjustable- Height Legs Specify with ACAC3036R8. No cost Specify with ACAC3036R8. Page 78 Page 78 Page 71 Page 73 Page 73 Page 73 Page 74	I-Leas for	On left-hand side of	No cost	Specify with ACAC3036L3.		
or Corner Conference Conference Tables On both sides of worksurface On left-hand side of worksurface No cost Specify with ACAC3036R9. High-Capacity I-legs for Junction Tops Or Corner Conference Tables On left-hand side of worksurface On right-hand side of worksurface No cost Specify with ACAC3036L2. Specify with ACAC3036L2. Specify with ACAC3036R8. No cost Specify with ACAC3036R8. On right-hand side of worksurface No cost Specify with ACAC3036R8. Adjustables Adjustable-Height Legs Adjustable-Height Legs Adjustable-Height Legs Specify with ACAC3036R8. Page 28 Related Supports Specify with ACAC3036L2. No cost Specify with ACAC3036R8. No cost Specify with ACAC3036R8. Page 28 Page 71 Page 71 Page 72 Page 73 Page 73 Page 74		worksurface		.,,		
Conference Tables On both sides of worksurface On left-hand side of worksurface High-Capacity I-legs for Junction Tops or Corner Conference Tables Adjustable- Height Legs Related Products Page 71 Page 74	•	On right-hand side of	No cost	Specify with ACAC3036R9.		
Tables On both sides of worksurface No cost Specify with ACAC3036L3 and ACAC3036R9. High-Capacity I-legs for Worksurface On right-hand side of No cost Specify with ACAC3036L2. Specify with ACAC3036L2. Voright-hand side of No cost Specify with ACAC3036R8. No cost Specify with ACAC3036R8. Adjustables Adjustable Available on desks with modesty panel only Adjustable Height Legs Adjustable Specify with ACAC3036R8. Replace the last character of the style number with a letter April Example: Change ADXM2430L8 to ADXM2430LA page 28 Related Products Supports Screens Transaction tops Accessories Page 71 Page 72 Page 73 Page 74	Conference			-,,		
worksurface High-Capacity I-legs for worksurface Junction Tops or Corner Conference Tables Adjustable-Height Legs Adjustable-Height Legs Worksurface - Available on desks with modesty panel only Related Products Page 71 Page 72 Page 74 Page 74 Page 74 Page 74	Tables	On both sides of	No cost	Specify with ACAC3036L3 and		
I-legs for Junction Tops or Corner worksurface No cost Specify with ACAC3036R8. Conference Tables • On both sides of worksurface No cost Specify with ACAC3036L2 and ACAC3036R8. Adjustable-Height Legs • Available on desks with modesty panel only +\$554 Replace the last character of the style number with a letter A. Example: Change ADXM2430L8 to ADXM2430LA. Page 28 Related Products • Supports • Page 71 • Transaction tops • Page 73 • Accessories • Page 74						
Junction Tops or Corner Conference Tables - On both sides of worksurface Tables - Available on desks with modesty panel only - Supports - Supports - Screens - Transaction tops - Accessories - On right-hand side of worksurface - On both sides of worksurface - No cost - Specify with ACAC3036R8. - Replace the last character of the style number with a letter A Example: Change ADXM2430L8 to ADXM2430LA Page 28 - Page 71 - Page 72 - Page 73 - Page 73 - Page 74			No cost	Specify with ACAC3036L2.		
Conference Tables • On both sides of worksurface No cost Specify with ACAC3036L2 and ACAC3036R8. Adjustable-Height Legs • Available on desks with modesty panel only +\$554 Replace the last character of the style number with a letter A. Example: Change ADXM2430L8 to ADXM2430LA. Page 28 • Page 28 Related Products • Screens • Screens • Transaction tops • Accessories • Page 72 • Page 73 • Page 74	Junction Tops	 On right-hand side of 	No cost	Specify with ACAC3036R8.		
Height Legs modesty panel only style number with a letter A. Example: Change ADXM2430L8 to ADXM2430LA. Page 28 Related Products Screens Transaction tops Accessories Page 73 Page 74	Conference		No cost			
Related Supports Screens Transaction tops Accessories Example: Change ADXM2430L8 to ADXM2430LA. Page 28 Page 71 Page 72 Page 73 Page 73 Page 74	Adjustable-	Available on desks with	+\$554	Replace the last character of the		
to ADXM2430LÅ.	Height Legs	modesty panel only		style number with a letter A.		
Related Products Supports Screens Screens Transaction tops Accessories Page 28 Page 71 Page 72 Page 72 Page 73 Page 73				Example: Change ADXM2430L8		
Related Products Supports Screens Page 71 Page 72 Transaction tops Accessories Page 73 Page 74				to ADXM2430LA.		
Products				▶ Page 28		
 Transaction tops Accessories ▶ Page 73 ▶ Page 74 	Related	Supports		▶Page 71		
• Accessories Page 74	Products	Screens		▶Page 72		
• Accessories Page 74		 Transaction tops 		•		
· · · · · · · · · · · · · · · · · · ·		Accessories		▶ Page 74		
		 Internode power and community 	cation components	▶ Page 113		

Tip: I-leg must be specified in place of a desk's standard leg wherever a desk will be linked to a junction top or corner conference table.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Spe	Specification Information									
·Dim	ensions		Style	·U.S.	Options					
D	w	Н	Number	Base	· (Add \$ to					
:			:	Price	Base Price)					
					•					
:			•		Full-Fill Customiz					
:				:	· Finish · Stain					



Desks without Modesty Panel

30" 30" 28½" ADXP3030L0 \$ 782 N.A. N.A.		inate	Lami
	281/2"	30"	30"
30" 36" 28½" ADXP3036L2 \$ 825 N.A. N.A.	281/2"	36"	30"
30" 42" 28½" ADXP3042L7 \$ 865 N.A. N.A.	281/2"	42"	30"
30" 48" 28½" ADXP3048L9 \$ 904 N.A. N.A.	281/2"	48"	30"
30" 54" 28½" ADXP3054L4 \$ 945 N.A. N.A.	281/2"	54"	30"
30" 60" 28½" ADXP3060L9 \$ 987 N.A. N.A.	281/2"	60"	30"
30" 66" 28½" ADXP3066L6 \$1096 N.A. N.A.	281/2"	66"	30"
30" 72" 28½" ADXP3072L6 \$1137 N.A. N.A.	281/2"	72"	30"
Wood		d	Wood
30" 30" 28½" ADXP3030V2 №11/11 \$1353 +\$44 +\$22	281/2"	30"	30"
30" 36" 28½" ADXP3036V4 №11/11 \$1424 +\$44 +\$22	281/2"	36"	30"
30" 42" 28½" ADXP3042V9 №11/11 \$1493 +\$44 +\$22	281/2"	42"	30"
30" 48" 28½" ADXP3048V1 №11/11 \$1562 +\$44 +\$22	281/2"	48"	30"
30" 54" 28½" ADXP3054V6 №11/11 \$1632 +\$64 +\$32	281/2"	54"	30"
30" 60" 28½" ADXP3060V1 №11/11 \$1707 +\$64 +\$32	281/2"	60"	30"
30" 66" 28½" ADXP3066V8 №11/11 \$1890 +\$64 +\$32	281/2"	66"	30"
30" 72" 28½" ADXP3072V8 №11/11 \$1965 +\$64 +\$32	281/2"	72"	30"



Desks with Modesty Panel

			•				
Lami	nate						
30"	30"	281/2"	ADXM3030L1	\$ 877	N.A.	N.A.	
30"	36"	281/2"	ADXM3036L3	\$ 928	N.A.	N.A.	
30"	42"	281/2"	ADXM3042L8	\$ 976	N.A.	N.A.	
30"	48"	281/2"	ADXM3048L0	\$1025	N.A.	N.A.	
30"	54"	281/2"	ADXM3054L5	\$1071	N.A.	N.A.	
30"	60"	281/2"	ADXM3060L0	\$1121	N.A.	N.A.	
30"	66"	281/2"	ADXM3066L8	\$1243	N.A.	N.A.	
30"	72"	281/2"	ADXM3072L7	\$1288	N.A.	N.A.	
Wood	d						
30"	30"	281/2"	ADXM3030V3 11/11	\$1448	+\$44	+\$22	
30"	36"	281/2"	ADXM3036V5 11/11	\$1527	+\$44	+\$22	
30"	42"	281/2"	ADXM3042V0 11/11	\$1604	+\$44	+\$22	
30"	48"	281/2"	ADXM3048V2 11/11	\$1683	+\$44	+\$22	
30"	54"	281/2"	ADXM3054V7 11/11	\$1758	+\$64	+\$32	
30"	60"	281/2"	ADXM3060V2 11/11	\$1841	+\$64	+\$32	
30"	66"	281/2"	ADXM3066V0 11/11	\$2037	+\$64	+\$32	
30"	72"	281/2"	ADXM3072V9 11/11	\$2116	+\$64	+\$32	



⊠11/11 = Last order entry November 20, 2011

36"D Desks



► Need help?

page 18

Product details,

Tip: 36"D desks do not connect to junction tops or corner conference tables.

Standard Includes

- Left- and right-hand T-legs: paint price group 1
- · Power beam: paint price group 1
- Modesty panel, if selected: paint price group 1
- · Worksurface: laminate or wood
- · Worksurface ends: plastic default or wood
- · Two grommets: plastic default
- · Leg trim strips and glide covers: plastic

Required to Specify

1 Style number

▶ Page 113

- 2 Paint color number for legs, power beam, and modesty panel, if selected
- 3 Color number for worksurface
- 4 Plastic color number for leg trim strips and glide covers
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Desks without modesty	panel	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 36	Specify paint color number.
	 Paint price group 3 	+\$ 62	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual.
		plus cost of laminate	
	 Full-fill finish on 	Prices at right	Specify with full-fill finish and select
	wood worksurface		wood color number.
			► See Surface Materials, page 134.
	 Customiz stain on wood 	Prices at right	See Surface Materials Reference Manual.
	worksurface		
	Desks with modesty pan	el	
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 63	Specify paint color number.
	 Paint price group 3 	+\$108	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual.
		plus cost of laminate	
I-Legs	On left-hand side of worksurface	No cost	Specify with ACAC3036L3.
	 On right-hand side of worksurface 	No cost	Specify with ACAC3036R9.
	On both sides of worksurface	No cost	Specify with ACAC3036L3 and ACAC3036R9.
High-Capacity I-Legs	On left-hand side of worksurface	No cost	Specify with ACAC3036L2.
	On right-hand side of worksurface	No cost	Specify with ACAC3036R8.
	On both sides of worksurface	No cost	Specify with ACAC3036L2 and ACAC3036R8.
Adjustable-	Available on desks with	+\$554	Replace the last character of the
Height Legs	modesty panel only		style number with a letter A.
			Example: Change ADXM2430L8
			to ADXM2430L A . ▶ Page 28
Related	. Cunnouto		
	• Supports		Page 70
Products	• Screens		Page 72
	Transaction tops		Page 74
	Accessories		Page 74

Tip: I-legs can be used when desks are connected in line to form conference room or training room configurations. In these I-leg configurations, desk-mounted pedestals cannot be used. Use mobile pedestals.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

• Internode power and communication components

Spe	Specification Information										
·Dim	ensions	i	·Style	·U.S.	· Options						
D	W	н	Number	Base	· (Add \$ to						
:			•	Price	Base Price	e)					
			•	•	•						
			:	:	· Full-Fill	· Customiz					
:			:	:	Finish	Stain					



Desks without Modesty Panel

Laminate							
36"	60"	281/2"	ADXP3660L5	\$1070	N.A.	N.A.	
36"	72"	281/2"	ADXP3672L2	\$1243	N.A.	N.A.	
Wood	1						
36"	60"	281/2"	ADXP3660V7 11/11	\$1848	+\$64	+\$32	
36"	72"	281/2"	ADXP3672V4 11/11	\$2149	+\$90	+\$45	
:			:	:	:	:	




Tip: Modesty panels available through customer service parts can be added to desks without modesty panels.

Desks with Modesty Panel

Lami	Laminate							
36"	60"	281/2"	ADXM3660L6	\$1204	N.A.	N.A.		
36"	72"	281/2"	ADXM3672L3	\$1394	N.A.	N.A.		

30"D Desks with Overhead Cabinet



can not be mounted onto standard Ellipse desks.

► Need help? Product details, page 19

Standard Includes

- Left- and right-hand T-legs: paint price group 1
- · Power beam: paint price group 1
- Modesty panel: paint price group 1
- Worksurface: laminate

Options

- Worksurface ends: plastic default
- · Two grommets: plastic default
- · Leg trim strips and glide covers: plastic
- Overhead storage cabinet with lift-up door: paint price group 1
- Recess beneath overhead cabinet to accommodate shelf light
- Overhead cabinet shelf backstop
- · Lock, keyed random: 9201 Polished Chrome

Required to Specify

- 1 Style number
- 2 Paint color number for legs, power beam, modesty panel, and overhead cabinet, if selected
- 3 Laminate color number for worksurface
- 4 Plastic color number for leg trim strips and glide covers
- 5 Options, if selected (see below)

Required to Specify

See Surface Materials, page 134.

Tip: I-legs and High-Capacity
I-legs must be specified in
place of a desk's standard
T-legs whenever a desk will
be linked to a junction top
or corner conference table.
I-legs and High-Capacity
I-legs can not be used on a
desk with overhead cabinet
without an adjacent unit
attached


Surface	Desks with modesty pan	el	
Materials	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$120	Specify paint color number.
	Paint price group 3	+\$205	Specify paint color number.
	Open Line laminate	+\$ 64	See Surface Materials Reference Manual.
	•	plus cost of laminate	
I-Legs for Junction Tops	On left-hand side of worksurface	No cost	Specify with I-leg on left-hand side.
or Corner Conference	 On right-hand side of worksurface 	No cost	Specify with I-leg on right-hand side.
Tables	On both sides of worksurface	No cost	Specify with I-leg on left-hand side and I-leg on right-hand side.
High-Capacity I-Legs for	On left-hand side of worksurface	No cost	Specify with high-capacity I-leg on left-hand side.
Junction Tops or Corner	 On right-hand side of worksurface 	No cost	Specify with high-capacity I-leg on right-hand side.
Conference Tables	On both sides of worksurface	No cost	Specify with high-capacity I-leg on left-hand side and high capacity I-leg on right-hand side.
Door Mechanism	Assist mechanism on standard door	+\$158 per door	Specify with assist mechanism on standard door.
Shelf Accessories	Four dividers: white plastic	+\$ 41	Specify with dividers.
Lock and	Lock		
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying • Factory- and field-installed key	ring	▶Page 146
Related	• Supports		▶ Page 71
Products	• Screens		Page 72
	 Accessories 		Page 74
	 Internode power and commun 	ication components	▶Page 113
	 Shelf lights 		▶ Pages 126–129

U.S. Price

Tip: Screens, if specified, must be one size smaller in width than the worksurface. Example: Order 48"W for 54"W worksurface, 54"W for 60"W worksurface, etc.

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

·Dim	ensions	;	·Number	·New	Old	·U.S.
D	W	н	of Doors	Style Number	Style Number	Base Price
30"	42"	675/8"	1	ADBB42	ADXM2242LOC	\$2828
30"	48"	675/8"	1	ADBB48	ADXM2248LOC	\$2953
30"	54"	675/8"	2	ADBB54	ADXM2254LOC	\$3036
30"	60"	675/8"	2	ADBB60	ADXM2260LOC	\$3117
30"	72"	675/8"	2	ADBB72	ADXM2272LOC	\$3426



Returns

Tip: Return filler is available to fill the gap between the contoured front edges of a desk and the end of a return.

▶Page 74

► Need help? Product details,

page 18

Standard Includes

- Left- or right-hand C-leg: paint price group 1
- · Worksurface: laminate
- · Worksurface ends: plastic default
- Two grommets: plastic default
- Leg trim strip and glide cover: plastic
- · Attachment brackets: black paint only

Required to Specify

- 1 Style number
- 2 Paint color number for leg 3 Laminate color number for worksurface
- 4 Plastic color number for leg trim strip and glide cover
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	Paint price group 1Paint price group 2	No cost +\$19	Specify paint color number. Specify paint color number.
	 Paint price group 3 	+\$31	Specify paint color number.
	Open Line laminate	+\$64 plus cost of laminate	See Surface Materials Reference Manual.
Related	Supports		▶ Page 71
Products	Screens		▶Page 72
	 Transaction tops 		▶Page 73
	 Accessories 		▶Page 74
	 Internode power and com 	munication components	▶ Page 113



Specification Information

Dimensions			· Style	·U.S.
D	W	н	Number	Base
			:	Price

Left-Hand Returns


24"	30"	281/2"	ARAL2430L0	\$562
24"	36"	281/2"	ARAL2436L2	\$581
24"	42"	281/2"	ARAL2442L7	\$599
24"	48"	281/2"	ARAL2448L9	\$616
24"	60"	281/2"	ARAL2460L9	\$649
			•	•

Right-Hand Returns

9	-		_	
24"	30"	281/2"	ARAR2430L8	\$562
24"	36"	281/2"	ARAR2436L0	\$581
24"	42"	281/2"	ARAR2442L5	\$599
24"	48"	281/2"	ARAR2448L7	\$616
24"	60"	281/2"	ARAR2460L7	\$649



Corner Desks



Standard Includes

Required to Specify

Need help? Product details, page 22

- Left- and right-hand legs: paint price group 1
- · Power beam: paint price group 1
- Worksurface: laminate or wood
- Worksurface ends: Plastic default or wood
- Leg trim strips and glide covers: plastic
- 1 Style number
- 2 Paint color number for legs and power beam
- 3 Color number for worksurface
- 4 Plastic color number for leg trim strip and glide cover
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	Paint price group 2	+\$ 63	Specify paint color number.
	Paint price group 3	+\$108	Specify paint color number.
	Open Line laminate	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.
	 Full-fill finish on wood worksurface 	+\$ 44	Specify with full-fill finish and select wood color number.
			► See Surface Materials, page 134.
	 Customiz stain on wood worksurface 	+\$ 22	See Surface Materials Reference Manual.
Related	• 24"D and 30"D desks		▶ Pages 52–55
Products	 Internode power and commit 	unication components	▶ Page 113

Spe	Specification Information							
· Dime	ension B	s C	D	• Front Edge	• Height	• Style Number	· U.S. Base Price	
Lami	nate			•	•		·	
24"	24"	42"	42"	251/2"	281/2"	ADCP2442L0	\$1418	
24"	30"	48"	42"	251/2"	281/2"	ADCP2448L1	\$1757	
30"	24"	42"	48"	251/2"	281/2"	ADCP3042L2	\$1757	
30"	30"	48"	48"	251/2"	281/2"	ADCP3048L3	\$1828	
Wood	I							
24"	24"	42"	42"	251/2"	281/2"	ADCP2442V3 11/11	\$2188	
24"	30"	48"	42"	251/2"	281/2"	ADCP2448V4 11/11	\$2715	
30"	24"	42"	48"	251/2"	281/2"	ADCP3042V5 11/11	\$2715	
30"	30"	48"	48"	251/2"	281/2"	ADCP3048V6 №11/11	\$2823	



Radius Junction Tops

Tip: Junction tops are not designed to be converted to a freestanding desk.

Standard Includes

Required to Specify

- Need help? Product details, page 24
- Worksurface: laminate or wood
 Worksurface and a plantia default or wo
- · Worksurface ends: plastic default or wood
- Back edge: plastic T-mold default on laminate
- Power beam, if selected: paint price group 1
- · Modesty panel, if selected: paint price group 1
- · Attachment brackets: black paint only
- 1 Style number
- 2 Color number for worksurface
- 3 Paint color number for power beam or modesty panel, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Desks with modesty pa	anel	
Materials	 Paint price group 1 Paint price group 2 Paint price group 3 Open Line laminate Full-fill finish on 	No cost +\$27 +\$46 +\$64 plus cost of laminate +\$26	Specify paint color number. Specify paint color number. Specify paint color number. See Surface Materials Reference Manual. Specify with full-fill finish and select
	wood worksurface • Customiz stain on wood	+\$12	wood color number. See Surface Materials, page 134. See Surface Materials Reference Manual.
Related	worksurface • Desks		▶ Pages 52–61
Products	Accessories Internode power and commit	unication components	Page 74 ▶Page 113

Specification Information

No


Yes

Dimensions		·With	· Style	·U.S.
D	w	Power	Number	Base
:		Beam	:	Price

90° Radius Junction Tops without Modesty Panel

AJRS3090L3

AJRP3090L4





30"/30" 36"

30"/30" 36"





24"/30" **Wood** 24"/30"

Wood 30"/30" 36" AJRS3090V6 11/11 \$1448 No 30"/30" 36" AJRP3090V7 11/11 Yes \$1516 Laminate 30"/24" 30" **AJRS3290L5** \$ 682 No 30"/24" 30" AJRP3290L6 \$ 750 Wood 30"/24" 30" No AJRS3290V8 11/11 \$1448 30"/24" 30" Yes AJRP3290V9 11/11 \$1516 Laminate 24"/30" 30" **AJRS2390L9** \$ 682 24"/30" 30" AJRP2390L0 \$ 750 Yes 24"/30" 30" No AJRS2390V2 11/11 \$1448 24"/30" 30" AJRP2390V3 11/11 \$1516 Yes

\$ 682

\$ 750

▶ Specification Information, continued on next page

⊠11/11 = Last order entry November 20, 2011

▶ Specification Information, continued from previous page

Spe	Specification Information						
·Dim	ensions	·With	·Style	∙U.S.			
D	W	Power	Number	Base			
-		Beam	:	Price			

30" 30"





90° R	90° Radius Junction Tops with Modesty Panel						
Lamin	Laminate						
30"/30"	36"	Yes	AJRM3090L5	\$ 845			
Wood							
30"/30"	36"	Yes	AJRM3090V8 11/11	\$1543			
Lamin	ate						
30"/24"	30"	Yes	AJRM3290L7	\$ 845			
Wood							
30"/24	30"	Yes	AJRM3290V0 €11/11	\$1611			
Lamin	ate						
24"/30"	30"	Yes	AJRM2390L1	\$ 845			
Wood			-				
24"/30"	30"	Yes	AJRM2390V4 11/11	\$1611			
:		:	:	•			

Triangular Junction Tops

Tip: Junction tops are not designed to be converted to a freestanding desk.

Standard Includes

Required to Specify

- ► Need help? Product details, page 24
- · Worksurface: laminate or wood
- · Worksurface ends: plastic default or wood
- Back edge: laminate self-edge on laminate 90° triangular and plastic T-mold default on laminate
- Power beam, if selected: paint price group 1
- Modesty panel, if selected: paint price group 1
- · Attachment brackets: black paint only

- 1 Style number
- 2 Color number for worksurface
- 3 Paint color number for power beam or modesty panel, if selected
- 4 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Desks with modesty pa	anel	
Materials	Paint price group 1Paint price group 2Paint price group 3Open Line laminate	No cost +\$27 +\$46 +\$64	Specify paint color number. Specify paint color number. Specify paint color number. See Surface Materials Reference Manual.
	Full-fill finish on wood worksurface	plus cost of laminate +\$44	ste Specify with full-fill finish and select wood color number. See Surface Materials, page 134.
	 Customiz stain on wood worksurface 	+\$22	See Surface Materials Reference Manual.
Related Products	Desks Accessories Internode power and commit	unication components	➤ Pages 52–61 ➤ Page 74 ➤ Page 113


Specification Information

·Dim	ensions	·With	·Style	·U.S.	
D	w	Power	Number	Base	
:		Beam	:	Price	
			•	•	



90° Triangular Junction Tops without Modesty Panel

Laminate				
30"/30" 36"	No	AJTS3090L5	\$ 511	
30"/30" 36"	Yes	AJTP3090L6	\$ 579	
:	:	:	:	



90° "H" Triangular Junction Tops without Modesty Panel

Laminate	Laminate					
30"/30" 48"	No	AJHS3090L0	\$ 972			
30"/30" 48"	Yes	AJHP3090L1	\$1055			
Wood						
30"/30" 48"	No	AJHS3090V3 11/11	\$1815			
30"/30" 48"	Yes	AJHP3090V4 11/11	\$1898			
:	:	:	•			

▶ Specification Information, continued on next page



▶ Specification Information, continued from previous page

Spe	Specification Information						
·Dim	ensions	·With	·Style	∙u.s.			
D	W	Power	Number	Base			
:		Beam	:	Price			
:		:		:			



90° "H" Triangular Junction Tops with Modesty Panel

Laminate				
30"/30" 48"	Yes	AJHM3090L2	\$1166	
Wood				
30"/30" 48"	Yes	AJHM3090V5 11/11	\$2009	
:	:	:		

Left-Hand Corner Conference Tables



Standard Includes

Required to Specify

- Need help?
 Product details,
 page 26
- •Corner conference leg: paint price group 1
- · Power beam: paint price group 1
- Modesty panel, if selected: paint price group 1
- · Worksurface: laminate or wood
- Worksurface ends: plastic default or wood
- Back edge: plastic T-mold default on laminate
- Leg trim strip and glide cover: plastic
- · Attachment brackets: black paint only

- 1 Style number
- 2 Paint color number for legs, power beam, and modesty panel, if selected
- 3 Color number for worksurface
- 4 Plastic color number for leg trim strip and glide cover
- 5 Options, if selected (see below)
- See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Desks without modest	y panel	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 19	Specify paint color number.
	 Paint price group 3 	+\$ 31	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual.
	•	plus cost of laminate	
	 Full-fill finish on 	+\$ 44	Specify with full-fill finish and select
	wood worksurface		wood color number.
			See Surface Materials, page 134.
	 Customiz stain on wood 	+\$ 22	See Surface Materials Reference Manual.
	worksurface		
	Desks with modesty pa	anel	
	Paint price group 1	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 45	Specify paint color number.
	Paint price group 3	+\$ 77	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual.
	•	plus cost of laminate	
	 Full-fill finish 	+\$ 44	Specify with full-fill finish and select
	on wood worksurface		wood color number.
			See Surface Materials, page 134.
	 Customiz stain on wood worksurface 	+\$ 22	See Surface Materials Reference Manual.
Adjustable- Height Legs	Available on desks with modesty panel only	+\$277	Replace the last character of the style number with a letter A . Example: Change ADXM2430L 8 to ADXM2430L A .
			► Page 28
Related Products	• Desks		▶ Pages 52–61



Spe	Specification Information					
·Dimensions		3	· Style	·U.S.		
D	W	н	Number	Base		
-				Price		
:			:	:		





Left-Hand Corner Conference Tables without Modesty Panel

Lami	Laminate					
30"	36"	281/2"	ATCL3036L1	\$1329		
Wood	Wood					
30"	36"	281/2"	ATCL3036V2 11/11	\$2568		
<u>: </u>			:	:		

Left-Hand Corner Conference Tables with Modesty Panel

Lami	Laminate					
30"	36"	281/2"	ATML3036L5	\$1412		
Wood	Vood					
30"	36"	281/2"	ATML3036V6 11/11	\$2651		
:			:	•		

Right-Hand Corner Conference Tables



Standard Includes

Required to Specify

- Need help? Product details, page 26
- Corner conference leg: paint price group 1
- Power beam: paint price group 1
- Modesty panel, if selected: paint price group 1
- Worksurface: laminate or wood
- · Worksurface ends: plastic default or wood
- · Back edge: plastic T-mold default on laminate
- · Leg trim strip and glide cover: plastic
- · Attachment brackets: black paint only

- 1 Style number
- 2 Paint color number for legs, power beam, and modesty panel, if selected
- 3 Color number for worksurface
- 4 Plastic color number for leg trim strip and glide cover
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Desks without modest	y panel	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 19	Specify paint color number.
	Paint price group 3	+\$ 31	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual
		plus cost of laminate	
	 Full-fill finish 	+\$ 44	Specify with full-fill finish and select
	on wood worksurface		wood color number.
			See Surface Materials, page 134.
	 Customiz stain on wood 	+\$ 22	See Surface Materials Reference Manual
	worksurface		
	Desks with modesty pa	anel	
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 45	Specify paint color number.
	 Paint price group 3 	+\$ 77	Specify paint color number.
	 Open Line laminate 	+\$ 64	See Surface Materials Reference Manual.
		plus cost of laminate	
	 Full-fill finish 	+\$ 44	Specify with full-fill finish and select
	on wood worksurface		wood color number.
			See Surface Materials, page 134.
	 Customiz stain on wood worksurface 	+\$ 22	See Surface Materials Reference Manual.
Adjustable-	Available on desks with	+\$277	Replace the last character of the
Height Legs	modesty panel only		style number with a letter A.
			Example: Change ADXM2430L8
			to ADXM2430LA.
			▶ Page 28
Related Products	• Desks		▶ Pages 52–61



Specification Information					
·Dimensions		s	·Style	·U.S.	
D	W	н	Number	Base	
:			:	Price	
				•	
				•	



Right-Hand Corner Conference Tables without Modesty Panel

Laminate				
30"	36"	281/2"	ATCR3036L9	\$1329
Wood				
30"	36"	281/2"	ATCR3036V0 11/11	\$2568
<u>:</u>			:	:



Right-Hand Corner Conference Tables with Modesty Panel

Lami	Laminate				
30"	36"	281/2"	ATMR3036L3	\$1412	
Wood	1				
30"	36"	281/2"	ATMR3036V4 11/11	\$2651	
			:	•	

Round and Rectangular Conference Tables

Standard Includes Required to Specify ► Need help? · Column and base on round conference tables: 1 Style number Product details, paint price group 1, 2, or 3 2 Paint color number for column and base page 26 • T-legs on rectangular conference tables: or legs paint price group 1, 2, or 3 3 Color number for worksurface · Worksurface: laminate or wood 4 Plastic color number for leg trim strips · Worksurface ends: plastic default or wood and glide covers • Leg trim strips and glide covers: plastic 5 Options, if selected (see below) ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Rectangular Conference	e Tables	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$45	Specify paint color number.
	 Paint price group 3 	+\$77	Specify paint color number.
	Open Line laminate	+\$64 plus cost of laminate	See Surface Materials Reference Manual.
	 Full-fill finish on wood worksurface 	Prices below	Specify with full-fill finish and select wood color number.
			See Surface Materials, page 134.
	 Customiz stain on wood worksurface 	Prices below	See Surface Materials Reference Manual.

Dim	ensions	;	· Style	·U.S.	· Options
D	W	н	Number	Base	· (Add \$ to
				Price	Base Price)
					:
			:	:	Full-Fill Customiz
				:	Finish Stain

Round Conference Tables

Laminate					
42" diameter	281/2"	ATGX0042L5	\$ 872	N.A.	N.A.
Wood					
42" diameter	281/2"	ATGX0042V6 11/11	\$2084	+\$ 44	+\$22

Rectangular Conference Tables

Lami	Laminate					
42"	78"	281/2"	ATLX4278L1	\$1827	N.A.	N.A.
Wood	ı					
42"	78"	281/2"	ATLX4278V2 11/11	\$3510	+\$114	+\$58
:			:	:	:	:







Supports





Spe	Specification Information			
Dime	ension: W	s H	• Style Number	·U.S. Price
ıı	1"	10"	AABX0000X2	\$155



Screens

Tip: Screens, if specified, for use with overhead cabinets, must be one size smaller in width than the worksurface. Example: Order 48"W for 54"W worksurface, 54"W for 60"W worksurface, etc.

	Standard Includes	Required to Specify
Need help? Product details, page 30	Screen with two tackable surfaces: vertical surface fabric price group 1 Top trim strip: grotto plastic only	1 Style number 2 Fabric color number for screen 3 Options, if selected (see below) ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	 Fabric price group 1 Fabric price group 2 Fabric price group 3 Fabric price group 4 Fabric price group 5 Fabric price group COM 	No cost +\$ 12 +\$ 49 +\$ 67 +\$107 +\$ 16	Specify fabric color number. See Surface Materials Reference Manual.
Related Products	Supports Transaction tops Desks Desks with overhead cabine Returns	ıt	 Page 71 Page 73 Pages 52–57 Page 58 Page 60

1

Specification Information

·Style

Number

·U.S. Base

Price


Dimensions

н

W

Tip: 12"H screens are for use with transaction tops.

12"F	I Scree	ens	
30"	12"	AATX3012X5	\$285
36"	12"	AATX3612X1	\$305
42"	12"	AATX4212X4	\$328
48"	12"	AATX4812X0	\$350
54"	12"	AATX5412X3	\$372
60"	12"	AATX6012X6	\$393
66"	12"	AATX6612X2	\$398
72"	12"	AATX7212X2	\$434



22 F	i Scree	INS	
30"	22"	AATX3022X6	\$399
36"	22"	AATX3622X2	\$422
42"	22"	AATX4222X5	\$440
48"	22"	AATX4822X1	\$462
54"	22"	AATX5422X4	\$484
60"	22"	AATX6022X7	\$505
66"	22"	AATX6622X3	\$528
72"	22"	AATX7222X3	\$545
:			:




Transaction Tops

► Need help?

page 30

Product details,



Tip: Transaction tops can only be used with 12"H screens.

Tip: Supports, ordered separately, are necessary to install transaction tops.

Page 71

Tip: Specify a textured paint color for attachment brackets to match the color of the supports and grommet default.

▶Page 134

Standard Includes

· Top: laminate or wood

Attachment brackets: textured paint

Required to Specify

- 1 Style number
- 2 Textured paint color number for attachment brackets (specify color to match supports that are ordered separately)
- 3 Color number for top
- 4 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	Open Line laminate	+\$64 plus cost of laminate	See Surface Materials Reference Manual.
	 Full-fill finish on wood worksurface 	Prices below	Specify with full-fill finish and select wood color number.
			► See Surface Materials, page 134.
	 Customiz stain on wood 	Prices below	See Surface Materials Reference Manual.
Related	Supports		Page 71
Products	• Screens		▶Page 72
Specificati	ion Information		

Dime D	ensions W	н	·Style Number	·U.S. Base Price	• Options • (Add \$ to • Base Price	a)
			: : :	:	Full-Fill Finish	Customiz Stain
Lami	nate					
12"	30"	1"	AASX1230L8	\$224	N.A.	N.A.
12"	36"	1"	AASX1236L9	\$240	N.A.	N.A.
12"	42"	1"	AASX1242L0	\$257	N.A.	N.A.
12"	48"	1"	AASX1248L1	\$272	N.A.	N.A.
12"	54"	1"	AASX1254L2	\$290	N.A.	N.A.
12"	60"	1"	AASX1260L1	\$305	N.A.	N.A.
12"	66"	1"	AASX1266L3	\$324	N.A.	N.A.
12"	72"	1"	AASX1272L0	\$342	N.A.	N.A.
Wood	ı					
12"	30"	1"	AASX1230V0 11/11	\$547	+\$44	+\$22
12"	36"	1"	AASX1236V1 11/11	\$587	+\$44	+\$22
12"	42"	1"	AASX1242V2 11/11	\$633	+\$44	+\$22
12"	48"	1"	AASX1248V3 11/11	\$668	+\$44	+\$22
12"	54"	1"	AASX1254V4 11/11	\$710	+\$64	+\$32
12"	60"	1"	AASX1260V3 11/11	\$750	+\$64	+\$32
12"	66"	1"	AASX1266V5 11/11	\$793	+\$64	+\$32
12"	72"	1"	AASX1272V2 11/11	\$837	+\$64	+\$32



Accessories

Dividers

For Use with Overhead Storage Bins and Universal Shelves Introduced in March 2007



•	Need help?
	Product details,
	page 20

Standard Includes • Package of four dividers: white plastic only

Style number

Required to Specify

Specification Information

·New	∙U.S.
Style	Price
Number	:
:	:
RDIV	\$40

Plastic Center Drawer



Standard Includes Required to Specify

- Need help?
 Product details,
 page 18
- Drawer: black textured plastic only
 Slides: black plastic only
 Attachment hardware and template

Style number

Specification Information

Return Filler



8	1	e	Π	T.	а	П	d	Ш	\mathbf{u}	3	U	d	e

Required to Specify

1 Style number

- Need help?
 Product details,
 page 19
- Return filler: plastic

2 Plastic color number for filler

► See Surface Materials, page 134.


Specification Information

Length	• Style Number	·U.S. Price	
24"	ARFS0024X1	\$36	
30"	ARFS0030X1	\$37	
36"	ARFS0036X1	\$40	



Power Beam Receptacle

page 20



Tip: Clips onto power beam.

Tip: Not for use in New York City.

	Standard Includes	Required to Specify
eed help?	Receptacle with 8' cord and three-prong plug	Style number

Need help? Product details,

Receptacle with 8' cord and three-prong plug
9 amps, 125 volts
Two outlets: black plastic

Style Number	·U.S. Price
AAES0000X1	\$130



Universal Fixed Pedestals

Need help? See Storage and

Furniture

Freestanding

With Proud Steel or Wood Front



Standard Includes

- Pedestal: paint price group 1
- Removable drawer fronts: paint to match pedestal or wood veneer if proud wood front selected
- Contemporary pulls: metal
- Specification Guide. Full drawer interiors: black only
 - One pencil tray and two box drawer dividers per box/box/file and box drawer dividers
 - · Lock, keyed random: 9201 Polished Chrome
 - · Mounting hardware
 - Four adjustable leveling glides

Required to Specify

- Style number with appropriate front style suffix in the space provided
- P Proud steel front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Wood color number for drawer fronts, if proud wood front selected
- 4 Metal color number for pulls: 0835 Black

9201 Polished Chrome 9211 Nickel 9212 Silver

- 5 Options, if selected (see below)
- See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$ 41	Specify paint color number.
	 Paint price group 3 	+\$ 70	Specify paint color number.
	 Customiz stain on proud 	+\$ 12	Specify with Customiz stain.
	wood drawer fronts		► See Surface Materials Reference Manual.
Pulls	Handle pull	No cost	Specify with handle pull.
	 Jazz pull 	+\$ 50	Specify with jazz pull.
	Bar pull	+\$ 64	Specify with bar pull.
Drawer	Rails		
Accessories	 Two side-to-side hanging 	No cost	Specify with rails.
	rails per file drawer		
Basic Drawer	18"D box/box/file pede	stals	
Interiors	 No rails, pencil trays, or box drawer dividers 	-\$ 45	Specify with basic drawers.
	11		
Lock and	Lock • Ember Chrome	No cost	Charify with 2050 Embar Chrama lack
Keying	No lock	-\$ 58	Specify with 9250 Ember Chrome lock. Specify with no lock.
	• NO IOCK	− ⊅ 56	Specify <i>with no lock</i> .
	Individual locking drav	wers	
	File/file pedestals only	+\$112	Specify with individual drawer lock.
	Keying		
	Factory- and field-installed	keying	▶ Page 146
Related	Universal fixed to freestand	ling	▶Page 78
Products	pedestal conversion kits		
	 Storage accessories 		▶Page 105



Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A_ becomes RPF1827AP for proud steel front).

Sp	ecifi	catio	n Information		
· Dir	mensi W	ons H	·Style Number	·U.S. Base	Prices
				Proud Steel Front	Proud Wood Front
<u>:</u>				Suffix P	Suffix W



Tip: Specify 18³/₈"D pedestals under 24"D, 30"D, and 36"D Ellipse desks.

Tip: 183%"D pedestals do not accommodate legal-size side-to-side filing.

ox D	rawer	s and One File Dr	awer		
		RPF1827A	\$575	\$802	
ile D	rawer	s			
15"	27"	RPF1827B_	\$560	\$787	
1	5" le D	15" 27"	5" 27" RPF1827A	le Drawers	5" 27" RPF1827A _ \$575 \$802 Ie Drawers

27"H Fixed Pedestals with 3" Base



Tip: 251/2"H fixed pedestals are for use in the following two applications: as fixed pedestals when used underneath worksurfaces installed at lower than standard heights (for example, 27"H) or as freestanding pedestals when used with a conversion kit under height-adjustable worksurfaces.

25½"H Fixed Pedestals Two Box Drawers and One File Drawer 18¾" 15" 25½" RPF1825A_ \$575 \$802 Two File Drawers 18¾" 15" 25½" RPF1825B_ \$560 \$787



Universal Fixed to Freestanding Pedestal Conversion Kits



Tip: When converting a file/file pedestal with individual drawer locks, an interlocking bar is required to provide stability to unit. Order Service Part Number 1043924SR.

Standard Includes

Required to Specify

► Need help? See Storage and Freestanding Furniture

Specification Guide.

- 1/8"H steel top: all paint price groups
- · Counterweight package
- · Safety interlock system conversion components
- Installation hardware

- 1 Style number
- 2 Paint color number for top
- See Surface Materials, page 134.

S	peci	ficat	ion Inf	format	tion

Dime	nsions	·Style	·U.S.
D	н	Number	Price

For 27"H Proud Steel or Proud Wood Front Pedestals

183/8"	27"	RPXCK2718P	\$174
231/2"	27"	RPXCK2724P	\$194
291/2"	27"	RPXCK2730P	\$214

For 25¹/2"H Proud Steel or Proud Wood Front Pedestals

183⁄8"	251/2"	RPXCK2518P	\$174
231/2"	251/2"	RPXCK2524P	\$194
291/2"	251/2"	RPXCK2530P	\$214



Universal Mobile Pedestals

Freestanding

Furniture

With Proud Steel or Wood Front



Tip: 1/8"H steel top is non-structural.

Standard Includes

- ► Need help? · Pedestal: paint price group 1 See Storage and
 - 1/8"H steel top: paint to match pedestal
- · Removable drawer fronts: paint to match pedestal or wood veneer if proud wood front selected Specification Guide. • Contemporary pulls: metal

 - · Full drawer interiors: black only
 - One pencil tray per box/file or box/box/file and box drawer dividers
 - · Lock, keyed random: 9201 Polished Chrome
 - · Four hard-composition, non-locking casters: black only
 - · Safety interlock mechanism
 - · Counterweight package

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- Proud steel front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Wood color number for drawer fronts, if proud wood front selected
- 4 Metal color number for pulls:

0835 Black

9201 Polished Chrome

9211 Nickel

9212 Silver

5 Options, if selected (see below)

Specify fabric color number.

Specify fabric color number. Specify fabric color number.

Specify fabric color number. Specify fabric color number. Specify fabric color number.

Specify leather color number.

to specify.

Specify Elmosoft leather color number. See Surface Materials, page 134.

See Surface Materials Reference Manual

► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	 Paint price group 1 Paint price group 2 Paint price group 3 Customiz stain on proud wood drawer fronts 	No cost +\$ 41 +\$ 70 +\$ 12	Specify paint color number. Specify paint color number. Specify paint color number. Specify with Customiz stain. See Surface Materials Reference Manual
Tops	• 1"H square edge steel top	+\$ 58	Specify with steel square top.
	Laminate top • 13/16"H square edge laminate top	+\$250	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	 17/16"H bullnose laminate top 	+\$285	Specify with bullnose laminate top and indicate laminate color number.
	 Open Line laminate on laminate top 	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual
	Wood veneer top		
	• 13/16"H wood veneer top	+\$349	Specify with wood veneer top and indicate wood color number.
	 Full-fill finish on wood veneer top 	+\$ 16	Specify with full-fill finish.
	Customiz stain on wood veneer top	+\$ 12	Specify with Customiz stain. See Surface Materials Reference Manual
	Cushion top for factory in	nstallation on RPM24	21CP and RPM2421CW only
	Cushion top without handle	+\$307	Specify with cushion top and indicate fabric color number.
	Cushion top with black handle	+\$391	Specify with cushion top and handle and indicate fabric color number.

No cost

+\$ 10

+\$ 35

+\$ 44

+\$ 54

+\$ 77 +\$ 92

+\$134

+\$172

+\$209

+\$536

+\$619

+\$ 16

Tip: Optional tops will increase the overall pedestal height.

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

▶ Options, continued on next page

80 Ellipse Specification Guide

Upholstery on pedestal cushion top

· Fabric price group 1

Fabric price group 2

• Fabric price group 3

· Fabric price group 4

Fabric price group 5

Fabric price group 6Fabric price group 7

· Fabric price group 8

• Fabric price group 9

· Leather price group

Leather (COL)

• Fabric price group 10

· Elmosoft leather price group

(COM) or Customer's Own

· Customer's Own Material

▶ Options, continued from previous page

	Options	U.S. Price	Required to Specify		
Pulls	Handle pull	No cost	Specify with handle pull.		
	Jazz pull	+\$ 50	Specify with jazz pull.		
	Bar pull	+\$ 64	Specify with bar pull.		
Drawer	Rails				
Accessories	 Two side-to-side hanging file rails per file drawer 	No cost	Specify with rails.		
Basic Drawer Box/file and box/box/file pedestals					
Interiors	 Full-depth drawers, box 	- \$ 45	Specify with basic drawers.		
	drawers with full extensions,				
	and no drawer accessories				
Lock and	Lock				
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.		
	Individual locking drawers				
	 File/file pedestals only 	+\$120	Specify with individual drawer lock.		
	Keying				
	Factory- and field-installed k	eying	▶Page 146		
Related Products	Storage accessories		▶Page 105		

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPM1821C_ becomes RPM1821CP for proud steel front).









Spe	Specification Information						
		Style	∙U.S. Base	Prices			
Dime	W	ns H	Number	Proud Steel Front	Proud Wood Front		
:			•	Suffix P	Suffix W		
Box/	File						
183/8"	15"	21"	RPM1821C_	\$791	\$1018		
23 ¹ /2"	15"	21"	RPM2421C	\$832	\$1059 :		
Box/	Box,	/File					
183/8"	15"	27"	RPM1827A_	\$845	\$1073		
231/2"	15"	27"	RPM2427A	\$898	\$1127 :		
File/	File						
183/8"	15"	27"	RPM1827B_	\$831	\$1059		
231/2"	15"	27"	RPM2427B_	\$884	\$1113		

Pedestal Cushion Top for Field Installation on RPM2421CP and RPM2421CW only ·U.S.

Dimens D W	ons H	Number	Base Price	
Cushion	Top wit	hout Handle	<u> </u>	
23½" 15"	21/4"	RPXTC24P	\$277	
Cushion	Top wit	h Black Handle		
231/2" 15"	21/4"	RPXTCH24P	\$372	

81 Ellipse Specification Guide

Style

Actual

Universal Hanging Pedestal

► Need help?

Furniture

Freestanding

With Proud Steel or Wood Front



Tip: Hanging pedestals do not accommodate legal-size

Tip: Basic drawer interiors are not available on hanging pedestals.

Standard Includes

- Pedestal: paint price group 1 See Storage and
 - · Contemporary pulls: metal
 - · Full drawer interiors: black only
- One pencil tray and box drawer divider Specification Guide. • Lock, keyed random: 9201 Polished Chrome
 - · Mounting hardware

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- P Proud steel front
- W Proud wood front
- 2 Paint color number for pedestal
- 3 Wood color number for drawer fronts, if proud wood front selected
- 4 Metal color number for pulls: 0835 Black 9201 Polished Chrome
- 9211 Nickel 9212 Silver
- 5 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Paint price group 1	No cost	Specify paint color number.
Materials	 Paint price group 2 	+\$41	Specify paint color number.
	 Paint price group 3 	+\$70	Specify paint color number.
Pulls	Handle	No cost	Specify with handle pull.
	 Jazz 	+\$50	Specify with jazz pull.
	• Bar	+\$64	Specify with bar pull.
Drawer	Rails		
Accessories	 Two side-to-side filing rails per file drawer 	No cost	Specify with rails.
Lock and	Lock		
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	 No lock 	- \$58	Specify with no lock.
	Keying		
	 Factory- and field-installed 	keying	▶Page 146
Related Products	Storage accessories		▶Page 105


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPAH1815C_ becomes RPAH1815CP for proud steel front).

Spe	cific	atio	n Information		
· Dim	ensio W	ns H	·Style Number	·U.S. Base	Prices
			•	Proud	Proud
			:	Steel	Wood
:			:	Front	Front
<u>:</u>			: :	Suffix P	Suffix W
One	Box	Drav	er and One F	ile Drawer	
183/8"	15"	18"	RPAH1815C	<u>\$511</u>	\$795



Universal Lateral Files

With Flush Steel, Proud Steel, or Proud Wood Front



Standard Includes

- ► Need help? See Storage and Freestanding **Furniture** Specification Guide.
- · Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- 13/16"H top and drawer fronts on units with proud wood fronts: wood veneer
- · Integral pulls on units with flush steel front
- · Contemporary pulls on units with proud steel or proud wood fronts: metal
- Lift-up door with fixed shelf on 65½"H units with flush steel or proud steel front: paint to match file
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood veneer to match file
- · Central lock, keyed random: 9201 Polished Chrome
- One label holder per drawer: clear plastic
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- · One hanging folder bar and three dividers on roll-out shelf, if selected
- Four adjustable leveling glides
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- W Proud wood front
- 2 Paint color number for file
- 3 Wood color number for drawer fronts and top, if proud wood front selected
- 4 Metal color number for pulls, if proud steel or proud wood front selected: 0835 Black

9201 Polished Chrome

9211 Nickel

9212 Silver

- 5 Options, if selected (see below)
- See Surface Materials, page 134.

Surface
Materials

Options	U.S. Price	Required to Specify
Paint price group 1Paint price group 2	No cost +\$ 70	Specify paint color number. Specify paint color number.
• Paint price group 3	+\$120	Specify paint color number.

Customiz stain on proud wood fronts and top

· 28"H or 40"H files +\$ 34 • 52"H or 651/2"H files +\$ 45

Specify with Customiz stain. Specify with Customiz stain.

See Surface Materials Reference Manual.

Specify with security top.

Tip: Security top reduces overall height by approximately 1."

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

iops with
Flush Steel
Front and
Proud Stee
Front

Security top · For use on 28"H lateral files only

No top

No cost

· For use under a worksurface or beneath a common top

-\$87

+\$363

+\$ 12

Specify with no top.

Laminate top

· Square edge laminate top +\$121

+\$ 64 · Open Line laminate on laminate top

Specify with laminate top and indicate laminate color number for top and plastic color number for edges. See Surface Materials Reference Manual.

Wood veneer top

· Customiz stain on wood

Wood veneer top

veneer top

plus cost of laminate

Specify with wood veneer top and indicate wood color number.

Specify with Customiz stain. See Surface Materials Reference Manual.

▶ Options, continued on next page



▶ Options, continued from previous page

Tip: Security top reduces overall height by approximately 1".

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: Counterweight pack
ages are recommended
based on case size and
interior options.

See Specification Information on next page.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.

Tip: 651/2"H files with individual lock option do not have a lock in the lift-up door. Lift-up door is locked by the drawer below.

	Options	U.S. Price	Required to Specify
Tops with Proud Wood Front	Security top • For use on 28"H lateral files only	-\$363	Specify with security top.
	No top • For use under a worksurface or beneath a common top	-\$450	Specify with no top.
	Laminate top • Square edge laminate top	-\$242	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.
Drawer Interiors	Rails for use on 18"D units only	No cost	Specify with rails.
	Divider packageHF bar for use on 24"D units only	No cost No cost	Specify with divider package. Specify with HF bar.
Lift-Up Door	65½"H flush steel front f	files only	
With Roll-Out Shelf	On 18"D filesOn 24"D files	+\$ 36 +\$ 51	Specify with roll-out shelf. Specify with roll-out shelf.
Pulls for	Handle	No cost	Specify with handle pull.
Proud Steel or Wood	JazzBar	+\$ 17 per pull +\$ 24 per pull	Specify with jazz pull. Specify with bar pull.
Counter- weights	Package 1 Package 2 Package 3 Package 4	+\$ 78 +\$ 88 +\$ 99 +\$130	Specify with counterweight. Specify with counterweight. Specify with counterweight. Specify with counterweight.
Lock and Keying	Lock • Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking drawe	rs on 18"D file	
	 With two drawers 	+\$120	Specify with individual lock.
	With three drawersWith four drawers	+\$240 +\$360	Specify with individual lock. Specify with individual lock.
	Individual locking drawe	rs on 24"D file	
	 With two drawers 	+\$133	Specify with individual lock.
	With three drawersWith four drawers	+\$266 +\$399	Specify with individual lock. Specify with individual lock.
	Keying • Factory- and field-installed key	ving	▶ Page 146
Related	Storage accessories		▶Page 105
Products	Shelf bookends		Page 109
	Details containers		See Details SpecGuide.
	Field-installed tops		Pages 101–103
	 Counterweights 		▶ Page 111

▶ Specification Information, on next page




For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


See page 1 for details.


▶ Options, on previous page


Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18362_ becomes RLF18362F for flush steel front).









Dimens	ions		Recommended	· Style	·U.S. Bas	e Prices	
D	1	W H	Counterweight	Number			
Flush	Proud		Package		Flush	Proud	Proud
Steel S	Steel/		-		Steel	Steel	Wood
Front \	Wood		:	:	Front	Front	Front
	Front		:	:	:	:	:
			:	:	Suffix F	Suffix P	Suffix W

Two 12"H Drawers									
18"	187⁄8"	30"	28"	Package 3	RLF18302_	\$ 743	\$ 793	\$1624	
18"	187⁄8"	36"	28"	Package 4	RLF18362_	\$ 865	\$ 924	\$1739	
18"	187⁄8"	42"	28"	Package 4	RLF18422_	\$ 977	\$1046	\$1964	
231/8"	24"	30"	28"	Package 3	RLF24302_	\$ 933	\$ 997	\$1943	
231/8"	24"	36"	28"	Package 4	RLF24362	\$1085	\$1159	\$2087	
				:	:	:	:	:	

Three	Three 12"H Drawers									
18"	187⁄8"	30"	40"	Package 3	RLF18303_	\$1003	\$1122	\$2021		
18"	187⁄8"	36"	40"	Package 3	RLF18363_	\$1165	\$1306	\$2175		
18"	187⁄8"	42"	40"	Package 3	RLF18423_	\$1316	\$1475	\$2328		
231/8"	24"	30"	40"	Package 2	RLF24303_	\$1281	\$1435	\$2302		
231/8"	24"	36"	40"	Package 2	RLF24363_	\$1460	\$1635	\$2492		
				•	•			•		


Four	Four 12"H Drawers										
18"	187⁄8"	30"	52"	Package 3	RLF18304	\$1308	\$1465	\$2482			
18"	187⁄8"	36"	52"	Package 4	RLF18364	\$1520	\$1701	\$2690			
18"	187⁄8"	42"	52"	Package 4	RLF18424	\$1715	\$1922	\$2895			
231/8"	24"	30"	52"	Package 2	RLF24304	\$1637	\$1835	\$2861			
231/8"	24"	36"	52"	Package 3	RLF24364_	\$1903	\$2135	\$3118			
:				:	:	:	:	:			

Four 12"H Drawers and One 13 ¹ /2"H Lift-Up Door with Fixed Shelf								
18"	187⁄8"	30"	651/2"	Package 2	RLF18305_	\$1567	\$1754	\$2805
18"	187⁄8"	36"	651/2"	Package 2	RLF18365	\$1817	\$2037	\$3055
18"	187⁄8"	42"	651/2"	Package 3	RLF18425_	\$2052	\$2300	\$3305
231/8"	24"	30"	651/2"	Package 1	RLF24305_	\$1963	\$2202	\$3263
231/8"	24"	36"	651/2"	Package 1	RLF24365	\$2279	\$2554	\$3575
:				:	:	:	:	:

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Universal Combination Cabinets

With Flush Steel, Proud Steel, or Proud Wood Front



Standard Includes

► Need help? See Storage and Freestanding **Furniture** Specification Guide.

- · Combination cabinet: paint price group 1
- 1"H top on units with flush steel or proud steel front: paint to match cabinet
- 13/16"H top and drawer fronts on units with proud wood front: wood veneer
- · Integral pulls on units with flush steel front
- · Contemporary pulls on units with proud steel or proud wood fronts: metal
- · Hinged doors on units with flush steel or proud steel front, if selected: paint to match
- · Hinged doors on units with proud wood fronts, if selected: wood veneer to match cabinet
- · Individual lock on door, keyed random: 9201 Polished Chrome
- · Central lock on drawers, keyed random: 9201 Polished Chrome
- · One label holder per drawer: clear plastic
- · Adjustable shelves: paint to match cabinet
- · Brackets for adjustable shelves: black
- · Drawer body: black only
- · Drawer suspensions: black only
- · One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- · Four adjustable leveling glides
- · Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
 - F Flush steel front
 - P Proud steel front
 - W Proud wood front
- 2 Paint color number for cabinet
- 3 Wood color number for drawer fronts, hinged door fronts, and top, if proud wood front selected
- 4 Metal color number for pulls, if proud steel or proud wood front selected: 0835 Black

9201 Polished Chrome

9211 Nickel

9212 Silver

5 Options, if selected (see below)

Specify with Customiz stain. See Surface Materials Reference Manual.

► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	52"H or 65½"H cabinets		
Materials	Paint price group 1	No cost	Specify paint color number.
	Paint price group 2	+\$ 70	Specify paint color number.
	Paint price group 3	+\$120	Specify paint color number.
	Customiz stain on proud	+\$ 45	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
	83½"H cabinets		
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$105	Specify paint color number.
	 Paint price group 3 	+\$177	Specify paint color number.
	Customiz stain on proud	+\$ 45	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
Tops with	No top		
Flush Steel Front and Proud Steel Front	For use under a worksurface or beneath a common top	-\$ 87	Specify with no top.
Steer Front	Laminate top		
	Square edge laminate top	+\$121	Specify with laminate top and indicate laminate color number for top and plastic
	0	10.04	color number for edges.
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer top		
	Wood veneer top	+\$363	Specify with wood veneer top and indicate wood color number.

+\$ 12

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

▶ Options, continued on next page

· Customiz stain on wood

veneer top



Options, continued from previous page

	Options	U.S. Price	Required to Specify
Tops with Proud Wood Front	No top • For use under a worksurface or beneath a common top	-\$450	Specify with no top.
	Laminate top • Square edge laminate top	-\$242	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.
Glass Doors	Frosted glass hinged doors	+\$241	Specify with frosted glass hinged doors.
Drawer Interiors	Rails for use on 18"D units only	No cost	Specify with rails.
	Divider packageHF bar for use on 24"D units only	No cost No cost	Specify with divider package. Specify with HF bar.
Pulls for	• Handle	No cost	Specify with handle pull.
Proud Steel or Wood	• Jazz • Bar	+\$ 17 per pull +\$ 24 per pull	Specify with jazz pull. Specify with bar pull.
Counter-	• Package 1	+\$ 78	Specify with counterweight.
weights	• Package 2	+\$ 88	Specify with counterweight.
	Package 3Package 4	+\$ 99 +\$130	Specify with counterweight. Specify with counterweight.
	• Package 5	+\$140	Specify with counterweight.
Lock and	Lock		
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking drawe	rs on 18"D file	
	 With two drawers 	+\$120	Specify with individual lock.
	 With three drawers 	+\$240	Specify with individual lock.
	With four drawers	+\$360	Specify with individual lock.
	Individual locking drawe		
	 With two drawers 	+\$133	Specify with individual lock.
	With three drawers	+\$266	Specify with individual lock.
	With four drawers	+\$399	Specify with individual lock.
	Keying • Factory- and field-installed key	ving	▶Page 146
Related	Storage accessories		▶Page 105
Products	 Adjustable steel standard shell 	ves	Page 104
	 Shelf bookends 		▶ Page 109

veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: Laminate and wood

Tip: Glass doors ship separately and must be installed on site.

Tip: Glass door pulls are not the same design as drawer pulls. On flush-front cabinets, glass door pull color must be specified. On proud-front cabinets, glass door pull color will default to color selected for drawer pulls.

Tip: Counterweight packages are recommended based on case size and interior options.

► See Specification Information on next page.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.

▶ Specification Information, on next page

Details containers

 Field-installed tops · Counterweights




► See Details SpecGuide. ► Pages 101–103 ► Page 111

▶ Options, on previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RCC18304A_becomes RCC18304AF for flush steel front).



Dimen	sions			Recommended	· Style	·U.S. Bas	e Prices	
D		W	н	Counterweight	Number	:		
Flush	Proud			Package	•	Flush	Proud	Proud
Steel	Steel/					Steel	Steel	Wood
Front	Wood			·		Front	Front	Front
	Front			:	:	:	:	:
				•		Suffix F	Suffix P	Suffix W


52"H Single-Case Combination Cabinet

24"H	Hinged D	oors	with C)ne Adjustable	Shelf, One Fixed She	lf, and Tv	vo 12"H D	rawers
18"	187⁄8"	30"	52"	Package 3	RCC18304A_	\$1607	\$1847	\$2781
18"	187⁄8"	36"	52"	Package 4	RCC18364A_	\$1773	\$2013	\$2947
18"	187⁄8"	42"	52"	Package 5	RCC18424A_	\$1918	\$2158	\$3092
231/8"	24"	30"	52"	Package 3	RCC24304A_	\$1774	\$2014	\$2948
231/8"	24"	36"	52"	Package 3	RCC24364A_	\$1956	\$2196	\$3130




Open	Cabinet	with (One A	djustable Shelf	, One Fixed Shelf, and	Two 12	"H Drawei	rs
18"	187⁄8"	30"	52"	Package 3	RCC18304D_	\$1336	\$1516	N.A.
18"	187⁄8"	36"	52"	Package 4	RCC18364D_	\$1502	\$1682	N.A.
18"	187⁄8"	42"	52"	Package 5	RCC18424D_	\$1648	\$1828	N.A.
231/8"	24"	30"	52"	Package 3	RCC24304D_	\$1503	\$1683	N.A.
231/8"	24"	36"	52"	Package 3	RCC24364D_	\$1685	\$1865	N.A.
				:	:		:	:

65¹/₂"H Single-Case Combination Cabinet



25½"H	H Hinged	l Door	s with	One Adjustal	ole Shelf, One Fixed S	helf, and	Three 12"	H Drawers
18"	187⁄8"	30"	651/2"	Package 3	RCC18305E_	\$1899	\$2139	\$3073
18"	187⁄8"	36"	651/2"	Package 3	RCC18365E_	\$2094	\$2334	\$3268
18"	187⁄8"	42"	651/2"	Package 4	RCC18425E_	\$2266	\$2506	\$3440
231/8"	24"	30"	651/2"	Package 2	RCC24305E_	\$2095	\$2335	\$3269
231/8"	24"	36"	651/2"	Package 2	RCC24365E_	\$2308	\$2548	\$3482



Open (Open Cabinet with One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers										
18"	187⁄8"	30"	651/2"	Package 3	RCC18305H_	\$1628	\$1808	N.A.			
18"	187⁄8"	36"	651/2"	Package 3	RCC18365H_	\$1824	\$2004	N.A.			
18"	187⁄8"	42"	651/2"	Package 4	RCC18425H_	\$1995	\$2175	N.A.			
231/8"	24"	30"	651/2"	Package 2	RCC24305H_	\$1825	\$2005	N.A.			
231/8"	24"	36"	651/2"	Package 2	RCC24365H_	\$2037	\$2217	N.A.			


[▶] Specification Information, continued on next page

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RCC18304A_ becomes RCC18304AF for flush steel front).



Dimensions		· U.S. Base Prices				
D	W H	Counterweight	Number	:		
Flush Proud		Package	:	Flush	Proud	Proud
Steel Steel/			:	Steel	Steel	Wood
Front Wood		:		Front	Front	Front
Front		:		:	:	:
		:		Suffix F	Suffix P	Suffix W


65¹/2"H Single-Case Combination Cabinet, continued

37½"H	l Hinged	Door	s with	Two Adjustak	ole Shelves, One Fixed	l Shelf, a	nd Two 12	2"H Drawers
18"	187⁄8"	30"	651/2"	Package 2	RCC18305J_	\$1806	\$2046	\$2980
18"	187⁄8"	36"	651/2"	Package 3	RCC18365J_	\$1988	\$2228	\$3162
18"	187⁄8"	42"	651/2"	Package 4	RCC18425J_	\$2147	\$2387	\$3321
231/8"	24"	30"	651/2"	Package 2	RCC24305J_	\$1990	\$2230	\$3164
231/8"	24"	36"	651/2"	Package 2	RCC24365J_	\$2187	\$2427	\$3361
				:	:	:	:	:




Open	Cabinet	with '	Two Ad	justable She	lves, One Fixed Shelf,	and Two	12"H Drav	wers
18"	187⁄8"	30"	651/2"	Package 2	RCC18305M_	\$1506	\$1686	N.A.
18"	187⁄8"	36"	651/2"	Package 3	RCC18365M_	\$1689	\$1869	N.A.
18"	187⁄8"	42"	651/2"	Package 4	RCC18425M_	\$1851	\$2031	N.A.
231/8"	24"	30"	651/2"	Package 2	RCC24305M_	\$1690	\$1870	N.A.
231/8"	24"	36"	651/2"	Package 2	RCC24365M_	\$1892	\$2072	N.A.
				:		:	:	:

83¹/₂"H Single-Case Combination Cabinet



31½"F	H Hinged	Door	s with	Two Adjustal	ble Shelves, One Fixed	Shelf, a	nd Four 1	2"H Drawers
18"	187/8"	30"	831/2"	Package 1	RCC18306N_	\$2289	\$2587	\$3463
18"	187⁄8"	36"	831/2"	Package 2	RCC18366N_	\$2522	\$2820	\$3696
18"	187⁄8"	42"	831/2"	Package 2	RCC18426N_	\$2727	\$3025	\$3901
231/8"	24"	30"	831/2"	N.A.	RCC24306N_	\$2642	\$2940	\$3816
231/8"	24"	36"	831/2"	Package 1	RCC24366N_	\$2906	\$3204	\$4080



:				:	;	:	:	:
231/8"	24"	36"	831/2"	Package 1	RCC24366R_	\$2609	\$2849	N.A.
231/8"	24"	30"	831/2"	N.A.	RCC24306R_	\$2344	\$2584	N.A.
18"	187⁄8"	42"	831/2"	Package 2	RCC18426R_	\$2429	\$2669	N.A.
18"	187⁄8"	36"	831/2"	Package 2	RCC18366R_	\$2226	\$2466	N.A.
18"	187⁄8"	30"	831/2"	Package 1	RCC18306R_	\$1992	\$2232	N.A.

Open Cabinet with Two Adjustable Shelves, One Fixed Shelf, and Four 12"H Drawers

For Canadian Pricing Multiply U.S. Price by the Canadian price factor.


[►] See page 1 for details.

Universal Combination Cabinets with Flush Steel, Proud Steel, or Proud Wood Front, continued

▶ Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RCC18304A_becomes RCC18304AF for flush steel front).



Dimensions				Recommended	·U.S. Base Prices				
D		W	н	Counterweight	Number	:			
Flush	Proud			Package	•	Flush	Proud	Proud	
Steel	Steel/				:	Steel	Steel	Wood	
Front	Wood			:	:	Front	Front	Front	
	Front			:	:	:	:	:	
				•		Suffix F	Suffix P	Suffix W	

83¹/2"H Single-Case Combination Cabinet, continued

43½"F	H Hinge	d Door	s with	Three Adjust	able Shelves, One Fix	ed Shelf,	and Three	e 12"H Drawers
18"	187⁄8"	30"	831/2"	Package 1	RCC18306S_	\$2171	\$2469	\$3345
18"	187⁄8"	36"	831/2"	Package 2	RCC18366S_	\$2393	\$2691	\$3567
18"	187⁄8"	42"	831/2"	Package 3	RCC18426S_	\$2589	\$2887	\$3763
231/8"	24"	30"	831/2"	N.A.	RCC24306S_	\$2506	\$2804	\$3680
231/8"	24"	36"	831/2"	Package 1	RCC24366S_	\$2759	\$3057	\$3933



Open (Cabinet	with 1	Three A	djustable She	lves, One Fixed Shel	f, and Thi	ree 12"H [Orawers
18"	187⁄8"	30"	831/2"	Package 1	RCC18306V_	\$1846	\$2026	N.A.
18"	187⁄8"	36"	831/2"	Package 2	RCC18366V_	\$2069	\$2249	N.A.
18"	187⁄8"	42"	831/2"	Package 3	RCC18426V_	\$2263	\$2443	N.A.
231/8"	24"	30"	831/2"	N.A.	RCC24306V_	\$2182	\$2362	N.A.
231/8"	24"	36"	831/2"	Package 1	RCC24366V_	\$2434	\$2614	N.A.

Universal Storage Cabinets

With Flush Steel, Proud Steel, or Proud Wood Front


► Need help?

Furniture

See Storage and

Specification Guide.

Freestanding



Standard Includes

- Storage cabinet: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match cabinet
- 13/16"H top on units with proud wood fronts: wood veneer to match cabinet
- · Integral pulls on units with flush steel fronts
- Contemporary pulls on units with proud steel or proud wood fronts: metal
- Hinged doors on units with flush steel or proud steel front: paint to match cabinet
- Hinged doors on units with proud wood front: wood veneer to match cabinet
- Lock, keyed random: 9201 Polished Chrome
- · Adjustable shelves: paint to match cabinet
- · Brackets for adjustable shelves: black
- · Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- W Proud wood front
- 2 Paint color number for cabinet
- 3 Wood color number for hinged doors and top, if proud wood front selected
- 4 Metal color number for pulls, if proud steel or proud wood front selected: 0835 Black

9201 Polished Chrome

9211 Nickel

9212 Silver

- 5 Options, if selected (see below)
- See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	28"H, 40"H, 52"H, or 65 ¹ /	⁄2"H cabinets	
Materials	Paint price group 1	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 70	Specify paint color number.
	 Paint price group 3 	+\$120	Specify paint color number.
	28"H or 40"H cabinets		
	 Customiz stain on proud 	+\$ 34	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
	52"H, 65½"H, or 83½"H	cabinets	
	 Customiz stain on proud 	+\$ 45	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
	83½"H cabinets		
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$105	Specify paint color number.
	 Paint price group 3 	+\$177	Specify paint color number.
Tops with Flush Steel Front and Proud Steel	Security top • For use on 28"H storage cabinets only	No cost	Specify with security top.
Front	No top • For use under a worksurface or beneath a common top	-\$ 87	Specify with no top.
	Laminate top		
	Square edge laminate top	+\$121	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer top • Wood veneer top	+\$363	Specify with wood veneer top and indicate wood color number.
	Customiz stain on wood veneer top	+\$ 12	Specify with Customiz stain. See Surface Materials Reference Manual.

Tip: Security top reduces overall height by approximately 1."

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

▶ Options, continued on next page



94 Ellipse Specification Guide

July 2011

▶ Options, continued from previous page


Tip: Security top reduces overall height by approximately 1".

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

	Options	U.S. Price	Required to Specify		
Tops with Proud Wood Front	Security top • For use on 28"H storage cabinets only	- \$363	Specify with security top.		
	No top • For use under a worksurface or beneath a common top	-\$450	Specify with no top.		
	Laminate top • Square edge laminate top	- \$242	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.		
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.		
Pulls for	Handle	No cost	Specify with handle pull.		
Proud Steel	• Jazz	+\$ 17 per pull	Specify with jazz pull.		
or Wood	• Bar	+\$ 24 per pull	Specify with bar pull.		
Lock and	Lock				
Keying	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.		
	Keying • Factory- and field-installed key	/ing	▶ Page 146		
Related	Storage accessories		▶Page 105		
Products	 Shelf bookends 		▶ Page 109		
	 Details containers 		► See Details SpecGuide.		
	 Field-installed tops 		▶ Pages 101–103		

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RSC18302A_ becomes RSC18302AF for flush steel front).



Specification Information	1
---------------------------	---

Dimensions D	w	н	·Style Number	·U.S. Bas	e Prices	
Flush Proud			Mulliper	Flush	Proud	Proud
Steel Steel			:		Steel	Wood
Front Wood					Front	Front
Front				:		
			:	Suffix F	Suffix P	Suffix W

28"H Storage Cabinet

With O	ne Adju	stable	Shel	f			
18"	187⁄8"	30"	28"	RSC18302A_	\$ 908	\$1028	\$1954
18"	187⁄8"	36"	28"	RSC18362A_	\$ 991	\$1111	\$2037
18"	187⁄8"	42"	28"	RSC18422A_	\$1073	\$1193	\$2119
231/8"	24"	30"	28"	RSC24302A_	\$ 965	\$1085	\$2011
231/8"	24"	36"	28"	RSC24362A_	\$1051	\$1171	\$2097
				•			•


▶ Specification Information, continued on next page





▶ Specification Information, continued from previous page


Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RSC18302A_ becomes RSC18302AF for flush steel front).











Dimen	sions			·Style	·U.S. Bas	e Prices	
D		W	н	Number	:		
Flush	Proud			:	Flush	Proud	Proud
Steel	Steel/			:	Steel	Steel	Wood
Front	Wood			:	Front	Front	Front
:	Front			:	:	:	:
				•	· Suffix F	Suffix P	Suffix W

40"H Storage Cabinet

With T	wo Adju	stable	Shel	ves				
18"	187⁄8"	30"	40"	RSC18303C_	\$1035	\$1155	\$2081	
18"	187⁄8"	36"	40"	RSC18363C_	\$1130	\$1250	\$2176	
18"	187⁄8"	42"	40"	RSC18423C_	\$1223	\$1343	\$2269	
231/8"	24"	30"	40"	RSC24303C_	\$1100	\$1220	\$2146	
231/8"	24"	36"	40"	RSC24363C_	\$1202	\$1322	\$2248	
:				:	•	:	•	

52"H Storage Cabinet

With T	hree Ad	justak	le Sh	elves		·	
18"	187⁄8"	30"	52"	RSC18304F_	\$1228	\$1378	\$2337
18"	187⁄8"	36"	52"	RSC18364F_	\$1338	\$1488	\$2447
18"	187⁄8"	42"	52"	RSC18424F_	\$1446	\$1596	\$2555
231/8"	24"	30"	52"	RSC24304F_	\$1303	\$1453	\$2412
231/8"	24"	36"	52"	RSC24364F_	\$1420	\$1570	\$2529

651/2"H Storage Cabinet

With F	our Adju	ıstabl	e Shelv	es			
18"	187⁄8"	30"	651/2"	RSC18305K_	\$1289	\$1439	\$2398
18"	187⁄8"	36"	651/2"	RSC18365K_	\$1408	\$1558	\$2517
18"	187⁄8"	42"	651/2"	RSC18425K_	\$1523	\$1673	\$2632
231/8"	24"	30"	651/2"	RSC24305K_	\$1370	\$1520	\$2479
231/8"	24"	36"	651/2"	RSC24365K_	\$1494	\$1644	\$2603
				•			


831/2"H Storage Cabinet

With F	With Five Adjustable Shelves							
18"	187⁄8"	30"	831/2"	RSC18306Q_	\$1480	\$1630	\$2589	
18"	187⁄8"	36"	831/2"	RSC18366Q_	\$1615	\$1765	\$2724	
18"	187⁄8"	42"	831/2"	RSC18426Q_	\$1741	\$1891	\$2850	
231/8"	24"	30"	831/2"	RSC24306Q_	\$1574	\$1724	\$2683	
231/8"	24"	36"	831/2"	RSC24366Q_	\$1712	\$1862	\$2821	
				•		•	•	

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Universal Wardrobe Cabinets

With Flush Steel, Proud Steel, or Proud Wood Front



Need help?
See Storage and
Freestanding
Furniture

Specification Guide.

Wardrobe cabinet: paint price group 1

Standard Includes

- 1"H top on units with flush steel or proud steel fronts: paint to match cabinet
- 13/16"H top on units with proud wood fronts: wood veneer to match cabinet
- · Integral pulls on units with flush steel fronts
- Contemporary pulls on units with proud steel or proud wood fronts: metal
- Hinged doors on units with flush steel or proud steel front: paint to match cabinet
- Hinged doors on units with proud wood front: wood veneer to match cabinet
- Lock, keyed random: 9201 Polished Chrome
- · Adjustable shelves: paint to match cabinet
- Brackets for adjustable shelves: black
- · Coat rod: 9201 Polished Chrome
- · Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
- F Flush steel front
- P Proud steel front
- W Proud wood front
- 2 Paint color number for cabinet
- 3 Wood color number for hinged doors and top, if proud wood front selected
- 4 Metal color number for pulls, if proud steel or proud wood front selected: 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver
- 5 Options, if selected (see below)
- See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	52"H or 65½"H cabinets	i	
Materials	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$ 70	Specify paint color number.
	 Paint price group 3 	+\$120	Specify paint color number.
	Customiz stain on proud	+\$ 45	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
	831/2"H cabinets		
	 Paint price group 1 	No cost	Specify paint color number.
	 Paint price group 2 	+\$105	Specify paint color number.
	 Paint price group 3 	+\$177	Specify paint color number.
	Customiz stain on proud	+\$ 45	Specify with Customiz stain.
	wood fronts and top		See Surface Materials Reference Manual.
Tops with	No top		
Flush Steel Front and Proud Steel	 For use under a worksurface or beneath a common top 	- \$ 87	Specify with no top.
Front	Laminate top		
	Square edge laminate top	+\$121	Specify with laminate top and indicate laminate color number for top and plastic
	. Onen Line leminete en	+\$ 64	color number for edges. See Surface Materials Reference Manual.
	 Open Line laminate on laminate top 	plus cost of laminate	See Surface Materials neterence Mariual.
	iaminate top	pius cost of laminate	
	Wood veneer top		
	 Wood veneer top 	+\$363	Specify with wood veneer top and indicate wood color number.
	 Customiz stain on wood 	+\$ 12	Specify with Customiz stain.
	veneer top		See Surface Materials Reference Manual.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

▶ Options, continued on next page




▶ Options, continued from previous page


	Options	U.S. Price	Required to Specify		
Tops with Proud Wood Front	No top • For use under a worksurface or beneath a common top	- \$480	Specify with no top.		
	Laminate top • Square edge laminate top	-\$242	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.		
	Open Line laminate on laminate top	+\$ 64 plus cost of laminate	See Surface Materials Reference Manual.		
Pulls for Proud Steel or Wood Fronts	• Handle • Jazz • Bar	No cost +\$ 17 per pull +\$ 24 per pull	Specify with handle pull. Specify with jazz pull. Specify with bar pull.		
Lock and Keying	Lock • Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.		
	Keying • Factory- and field-installed key	/ing	▶ Page 146		
Related Products	Storage accessories Shelf bookends Details containers Field-installed tops		 ▶ Page 105 ▶ Page 109 ▶ See Details SpecGuide. ▶ Pages 101–103 		

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RWC24304A_ becomes RWC24304AF for flush steel front).





For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

Specification Information

·Dimensions	s	· Style	· U.S. Base Prices			
D	W H	Number	:			
Flush Pro	ud		Flush	Proud	Proud	
Steel Stee	el/	:	Steel	Steel	Wood	
Front Woo	od		Front	Front	Front	
Froi	nt	:	:	•	:	
•		•	Suffix F	Suffix P	Suffix W	

With Side-to-Side Coat Rod

231/8"	24"	30"	52"	RWC24304A	\$1170	\$1320	\$2279	
231/8"	24"	36"	52"	RWC24364A_	\$1278	\$1428	\$2387	
231/8"	24"	30"	651/2"	RWC24305A_	\$1190	\$1340	\$2299	
231/8"	24"	36"	651/2"	RWC24365A_	\$1294	\$1444	\$2403	
				;	:	:	:	

With Side-to-Side Coat Rod and One Fixed Shelf

231/8"	24"	30"	831/2"	RWC24306D_	\$1466	\$1616	\$2575	
231/8"	24"	36"	831/2"	RWC24366D_	\$1597	\$1747	\$2706	
•				•	•	•	•	


▶ Specification Information, continued on next page

Universal Wardrobe Cabinets with Flush Steel, Proud Steel, or Proud Wood Front, continued

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top

is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RWC24304A_ becomes RWC24304AF for



Specification Information, continued from previous page


Dimen	sions			· Style	· U.S. Base	·U.S. Base Prices			
D		W	н	Number	:				
Flush	Proud			:	Flush	Proud	Proud		
Steel	Steel/			:	Steel	Steel	Wood		
Front	Wood			:	Front	Front	Front		
	Front			•	:		•		
				:	Suffix F	Suffix P	Suffix W		

With Partition, Three Adjustable Shelves, and Coat Rod

231/8"	24"	30"	52"	RWC24304B	\$1506	\$1656	\$2615
231/8"	24"	36"	52"	RWC24364B_	\$1641	\$1791	\$2750
				•	•	•	•

With Partition, Four Adjustable Shelves, and Coat Rod

		-		•	•		
231/8"	24"	30"	651/2"	RWC24305C_	\$1556	\$1706	\$2665
231/8"	24"	36"	651/2"	RWC24365C_	\$1694	\$1844	\$2803
					•		



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

Steel Security Tops For Use with Flush or Proud Front Products

Tip: Tops are for field installation only.

Tip: Security tops should only be used on units that are positioned under a worksurface—these are NOT structural tops.

Tip: Security top cannot be installed on a file with a liftup door in the top position.





Standard Includes Required to Specify ► Need help? · Security top: all paint price groups 1 Style number See Storage and · Attachment hardware 2 Paint color number for top Freestanding ► See Surface Materials, page 134. Furniture Specification Guide.

Spe	cificati	on Information			
· Dime · D	ensions W	For Use On	• Style Number	· U.S. Price	
Flusi	n Front	<u>.</u>		•	
18"	30"	Lateral file, storage cabinet	RATF1830F	\$87	
18"	36"	Lateral file, storage cabinet	RATF1836F	\$87	
18"	42"	Lateral file, storage cabinet	RATF1842F	\$87	
231/8"	30"	Lateral file, storage cabinet	RATF2430F	\$87	
231/8"	36"	Lateral file, storage cabinet	RATF2436F	\$87 :	
Prou	d Front	1			
187/8"	30"	Lateral file, storage cabinet	RATF1830P	\$87	
187/8"	36"	Lateral file, storage cabinet	RATF1836P	\$87	
187/8"	42"	Lateral file, storage cabinet	RATF1842P	\$87	
24"	30"	Lateral file, storage cabinet	RATF2430P	\$87	
24"	36"	Lateral file, storage cabinet	RATF2436P	\$87	

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Square Edge Tops For Use with Flush and Proud Front Products

Standard Includes Required to Specify • 13/16"H top with square edge profile on all sides: ► Need help? 1 Style number with appropriate front style See Storage and laminate or wood suffix in the space provided Freestanding · Attachment hardware F Flush steel front Furniture P Proud steel or proud wood front Specification Guide. 2 Laminate or wood color number for top 3 Plastic color number for 1 mm edges of laminate top 4 Options, if selected (see below) ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	Laminate top Open Line laminate	+\$64 plus cost of laminate	See Surface Materials Reference Manual.
	Wood veneer top Customiz stain on wood veneer top Full-fill finish on wood veneer	Prices below and at right Prices below and at right	Specify with Customiz stain. See Surface Materials Reference Manual. Specify with full-fill finish and select wood color number. See Surface Materials Reference Manual.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1830_ becomes RATL1830F for a top to be used on a flush front unit).





Spec	ificatio	n into	rmati	on				
• Dimensions • D		w	н	·Style Number	·U.S. Bas	e Prices	• Options • (Add \$ to	
Flush Steel Front	Proud Steel/ Proud Wood				Flush Steel Front Suffix F	Proud Steel or Proud Wood Front Suffix P	Base Price) Customiz Stain	: Full-Fill : Finish
Indivi	dual Fi	le Lan	ninate	e Tops				
18"	187⁄8"	30"	13/16"	RATL1830_	\$165	\$165	N.A.	N.A.
18"	187⁄8"	36"	13/16"	RATL1836	\$177	\$177	N.A.	N.A.
18"	187⁄8"	42"	1 3/16"	RATL1842_	\$193	\$193	N.A.	N.A.
231/8"	24"	30"	1 3/16"	RATL2430_	\$182	\$182	N.A.	N.A.
231/8"	24"	36"	13/16"	RATL2436	\$193	\$193	N.A.	N.A.
Lamin	ate Co	mmon	Tops	· }		•	·	•
18"	187/8"	601/16"	13/16"	RATCL1860_	\$267	\$267	N.A.	N.A.
18"	187⁄8"	661/16"	13/16"	RATCL1866_	\$309	\$309	N.A.	N.A.
18"	187⁄8"	721/16"	13/16"	RATCL1872_	\$347	\$347	N.A.	N.A.
18"	187⁄8"	781/16"	13/16"	RATCL1878	\$440	\$440	N.A.	N.A.

\$498

\$554

\$610

\$734

\$498

\$554

\$610

\$734

N.A.

N.A.

N.A.

N.A.

N.A.

N.A.

N.A.

N.A.

13/16"

13/16"

841/16" 13/16"

1081/8" 13/16"

901/8"

961/8"

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

18"

18"

18"

18"

187/8"

187/8"

187/8"

187/8"

102 Ellipse Specification Guide

RATCL1884_

RATCL1890_

RATCL1896_

RATCL18108

[▶] Specification Information, continued on next page

Tip: Your specification is not complete until you add a suffix to the style number

to define the front style (for example, RATL1830_ becomes RATL1830F for a top to be used on a flush front unit).







▶ Specification Information, continued from previous page

Dimer D	sions	w	н	· Style Number	·U.S. Bas	se Prices	• Options • (Add \$ to	
Flush Steel Front	Steel/ Proud	••			Flush Steel Front	Proud Steel or Proud Wood Front	Base Price)	E 11 E 11
	Wood			•	Suffix F	Suffix P	Customiz Stain	: Full-Fill : Finish
.amin	ate Co	mmon	Tops	continued				
231/8"	24"	601/16"	13/16"	RATCL2460_	\$ 280	\$ 280	N.A.	N.A.
231/8"	24"	66 ¹ /16"	1 3/16"	RATCL2466_	\$ 315	\$ 315	N.A.	N.A.
231/8"	24"	72 ¹ /16"	1 3/16"	RATCL2472_	\$ 354	\$ 354	N.A.	N.A.
231/8"	24"	901/8"	1 3/16"	RATCL2490_	\$ 593	\$ 593	N.A.	N.A.
231/8"	24"	961/8"	13/16"	RATCL2496_	\$ 651	\$ 651	N.A.	N.A.
231/8"	24"	1081/8"	1 3/16"	RATCL24108_	\$ 786	\$ 786	N.A.	N.A.
36½16"	3713/16"	36"	1 3/16"	RATCL3636_	\$ 338	\$ 338	N.A.	N.A.
36½16"	3713/16"	72 ¹ /16"	1 ³ / ₁₆ "	RATCL3672_	\$ 464	\$ 464	N.A.	N.A.
46 ⁵ /16"	481/16"	36"	1 3/16"	RATCL4836_	\$ 381	\$ 381	N.A.	N.A.
16 5/16"	481/16"	721/16"	13/16"	RATCL4872_	\$ 523	\$ 523	N.A.	N.A.
ndivi	dual Fi	le Wo	od Top)S		·	•	•
18"	187⁄8"	30"	13/16"	RATW1830_	\$ 425	\$ 425	+\$12	+\$26
18"	187⁄8"	36"	13/16"	RATW1836	\$ 435	\$ 435	+\$12	+\$26
18"	187⁄8"	42"	13/16"	RATW1842_	\$ 489	\$ 489	+\$12	+\$26
231/8"	24"	30"	1 3/16"	RATW2430_	\$ 441	\$ 441	+\$12	+\$26
231/8"	24"	36"	13/16"	RATW2436	\$ 453	\$ 453	+\$12	+\$26
Wood	Comm	on Top)S	•	•		•	•
18"	187⁄8"	601/16"	13/16"	RATCW1860_	\$ 600	\$ 600	+\$22	+\$44
18"	187⁄8"	661/16"	13/16"	RATCW1866	\$ 632	\$ 632	+\$22	+\$44
18"	187⁄8"	721/16"	13/16"	RATCW1872_	\$ 664	\$ 664	+\$22	+\$44
18"	187⁄8"	781/16"	13/16"	RATCW1878_	\$ 794	\$ 794	+\$22	+\$44
18"	187⁄8"	841/16"	13/16"	RATCW1884_	\$ 902	\$ 902	+\$32	+\$64
8"	187⁄8"	901/8"	13/16"	RATCW1890_	\$ 954	\$ 954	+\$32	+\$64
8"	187⁄8"	961/8"	13/16"	RATCW1896_	\$1051	\$1051	+\$32	+\$64
231/8"	24"	601/16"	13/16"	RATCW2460_	\$ 616	\$ 616	+\$22	+\$44
231/8"	24"	661/16"	13/16"	RATCW2466_	\$ 649	\$ 649	+\$32	+\$64
231/8"	24"	721/16"	13/16"	RATCW2472_	\$ 687	\$ 687	+\$32	+\$64
231/8"	24"	901/8"	13/16"	RATCW2490_	\$1020	\$1020	+\$32	+\$64
231/8"	24"	961/8"	13/16"	RATCW2496_	\$1125	\$1125	+\$32	+\$64

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Adjustable Steel Standard Shelves For Use with Combination Cabinets, Wardrobe Cabinets, and Storage Cabinets

Specification Guide.



Tip: Adjustable shelves are for field installation only.

	Standard Includes	Required to Specify
Need help? See Storage and Freestanding	3/4"H adjustable shelf: all paint price groups Set of four adjustable brackets: black only	1 Style number 2 Paint color number for shelf ▶ See <i>Surface Materials</i> , page 134.

Specification Information			
Dim D	ensions W	Style Number	·U.S. Price
:		:	:

Tip: When ordering additional adjustable shelves for wardrobe cabinets with partitions, note that the partition and coat space occupy 6" of the case interior. Order shelves 6" shorter than the overall width of the cabinet.

For Use with Combination Cabinets, Wardrobe Cabinets, and Storage Cabinets						
18"	30"	RXSA1830	\$59			
18"	36"	RXSA1836	\$62			
18"	42"	RXSA1842	\$82			
24"	24"	RXSA2424	\$59			
24"	30"	RXSA2430	\$62			
24"	36"	RXSA2436	\$73			
		:				



Storage Accessories

Rails

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes		Required to Specify	
Need help? See Storage and Freestanding Furniture Specification Guide.	Package of two rails: black only	Style number	

Specification Information

·Width	• Style Number	· U.S. Price	
12"	RXADRL15	\$21	
:	:		

Dividers

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide	Package of dividers: black only	Style number

	Specif	Specification Information		
	·Width	• Quantity	• Style Number	·U.S. Price
	For Use in 6"H Drawers			
7	12" :	2	RDV1506	\$ 33 :
	For Use	in 12"H Dı	awers	
\sim	12"	2	RDV1512	\$ 36


For U	For Use in 12"H Drawers			
12"	2	RDV1512	\$ 36	
12"	10	RDV151210	\$172	
:	:	:		



Pencil Tray

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

> Furniture Specification Guide.



Tip: Pedestals with box drawers include one pencil tray per pedestal.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

	Standard Includes	
► Need help?	Pencil tray: black only	
See Storage and		
Freestanding		

Required to Specify Style number


Specific	cation	i Into	rmat	IOI

•Style	·U.S.
• Number	Price
PRYNDT	\$20

Bi-Level Tray

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

> Furniture Specification Guide.



Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes

- · Bi-level tray: black only
- See Storage and · Two tray dividers: black only Freestanding

Style number

Required to Specify

Specification Information

Number	·U.S. Price
RPXDBT	\$35

Media Tray

For Use in Pedestals Manufactured after February 22, 2004 For Use in Universal Towers and Universal Workstation Verticals

► Need help?

See Storage and

Freestanding Furniture Specification Guide.



Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.



Canadian price factor. See page 1 for details.

For Canadian Pricing Multiply U.S. Price by the

Standard Includes


- · Media tray: black only
- · Four tray dividers: black only

Required to Specify Style number

Specification Information

• Style	·U.S.
Number	Price
RPXDMT	\$35

Reference Shelf



•	Need help?
	See Storage and
	Freestanding
	Furniture
	Specification Guide.

Standard Includes · Reference shelf: black only · Insert: clear plastic only

Required to Specify

Style number

Specif	ication	Information

Number	Price
DDVDDC	0.44

Hanging Folder Bars

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005 For Use with 900 Series, 800 Series, and 200 Series Lateral Files Manufactured on or after May 5, 1997



	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide	Hanging folder bar: black only	Style number

Specification Information					
·Width	Style Number	·U.S. Price			
30"	RAHF30	\$12			
36"	RAHF36	\$12			
42"	RAHF42	\$12			
•	•	•			



Rails

For Use with Lateral Files and Combination Cabinets





Tip: All drawer sizes require two rails per drawer for maximum capacity front-to-back

Need help?	Package o
See Storage and	· ·
Freestanding	
Furniture	

Specification Guide.

Standard Includes Required to Specify of two or four rails: black only

Style number

Speci	Specification Information					
Depth	• Style Number	·U.S. Price				
Package	e of Two					
18"	800RW	\$29				
24"	RXADRL24	\$21				
Package	e of Four					
24"	RXADRL2442	\$40				

Dividers

For Use in Lateral Files and Combination Cabinets

117/8"

1/16"

61/4"

	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide.	Carton of three dividers: black only	Style number

Specification Information							
Dim D	ensions W	Н	• Style Number	·U.S. Price			
For Use in 12"H Drawers or 12"H Roll-Out Shelves							






For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers					
131/2"	1/16"	35/8"	800DV6	\$23	
:			:		



800DV12

\$23

Shelf Divider Assembly



	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide.	Divider bracket: black only Two dividers: clear plastic	Style number

Specification Information			
Width	Style Number	U.S. Price	
30"	RASTDIV30	\$82	
36"	RASTDIV36	\$82	
42"	RASTDIV42	\$82	

Bookends



	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide	Package of two or twenty bookends: 6695 Midnight only	Style number

Specific	ation Inforn	nation		
Style Number	· Quantity	·U.S. Price		
KDIV02	2	\$ 25		
KDIV20	20	\$241		
•	•	•		



Coat Rods

Standard Includes Required to Specify

- ► Need help? See Storage and Freestanding Furniture Specification Guide.
- Coat rod: Polished Chrome onlyAttachment hardware


Style number

Specification Information

•	Width	· Style	·U.S.
		Number	Price

Side-to-Side: For Use in 24"D Cases Only

30"	RAACR2430	\$36
36"	RAACR2436	\$36
	•	



Front-to-Back: For Use in 18"D Cases Only

18"	RAACR18	\$36

Wood Drawer Pulls



Standard Includes Required to Specify

- Need help? See Storage and Freestanding Furniture Specification Guide.
- · Pull: wood

- 1 Style number
- 2 Wood color number
- 3 Options, if selected (see below)
- See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface	 Customiz stain 	+\$4	Specify with Customiz stain.
Materials			► See Surface Materials Reference Manual.

Specification Information ·Width Style ·U.S. Number Base Price 15" **RPULL15W** \$124 30" RPULL30W \$170 **RPULL36W** \$193 42" **RPULL42W** \$216



Counterweight Packages



	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture	Counterweight: black only Attachment hardware	Style number

Specification Information

Specification Guide.

Package Number	• Style Number	· U.S. Price
Package 1	RAACW1	\$ 80
Package 2	RAACW2	\$ 90
Package 3	RAACW3	\$101
Package 4	RAACW4	\$133
Package 5	RAACW5	\$144

Anchor Bracket Package



Tip: Four bracket packages are required for each cabinet.

	Standard Includes	Required to Specify
Need help? See Storage and Freestanding Furniture Specification Guide.	Two-piece anchor bracket and attachment hardware	Style number

Specification Information

•Style Number	· U.S. Price
RAANBRK	\$29



Ellipse-Style Lateral File Tops



Tip: Ellipse-style lateral file tops are field installed.

Tip: Top can be installed on Universal lateral files or cabinets with proud steel or proud wood fronts.

Standard Includes Re

- Need help? Product details, page 18
- Top: laminate or wood
- · Top end: plastic default or wood
- Attachment hardware

- **Required to Specify**
- 1 Style number
- 2 Laminate or wood color number for top
- 3 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Surface Materials	Open Line laminate	+\$64 plus cost of laminate	See Surface Materials Reference Manual.
	Full-fill finish on wood top	Prices below	Specify with full-fill finish and select wood color number. See Surface Materials, page 134.
	 Customiz stain on wood top 	Prices below	See Surface Materials Reference Manual.

Spe	Specification Information							
Dim D	ensions W	н	• Cartons Shipped	•Style Number	·U.S. Base Price	• Options • (Add \$ • to Base • Price)		
:			:	:	:	Full-Fill Finish	Customiz Stain	
Lami	nate							
19"	30"	11/4"	1	ASGT1930L5	\$ 252	N.A.	N.A.	
19"	60"	11/4"	1	ASGT1960L4	\$ 443	N.A.	N.A.	
19"	90"	11/4"	1	ASGT1990L3	\$ 716	N.A.	N.A.	
Wood	1							
19"	30"	11/4"	1	ASGT1930V3	\$ 696	+\$26	+\$12	
19"	60"	11/4"	1	ASGT1960V2	\$1023	+\$44	+\$22	
19"	90"	11/4"	. 1	ASGT1990V1	\$1482	+\$64	+\$32	

Internode Power and Communication Components

Internode Power and Communication Components

Internode Floor Power Infeeds

page 39



Tip: Floor power infeed cannot be used in New York City. Use a multipurpose power infeed instead.

	Standard Includes	Required to Specify	
Need help? Product details,	Junction box fittings for hardwired connection Liquid-tight flexible conduit: black plastic	Style number	

	Rela	ted Products					
	• Interno	ode power modules	▶ Page 115				
Specif	Specification Information						
Length	• Style Number	· U.S. Price					
4-Circu	it, 3+1						
6'	GFUFFH6X	\$215					
12' :	GFUFFH12X	\$285 :					
4-Circu	it, 2+2						
6'	GFUFFH6Y	\$215					
12' :	GFUFFH12Y	\$285 :					
3-Circu	it, Separate	Neutrals					
6'	GFUFFH6Z	\$215					
12' :	GFUFFH12Z	\$285 :					




► Need help?

page 39

Product details,

Internode Multipurpose Power Infeeds



Tip: Modular connector receptacle covers a standard 49/16" square junction box.

Standard Includes

- Junction box fittings for hardwired connection, if selected
- · Modular connector, if selected
- Modular connector receptacle included with modular option
- · Modular infeed cover, if selected: plastic
- · Conduit: metal

Required to Specify

- 1 Style number
- 2 Plastic color number for modular infeed cover, if selected
- ► See Surface Materials, page 134.

Related Products

· Internode power modules

▶ Page 115

2b	есіті	cati	on I	Into	rmati	lon

Length and	Style	·U.S.
Connection	Number	Price

4-Circuit, 3+1

12' Hardwire	GSGUFMH12X	\$321
12' Modular	GSGUFMM12X	\$412
24' Hardwire	GSGUFMH24X	\$466
24' Modular	GSGUFMM24X	\$550

4-Circuit, 2+2

12' Hardwire	GSGUFMH12Y	\$321
12' Modular	GSGUFMM12Y	\$412
24' Hardwire	GSGUFMH24Y	\$466
24' Modular	GSGUFMM24Y	\$550

3-Circuit, Separate Neutrals

12' Hardwire	GSGUFMH12Z	\$321
12' Modular	GSGUFMM12Z	\$412
24' Hardwire	GSGUFMH24Z	\$466
24' Modular	GSGUFMM24Z	\$550
<u>:</u>	•	:

Modular Infeed Cover

N.A.	GSGUFC	\$ 41
	•	





Internode Power Modules



Tip: Remember to specify receptacles separately. ▶ Page 120

Standard Includes

Required to Specify

► Need help? Product details, page 39

- Power block and enclosing housing: 4793 Solar Black only
- · Four modular receptacle attachment points
- Mounting bracket, if selected: 6653 Solar Black only
- Two covers: 6653 Solar Black only
- · Mounting hardware package

Related Products

- Internode mounting bracket · Internode modular harnesses
- · Internode communication module
- · Internode receptacles
- · Internode cord and cable manager

▶ Page 116

Style number

- Page 117 ▶ Page 119
- ▶ Page 120 ▶ Page 125

Specif	ication	Intori	mation
Opcom			

Dimensions			·Includes	·Style	·U.S.
D	W	н	Mounting	Number	Price
			Bracket	•	
			. =		

4-Circuit, 3+1

3"	10"	31/2"	Yes	GFUPMBX	\$265
3"	10"	31/2"	No	GFUPMX	\$232

Block-to-Block Connector

For Use in New York City

3"	10"	31/2"	Yes	GFUPMBXNYC \$265
3"	10"	31/2"	No	GFUPMXNYC \$232

4-Circuit, 2+2

15/8"

13/16"

13/16"

3"	10"	31/2"	Yes	GFUPMBY	\$265
3"	10"	31/2"	No	GFUPMY	\$232

N.A.

Block-to-Block Connector

For U	Jse in N	ew York	City	
3"	10"	31/2"	Yes	GFUPMBYNYC \$265
3"	10"	31/2"	No	GFUPMYNYC \$232

\$ 54

GSGUBCY

GSGUBCZ

3-Circuit, Separate Neutrals

115/16"

115/16"


Bloc	k-to-Blo	ck Conn	ector				
3"	10"	31/2"	No	GFUPMZ	\$232		
3"	10"	31/2"	Yes	GFUPMBZ	\$265		

For Use in New York City

15/8"

FOI C	JSE III N	ew fork	City		
3"	10"	31/2"	Yes	GFUPMBZNYC	\$265
3"	10"	31/2"	No	GFUPMZNYC	\$232
					•

\$ 54



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. ► See page 1 for details.

GFUMB

\$35

Internode Mounting Bracket



Tip: Mounting bracket supports either a communication module or a power module.

Tip: Mounting bracket is located in front of power beam for ease of access for modular harnesses.

	Standard Includes	Required to Specify
Need help? Product details, page 40	Mounting bracket: 4793 Solar Black only Mounting hardware package	Style number

Related Products

	 Internode power modules Internode communication module Internode cord and cable manager 	➤ Page 115 ➤ Page 119 ➤ Page 125	
Specifica	ation Information		
•Style Number	· U.S. Price		



Internode Modular Harnesses

page 40



Tip: Harness can pass through access slot in power beam.

	Standard Includes	Required to Specify
Need help? Product details,	Harness	Style number

		d Products power modules	▶ Page 115
	internode	positi modulo	, ago
Specific	ation Informat	ion	
Length	•Style •Number	·U.S. Price	
4-Circui	t, 3+1		
12"	GSGUH12X	\$121	
22"	GSGUH22X	\$121	
28"	GSGUH28X	\$121	
32"	GSGUH32X	\$121	
38"	GSGUH38X	\$121	
44"	GSGUH44X	\$136	
50"	GSGUH50X	\$136	
54"	GSGUH54X	\$145	
64"	GSGUH64X	\$162	
76"	GSGUH76X	\$172	
38"	GSGUH88X	\$198	
100"	GSGUH100X	\$214	
120"	GSGUH120X	\$252	
144"	GSGUH144X	\$287	
Harness-t	o-Harness Conne	etor	
	GSGUHCX	\$ 54	
Modular-te	o-Hardwire Harne	ss	
108"	GSGUHHX	\$162	
4-Circui	t, 2+2		
12"	GSGUH12Y	\$121	
22"	GSGUH22Y	\$121	
28"	GSGUH28Y	\$121	
32"	GSGUH32Y	\$121	
38"	GSGUH38Y	\$121	
14"	GSGUH44Y	\$136	
50"	GSGUH50Y	\$136	



[▶] Specification Information, continued on next page



▶ Specification Information, continued from previous page

.ength	ation Informat	·U.S.
ciigtii	Number	Price
	<u>:</u>	<u>:</u>
-Circuit	t, 2+2, continu	ed
54"	GSGUH54Y	\$145
64"	GSGUH64Y	\$162
76"	GSGUH76Y	\$172
88"	GSGUH88Y	\$198
100"	GSGUH100Y	\$214
120"	GSGUH120Y	\$252
144"	GSGUH144Y	\$287
Modular-to	o-Hardwire Harne	ss
108"	GSGUHHY	\$162
<u>: </u>	<u>:</u>	<u>:</u>
3-Circuit	t, Separate Ne	utrals
12"	GSGUH12Z	\$121
22"	GSGUH22Z	\$121
28"	GSGUH28Z	\$121
32"	GSGUH32Z	\$121
38"	GSGUH38Z	\$121
44"	GSGUH44Z	\$136
50"	GSGUH50Z	\$136
54"	GSGUH54Z	\$145
64"	GSGUH64Z	\$162
76"	GSGUH76Z	\$172
88"	GSGUH88Z	\$198
100"	GSGUH100Z	\$214
120"	GSGUH120Z	\$252
144"	GSGUH144Z	\$287
Modular-to	-Hardwire Harne	ss
108"	GSGUHHZ	\$162
:		:



Internode Communication Module



Tip: Communication modules can be supported by mounting bracket, power module, or applied directly to the underside of a worksurface.

Standard Includes

Required to Specify

► Need help? Product details, page 40

- Two-piece communication module: 4793 Solar Black only
- · One cover, used to adapt NEMA opening to modular furniture faceplate opening
- · Mounting hardware package

Style number

Related I	Products
-----------	----------

- · Internode power module
- Internode mounting bracket

Page	115
▶ Page	116

Specification Information



Internode Receptacles



Tip: Receptacles are specified individually so you can order exactly the quantity you need.

Standard Includes

Required to Specify

- Need help?
 Product details,
 page 40
- Individual receptacles: plastic

- 1 Style number 2 Plastic color number for receptacle
- See Surface Materials, page 134.

Related Products

- · Internode power modules
- Internode convenience tri-receptacles with power cord and plug
- Page 115
- Page 123

	System Gro	und	Isolated Ground			
Line	Line Style U.S. Number Price		• Style • Number •	·U.S. Price		
4-Circuit	, 3 +1	•				
15-Amp Re	ceptacles					
Line 1	GSGUR1SSX	\$42	GSGUR1SGX	\$54		
Line 2	GSGUR2SSX	\$42	GSGUR2SGX	\$54		
Line 3	GSGUR3SSX	\$42	GSGUR3SGX	\$54		
Line 4	GSGUR4SSX	\$42	GSGUR4SGX	\$54		
20-Amp Re	ceptacles					
Line 1	GSGUR1TSX	\$66	GSGUR1TGX	\$81		
Line 2	GSGUR2TSX	\$66	GSGUR2TGX	\$81		
Line 3	GSGUR3TSX	\$66	GSGUR3TGX	\$81		
Line 4	GSGUR4TSX	\$66	GSGUR4TGX	\$81		
4-Circuit	, 2+2		·			
15-Amp Re	ceptacles					
Line 1	GSGUR1SSY	\$42	GSGUR1SGY	\$54		
Line 2	GSGUR2SSY	\$42	GSGUR2SGY	\$54		
Line 3	GSGUR3SSY	\$42	GSGUR3SGY	\$54		
Line 4	GSGUR4SSY	\$42	GSGUR4SGY	\$54		
20-Amp Re	ceptacles					
Line 1	GSGUR1TSY	\$66	GSGUR1TGY	\$81		
Line 2	GSGUR2TSY	\$66	GSGUR2TGY	\$81		
Line 3	GSGUR3TSY	\$66	GSGUR3TGY	\$81		

[▶] Specification Information, continued on next page





▶ Specification Information, continued from previous page

	System Gro	und	Isolated Gro	ound	
· Line	• Style • U.S. Number Price		• Style Number	· U.S. Price	
3-Circui	t, Separate Neu	trals	•	·	
15-Amp R	eceptacles				
Line 1	GSGUR1SSZ	\$42	GSGUR1SGZ	\$54	
Line 2	GSGUR2SSZ	\$42	GSGUR2SGZ	\$54	
Line 3	GSGUR3SSZ	\$42	GSGUR3SGZ	\$54	
20-Amp R	eceptacles				
Line 1	GSGUR1TSZ	\$66	GSGUR1TGZ	\$81	
Line 2	GSGUR2TSZ	\$66	GSGUR2TGZ	\$81	
LIIIO L					



Internode Convenience Tri-Receptacles with Modular Harness



Standard Includes

Required to Specify

- Need help? Product details, page 40
- Convenience tri-receptacle housing: plastic
- Three receptacles: black
- Harness with modular connector for attachment to end of power module
- · Conduit: metallic
- · Mounting clamp kit

- 1 Style number
- 2 Plastic color number for tri-receptacle housing
- 3 Options, if selected (see below)
- ► See Surface Materials, page 134.

	Options	U.S. Price	Required to Specify
Outfeed	Beltway power outfeed connector with cover that matches receptacle color	+\$26	Specify with beltway power outfeed connector.
Related Products	 Internode below-worksurface mounting bracket 		▶ Page 124

Specification Information									
· Harness · Length	Line	· Style Number	·U.S. Base	·Style Number	·U.S. Base				
:	:	:	Price	:	Price				
:	:	:	:	:	:				

4-Circuit, 3+1

With System Ground				With Isolated Gr	ound
72"	Line 1	GFUT1S72X	\$211	GFUT1G72X	\$211
	Line 2	GFUT2S72X	\$211	GFUT2G72X	\$211
	Line 3	GFUT3S72X	\$211	GFUT3G72X	\$211
	Line 4	GFUT4S72X	\$211	GFUT4G72X	\$211
	:	:	:	: :	

4-Circuit, 2+2

With System Ground			With Isolated Ground		
Line 1	GFUT1S72Y	\$211	GFUT1G72Y	\$211	
Line 2	GFUT2S72Y	\$211	GFUT2G72Y	\$211	
Line 3	GFUT3S72Y	\$211	GFUT3G72Y	\$211	
Line 4	GFUT4S72Y	\$211	GFUT4G72Y	\$211	
	Line 2	Line 2 GFUT2S72Y Line 3 GFUT3S72Y	Line 2 GFUT2S72Y \$211 Line 3 GFUT3S72Y \$211	Line 2 GFUT2S72Y \$211 GFUT2G72Y Line 3 GFUT3S72Y \$211 GFUT3G72Y	

3-Circuit, Separate Neutrals

With System Ground		With Isolated	Ground	
Line 1	GFUT1S72Z	\$211	GFUT1G72Z	\$211
Line 2	GFUT2S72Z	\$211	GFUT2G72Z	\$211
Line 3	GFUT3S72Z	\$211	GFUT3G72Z	\$211
	Line 1 Line 2	<u>'</u>	Line 1 GFUT1S72Z \$211 Line 2 GFUT2S72Z \$211	Line 1 GFUT1S72Z \$211 GFUT1G72Z Line 2 GFUT2S72Z \$211 GFUT2G72Z



Internode Convenience Tri-Receptacles with Power Cord and Plug

► Need help?

page 40

Product details,



Tip: This unit does not include clamp kit.

		_		$\overline{}$	_	
•	15	H Le	arc	 ш	L. L.	(-1

- · Convenience tri-receptacle housing: plastic
- · Three receptacles: black
- 96" power cord with grounded plug: black only

Required to Specify

- 1 Style number
- 2 Plastic color number for tri-receptacle housing
- ► See Surface Materials, page 134.

Related Products

- · Internode above-worksurface clamp kit
- · Internode below-worksurface mounting bracket
- ▶ Page 124

▶ Page 124

Specification Information

Dime	ensions W	н	•Style Number	· U.S. Price	
23/4"	51/4"	21/2"	GFUTP96	\$107 :	

Internode Convenience Communication Outlet Housing

page 41



Tip: This unit does not include clamp kit.

			des

- ► Need help? · Housing for customer-supplied modular furniture Product details. faceplates: plastic
- **Required to Specify**
- 1 Style number 2 Plastic color number for housing
- ► See Surface Materials, page 134.

Related Products

- Internode above-worksurface clamp kit
- · Internode below-worksurface mounting bracket
- ▶ Page 124
- ▶ Page 124

Specification Information

· Dime	ensions W	н	Style Number	· U.S. Price	
:			•	:	
23/4"	51/4"	21/2"	GFUCH	\$53	
:			:		



Internode Above-Worksurface Clamp Kit



Standard Includes	Required to Specify
Pair of rail-mount pins: 6653 Solar Black plastic only	Style number
Related Products	
 Internode convenience tri-receptacles with modular harness 	▶Page 122
 Internode convenience tri-receptacles with power cord and plug 	Page 123
Internode communication convenience outlet housing	▶ Page 123
ion Information	
· U.S. Price	
\$17	
	Pair of rail-mount pins: 6653 Solar Black plastic only Related Products Internode convenience tri-receptacles with modular harness Internode convenience tri-receptacles with power cord and plug Internode communication convenience outlet housing ion Information U.S. Price

Internode Below-Worksurface Mounting Bracket



Tip: Mounting bracket supports convenience receptacles and communications outlet housing below the worksurface.

Tip: Each tri-receptacle, whether power or communications, should have its own mounting bracket for below-worksurface mounting applications.

	Standard Includes	Required to Specify
Need help? Product details, page 41	Mounting bracket: 4793 Solar Black only	Style number
	Related Products	
	Internode convenience tri-receptacles with modular harness	▶Page 122
	 Internode convenience tri-receptacles with power cord and plug 	▶ Page 123
	Internode communication convenience outlet housing	▶ Page 123
Specificat	ion Information	
•Style Number	· U.S. Price	
GFUTMB	\$12	
:		



Internode Cord and Cable Manager

page 41

31/2"

10"

13/4"



Standard Includes Required to Specify Need help? Cord and solle represent CCS2 Solar Black only. Child represent

Need help?
 Cord and cable manager: 6653 Solar Black only
 Package of four

GFUCCM

ils, Package of four
Mounting hardware package

k only Style number

		Related Produ	ucts	
Internode power modules				Page 115
Specificati	ion In	formation		
Dimensions W	н	• Style Number	·U.S. Price	

\$107

Internode Harness Clips



	Standard Includes	Required to Specify
► Need help? Product details, page 41	Package of 25 harness clips with screws: black only	Style number



Standard Shelf Lights

► Need help?

page 44

Product details,

Tip: Daisy chaining is not allowed in New York City or Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Standard Includes

· Light housing with centered on-off switch:

- · End cap cord managers: black plastic only
- · Cords:
 - -9' cord with three-prong plug at 45° angle: black plastic only
 - -One 30" and one 48" cord with modular connectors for daisy chaining: black plastic only
- Contrast sleeve around lamp
- · Faceted reflector: white only
- T8 3500K lamp
- Ballast
- · Dimmer switch, if selected: black plastic only
- · Attachment hardware
- · Daisy chain starter cord, if selected: black plastic only (order separately)

·Style

Number

Required to Specify

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 134.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Bracket Options paint color number for end cap covers.

· U.S.

Base **Price**

Electronic High-Power-Factor Ballast

·Lamp Wattage

Specification Information

Dimensions

91/4"	25"	13/4"	17 watts	LSM24K	\$366	
91/4"	37"	13/4"	25 watts	LSM36K	\$389	
91/4"	49"	13/4"	32 watts	LSM48K	\$421	
With (Chicag	o Cord In	cluding Circui	it Breaker		
91/4"	25"	13/4"	17 watts	LSM24KC	\$423	
91/4"	37"	13/4"	25 watts	LSM36KC	\$446	
91/4"	49"	13/4"	32 watts	LSM48KC	\$478	
With I	Daisy C	hain Cor	ds			
91/4"	25"	13/4"	17 watts	LSM24KD	\$397	
91/4"	37"	13/4"	25 watts	LSM36KD	\$420	
91/4"	49"	13/4"	32 watts	LSM48KD	\$452	





Tip: Remember to order a daisy chain starter cord. ►See Related Products on next page.

▶ Specification Information, continued on next page



For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

▶ Specification Information, continued from previous page

Related Products				
Quantity	·Length	Style	·U.S.	
in Package	:	Number	Base	
:	:	:	Price	



Daisy Chain Starter Cord

1	78"	LS1FSC	\$ 50
6	78"	LS6FSC	\$300
	-		

For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.

See page 1 for details.

Utility Shelf Lights

► Need help?

page 44

Product details,

Tip: Daisy chaining is not allowed in New York City or Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Standard Includes

· Light housing with centered on-off switch:

- black paint End cap cord managers: black plastic only
- · Cords:
- -9' cord with three-prong plug at 45° angle: black plastic only
- One 30" and one 48" cord with modular connectors for daisy chaining: black plastic only
- · Prismatic lens
- · Angled reflector: white only
- T8 3500K lamp
- Ballast

Specification Information

· Dimensions

W

- · Dimmer switch, if selected: black plastic only
- · Attachment hardware

Lamp

Wattage

· Daisy chain starter cord, if selected: black plastic only (order separately)

·Style

Number

Required to Specify

- 1 Style number
- 2 Paint color number, if other than black (see options below)
- 3 Options, if selected (see below)
- ► See Surface Materials, page 134.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.

	Options	U.S. Price	Required to Specify
Surface Materials	 Painted light housing other than black 	+\$22	Specify paint color number for housing. See Surface Materials, page 134.
Lens	Bat-wing lens	+\$29	Specify with bat-wing lens.
Bracket Options	Competitive mounting package	No cost	Specify with competitive mounting packages.
	Flush mounting package	No cost	Specify with flush mounting package and paint color number for end cap covers.

·U.S.

Base



Tip: Remember to order a daisy chain starter cord. See Related Products on next page.

Bracket	 Competitive mounting 	No cost	Specify with competitive mounting
Options	package		packages.
	Flush mounting package	No cost	Specify with flush mounting package a paint color number for end cap covers.

:					Price	
Elec	tronic	High-P	ower-Factor	r Ballast	•	
51/2"	25"	13/4"	17 watts	LSB24K	\$247	
51/2"	37"	13/4"	25 watts	LSB36K	\$293	
51/2"	49"	13/4"	32 watts	LSB48K	\$324	
With	Chicag	o Cord Ir	ncluding Circui	t Breaker		
51/2"	25"	13/4"	17 watts	LSB24KC	\$304	
51/2"	37"	13/4"	25 watts	LSB36KC	\$350	
51/2"	49"	13/4"	32 watts	LSB48KC	\$381	
With	Daisy C	Chain Co	rds			
51/2"	25"	13/4"	17 watts	LSB24KD	\$278	
51/2"	37"	13/4"	25 watts	LSB36KD	\$324	
51/2"	49"	13/4"	32 watts	LSB48KD	\$355	
:			:	:	· ·	

▶ Specification Information, continued on next page



▶Specification Information, continued from previous page

-			•	-	. •	
Spe	cificat	tion Inf	ormation			
Dime	ensions W	н	·Lamp ·Wattage	• Style • Number	·U.S. Base Price	
Elec	tronic	Norma	I-Power-Fac	tor Ballast	:	
51/2"	25"	13/4"	17 watts	LSR24M	\$176	





Tip: Remember to order a daisy chain starter cord. ▶See Related Products below.

D	W	н	Wattage	Number	Base Price	
Elec	tronic	Norma	I-Power-Fac	tor Ballast	•	
51/2"	25"	13/4"	17 watts	LSB24M	\$176	
51/2"	37"	13/4"	25 watts	LSB36M	\$222	
51/2"	49"	13/4"	32 watts	LSB48M	\$253	
With	Chicago	Cord Ir	ncluding Circuit	Breaker		
51/2"	25"	13/4"	17 watts	LSB24MC	\$233	
51/2"	37"	13/4"	25 watts	LSB36MC	\$279	
51/2"	49"	13/4"	32 watts	LSB48MC	\$310	
With	Daisy C	hain Co	rds			
51/2"	25"	13/4"	17 watts	LSB24MD	\$207	
51/2"	37"	13/4"	25 watts	LSB36MD	\$253	
5 ¹ /2"	49"	13/4"	32 watts	LSB48MD	\$284 :	



Related Pr	oducts		
· Quantity in Package	Length	· Style · Number	·U.S. Base
_	:	:	Price

Daisy Chain Starter Cord

1	78"	LS1FSC	\$ 50	
6	78"	LS6FSC	\$300	



LED Shelf Lights

Tip: Daisy chaining is not allowed in New York City or Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Maximum number of lights that can be daisy chained is three lights.

Standard Includes

Required to Specify

Style number

► Need help? Product details, page 46

- Aluminum extrusion with plastic cover
- Power supply with 12' cordage (6' from power supply to power outlet, 6' from power supply to fixture)
- Soft touch switch
- Thin profile accommodates recessed and low profile flush mounting
- · Ultra energy efficient LED light source
- Universal magnetic mounting
- · Polycarbonate matte film diffuser
- Continuous dimming

	Options	U.S. Price	Required to Specify	
Mounting	 Fastener kit for use with wood or aluminum shelf 	+\$8	Specify with fastener kit.	





Tip: Daisy chain starter light comes with a power supply that will support up to three lights in series. Does not include daisy chain cords.



Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (9" and 36") comes standard with each secondary light.

Sp	ecifica	ation	Information	n
·Dim	nensior	ıs	·Lamp	
D	W	н	Wattage	

Style	∙U.S.
Number	Base
	Price

LED Standard Light

21/2"	18"	1/2"	11 watts	LSL18	\$322
				•	

LED Daisy Chain Starter Light

21/2"	18"	1/2"	11 watts	LSL18YA	\$344

LED Daisy Chain Secondary Light

21/2"	18"	1/2"	11 watts	LSL18YB	\$316
				•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
See page 1 for details.

LED Personal Task Lights

Standard Includes Required to Specify ► Need help? · Aluminum extrusion with plastic cover and integrated Style number Product details, · Power supply with 12' cordage (6' from power supply to page 48 power outlet, 6' from power supply to fixture) · Soft touch switch · Rail-mounted and non rail-mounted version · Ultra energy efficient LED light source · Polycarbonate matte film diffuser · Continuous dimming **Related Products** · c:scape desk ► See c:scape & media:scape Specification Guide.

- · FrameOne bench
- · Details SOTO rail
- Impact
- · Technology zone integral rail
- Worksurfaces and freestanding desks
- See FrameOne Specification Guide.
- ► See Details SpecGuide.
- See Wood Casegoods and Tables Specification Guide.
- See Elective Elements 6 Specification Guide.
- See Answer Specification Guide.

Specification Information

Dimensions		าร	·Lamp	Style	·U.S.
D	W	н	Wattage	Number	Price



Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	LPTL30	\$565



Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 11/4", or with modesty panels or modesty screens closer than 6" from the back edge.

Non Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	LPTL30NR	\$565

*

For Canadian Pricing Multiply U.S. Price by the Canadian price factor. See page 1 for details.

Surface Materials

Surface Materials	134
Color Coordination Lists	140
Ellipse Open Line Laminate Edge Coordination Matrix	142
Universal Storage Edge Coordination Matrix	143
Surface Materials Application Topics	144

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to

assist you in the specification process—the Surface Materials Binders.

Surface Materials

Binders include:

- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

Applies to:

- Legs
- Power beam
- Modesty panelTable column and base
- · Shelf lights
- · Screen supports
- Universal Storage
- Overhead cabinet

Steelcase Surfaces

Price Group 1 Smooth Paint

4242 Milk

4242 WIIIK

Textured Paint 7207 Black

7225 Sand 7230 Basalt

7236 Fog **G**

7237 Slate **3**

7238 Fieldstone 7239 Midnight **3**

7241 Arctic White

7243 Seagull

Price Group 2

Smooth Metallic Paint

4743 Mineral Metallic 4744 Pearl Metallic

4744 Pearl Metallic
4750 Champagne Metallic

4751 Bronze Metallic

4752 Steel Metallic **3**

4788 Gold Dust Metallic

4798 Sterling Metallic4799 Platinum Metallic4803 Near Black Metallic

Textured Metallic Paint

7245 Carbon Metallic7246 Midnight Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors that are available without the PerfectMatch registration fee. Refer to the Surface Materials Reference Manual for more information about this program.

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Laminate

Applies to:

- · Worksurfaces
- · Universal Storage tops

Steelcase Surfaces

Fiber

2850 Vanadium Fiber2851 Rhyme Fiber2852 Tungsten Fiber

2854 Vellum Fiber

2859 Novell Fiber

2860 Granite Fiber 2861 Coconut Fiber

2862 Stucco Fiber

Micro

2920 Marl Micro 2921 Gypsum Micro 2922 Clay Micro

2923 Shadow Micro

Patina

2870 Blonde Bronze

Patina 2871 Blackened Bronze Patina

2873 Instant Iron Patina

Solid

2722 Cream **3** 2730 Arctic White

2746 Black

2759 Warm White **G**

2766 Warm Brown V1 3

2810 Dawn **3**

2811 Mist **3** 2883 Seagull

2884 Milk

2885 Dune

Speckle

2820 Coffee Speckle 2822 Woodrose Speckle

2823 Driftwood Speckle

2824 Smoke Speckle

2825 Vanadium Speckle

Note: Some wood veneer

finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain

2406 Clear Cherry

2409 Clear Maple

2410 Graphite Walnut

2412 Natural Cherry 2422 Medium Cherry

2511 Winter on Maple

2538 Clear Walnut

2539 Warm Oak

2592 Blonde on Maple 2714 Natural Walnut

2772 Medium Mahogany

on Walnut 🛭 🛎

Applies to:

Universal Storage tops

Turnstone Laminate Collection

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the Turnstone section of in2.steelcase.com for swatching information.

2535 Virginia Walnut 2536 Blackwood

2612 Marbled Maple

2614 Chocolate Walnut

2615 Marbled Cherry

Tip: Available on Universal Storage Square edge laminate tops only.

Tip: Grain direction of woodgrain laminates and Turnstone laminates is always parallel to the front edge.

See page 144.

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee upcharge of \$64 U.S. per worksurface or top, plus the cost of the laminate. Edge color for Open Line laminate must be determined by the dealer and customer before orders can be entered.

When processing orders for Open Line laminates on Universal Storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

See Open Line Laminate Edge Coordination Matrix, page 142.

Tip: Standard laminates being used in the Open Line Laminate Program to obtain a different edge detail will be charged the Open Line laminate upcharge; however, no additional charges for the laminate will be applied.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product, or to determine material square foot requirements:

Visit www.steelcase.com

For additional information, refer to the Steelcase Surface Materials Reference Manual

Established

Wood

Applies to:

- Worksurfaces
- · Universal Storage tops and fronts

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- · Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant. office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

Steelcase Surfaces

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the Surface Materials Reference Manual for descriptions of each cut.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

Flat-cut open-pore finish choices

FC/OP Graphite Walnut 3062 FC/OP Clear Cherry (Aged)

FC/OP Natural Cherry G 3412 FC/OP Medium Cherry 3422

3522 FC/OP Clear Maple* 3572 FC/OP Amber on Maple

FC/OP Blonde on Maple 3592 FC/OP Clear Walnut 3702

3712 FC/OP Natural Walnut FC/OP Dark Mahogany on Walnut 3722

3752 FC/OP Medium Walnut FC/OP Dark Walnut 3762

FC/OP Medium Mahogany on 3772 Walnut

Quarter-cut open-pore finish choices

3102 QC/OP Clear Cherry (Aged) QC/OP Natural Cherry 6 3112

QC/OP Medium Cherry 3122 QC/OP Clear Maple* 3222

3272 QC/OP Amber on Maple

QC/OP Blonde on Maple 3292 3302 QC/OP Clear Walnut

QC/OP Natural Walnut 3312

QC/OP Dark Mahogany on Walnut 3322 QC/OP Medium Walnut 3352

QC/OP Dark Walnut 3362

QC/OP Medium Mahogany on Walnut

3382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices

3602 RC/OP Desert Oak RC/OP Warm Oak 3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or top only.

Flat-cut full-fill finish choices

3064 FC/FF Graphite Walnut 3404 FC/FF Clear Cherry (Aged)

FC/FF Natural Cherry 6 3414

3424 FC/FF Medium Cherry

FC/FF Clear Maple* 3524

3544 FC/FF Blonde on Maple

FC/FF Amber on Maple 3574

3704 FC/FF Clear Walnut FC/FF Natural Walnut 3714

3724 FC/FF Dark Mahogany on Walnut

FC/FF Medium Walnut 3754

FC/FF Dark Walnut 3764

FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices

3104 QC/FF Clear Cherry (Aged)

QC/FF Natural Cherry 6 3124

QC/FF Medium Cherry 3224 QC/FF Clear Maple*

3274 QC/FF Amber on Maple 3294 QC/FF Blonde on Maple

3304 QC/FF Clear Walnut

3314 QC/FF Natural Walnut

3324 QC/FF Dark Mahogany on Walnut

QC/FF Medium Walnut 3354 3364 QC/FF Dark Walnut

QC/FF Medium Mahogany on 3374

Walnut

3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices

3604 RC/FF Desert Oak 3614 RC/FF Warm Oak 3694 RC/FF Espresso Oak

*To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Form number 05-0001370.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A one-time formulation fee of \$425 U.S. per color, per customer processing fee will apply. The fee covers the cost of formulating the Customiz finish and applies regardless of whether or not an order for product is placed. Please refer to "Customiz Stain" option price column in your specification guide for the unit upcharge.

Customiz stain takes 10 days to formulate. Consult the Surface Materials Reference Manual for more information. Custom veneers are also available and must be quoted by specials engineering. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the Surface Materials Reference Manual.

Plastic

Steelcase Surfaces

Tip: Not every plastic component is available in every plastic color. Worksurface color determines the color of many plastic components. See page 141 for an overview of the plastic colors that are available for each component.

Applies to:

· Return filler

6000 Black

6001 Coffee

6008 Bramble

6612 Grey V2 G 6617 Warm Brown V2 6

6631 Cream

6635 Dawn **G**

6636 Mist 6654 Sand

6655 Warm White

Applies to:

Internode

6000 Black

6009 Arctic White 6249 Platinum Solid

6651 Tungsten G 6652 Titanium **G**

6653 Solar Black

6654 Sand 6681 Grotto

Applies to:

- · Leg trim strip
- · Glide covers

6000 Black 6002 Graphite 6

6655 Warm White 6681 Grotto

Established

Applies to: • 1 mm square edge profile on Universal Storage laminate tops 6000 Black 6001 Coffee 6008 Bramble 6009 Arctic White

6034 Natural Cherry 6035 Medium Cherry 6037 Winter on Maple 6038 Blonde on Maple 6041 Natural Walnut

6045 Medium Mahogany on Walnut 6052 Milk 6053 Seagull

6231 Graphite Walnut 6234 Clear Cherry 6237 Clear Maple

6242 Virginia Walnut 6243 Blackwood 6245 Clear Walnut

6246 Walnut Oak 6249 Platinum Solid 6615 Grey V5

6619 Ice **G** 6631 Cream 6635 Dawn **3**

6636 Mist 6654 Sand 6655 Warm White

6676 Marbled Maple 6677 Chocolate Walnut 6678 Marbled Cherry

6694 Slate 6695 Midnight 6697 Fog 6698 Fieldstone

Note: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Vertical Surface Fabric

Applies to: Screens

Steelcase Surfaces

Price Group 1

Abacus **G** P122 Entasis P123 Portico P124 Opus P125 Cusp P126 Artifact P129 Atlas

Acadia 0 G031 Tin G033 Iron G034 Pewter G039 Silica G041 Brimstone G043 Azurite

Alloy P525 Polar P526 Skim P527 Bubbly

P528 Tern P529 Shore P530 Asti P531 Silver P532 Oxide P533 Element

P534 Construct P535 Currency P536 Iron

Bariolage

G200 New Etude G201 New Andante G202 New Cantata G203 New Adagio G204 New Melody G205 New Ballata G206 New Sonata

BellaRose @

B650 Avodire B651 Birch B652 Willow B653 Alder B655 Wenge B656 Ebony

P200 New Rice

P201 New Almond P202 New Nutmeg P203 New Camel P204 New Opal P205 New Mist P206 New Plum P207 New Lichen P208 New Spearmint P209 New Sky

Buzz2

5F01 Camel G 5F03 Tomato 5F04 Red **G** 5F05 Burgundy 5F06 Sky **G** 5F07 Blue 5F08 Navy

5F10 Grape G 5F11 Eggplant **3** 5F15 Stone 5F16 Grey 5F17 Black

5G50 Dunegrass 5G51 Sable 5G52 Barley 5G53 Sunrise 5G54 Carrot 5G55 Pumpkin 5G56 Timber

5G57 Rouge 5G58 Chocolate 5G59 Meadow 5G60 Ivy 5G61 Cyan

5G62 Atlantic 5G63 Crocus 5G64 Alpine 5G65 Tornado

Charm

P505 Shell P506 Mimosa P507 Birch P508 Sparkle P509 Ginkgo P510 Debut P511 Clover

P513 Twilight Embrasure 0

P512 Spicy

P140 Colonnade P141 Rotunda P143 Baluster

Lapel

P409 Cement P410 Pebble P411 Beech P412 Dune P413 Grain P414 Sprout

P415 Misty Blue P416 Maple P417 Slate

Optic

P540 Hazel P541 Twinkle P542 Orion P543 Seaglass P544 Shine P545 Halo P546 Whiskey P547 Bath P548 Whisper P549 Breezy P550 Wrv P551 Glimmer

Pianista

P420 Sand P421 Mist P422 Rain P423 Natural P424 Café P425 Denim

P426 Carbon P427 Stone P428 Flax P429 Oat

P430 Wheat P431 Maize

Rhythm

P555 Allegro P556 Tempo P557 Refrain P558 Pitch P559 Harmony P560 Melody P561 Stanza P562 Opus

Tinsel

P516 Lit P517 Ego P518 Fizz P519 Muse P520 Depth P521 Bliss P522 Grow P523 Dolce

Price Group 2

Amiranté 😉

5664 Mink 5665 Ivory 5666 Silver Frost 5677 Moonglo 5679 Woodbine 5687 Chamois

Ashanti **G**

5613 Silver Frost 5674 Quince

Ashanti Reverse @

5638 Mink 5648 Moonglo 5650 Woodbine 5654 Quince

Bouquet 0 P165 Hosta

P166 Dundee P169 Argenta P170 Hoya P173 Camomile P175 Jasper

Cogent: Geode Seating

5S46 Bark 5S47 Coal 5S48 Smoke 5S49 Cobalt 5S50 Ink 5S51 Shamrock 5S52 Pear 5S53 Berry 5S54 Mandarin 5S55 Sunset 5S56 Citrus

5S57 Thunder

Cogent: Geode Vertical

5S31 Pebble 5S32 Canyon 5S33 Honey 5S34 Ice 5S35 Slate 5S36 Cement 5S37 Rock 5S38 Oyster 5S39 Buff 5S40 Toast 5S41 Sesame 5S42 Fcru 5S43 Dove

Cogent: Wink

5S58 Lily 5S59 Linen 5S60 24K 5S61 Peapod 5S62 Seafoam 5S63 Skv 5S64 Tin 5S65 Shadow 5S66 Smolder 5S67 Soot

Flip: Orbit

5F85 Mud Pie 5F86 Hummus 5F87 Petoskev 5F88 Pluto 5F89 Papyrus 5F90 Kona 5F91 Blizzard 5F92 Briquette

Flip: Plain Jane 5F70 Mud Pie

5F71 Hummus 5F72 Petoskev 5F73 Pluto 5F74 Papyrus 5F93 Kona 5F94 Blizzard 5F95 Briquette

G = Established

136

Flip: TexHex 5F75 Mud Pie

5F76 Hummus

5F77 Petoskey

5F78 Pluto

5F79 Papyrus 5F96 Kona

5F97 Blizzard 5F98 Briquette

Fresco

G001 Sandrift G002 Mistiblu G003 Faon

G006 Chamoline

G007 Grapenut G016 Wintersky

G017 Flint

Milano

N001 Oyster N002 Delft

N003 Woodland

N004 Sunshadow

N005 Olivine N010 Dahlia

N012 Teakwood

Regatta 0

D011 Licorice 5335 Warm Brown V1

5338 Tan V1

5345 Grey V2

Price Group 3

Martinique 9

5574 May Apple 5577 Woodsorrel

5578 Baneberry

5582 Morro

Select Surfaces

Designtex

For additional information and fabric samples, contact your local Designtex sales representative at 1.800.221.1540.

The following fabrics are part of the program formerly known as Designtex Graded-In. These patterns can be ordered through the Select Surfaces order fulfill model

▶See Surface Materials Reference Manual for complete Select Surfaces ordering information.

Price Group 2 -Finish Code 59DB

Brunswick - 6307 Canvas - 4121

Cut to the Chase - 2423

Niche - 2422 Plateau - 5120 Ringlet - 5119

Rowan - 4102 Senecal - 6308 Shimmer - 4208

Solara - 4101 Solitaire - 4969 Stella - 4122

Price Group 3 -Finish Code 59DC

Bubble Wrap - 4124 Bubble Wrap Reverse -4124

Circuit - 5121

Clew - 4207

Decibel - 4108 Foxtrot - 6375

Gravity - 4106

Lotto - 4966

Meringue - 6502 Pick Up Sticks - 4967

Rain - 4980

Singing in the Rain - 6418

Sumo - 6499 That Straw Stuff - 6314

Velocity - 4107

Price Group 4 -Finish Code 59DD

Rivergrass - 2690

Price Group 5 -Finish Code 59DE

Appleseed w/o Nano -2682u Empanada - 4204 Omar Vertical - 2865

Seating Upholstery

Applies to:

· Universal mobile pedestal cushion top

Steelcase Surfaces

Price Group 1

Buzz2

5F01 Camel @ 5F03 Tomato

5F04 Red **9**

5F05 Burgundy

5F06 Sky **G**

5F07 Blue 5F08 Navy

5F10 Grape 3

5F11 Eggplant @

5F15 Stone

5F16 Grey

5F17 Black 5G50 Dunegrass

5G51 Sable

5G52 Barley

5G53 Sunrise 5G54 Carrot

5G55 Pumpkin

5G56 Timber

5G57 Rouge

5G58 Chocolate

5G59 Meadow

5G60 lvy 5G61 Cyan

5G62 Atlantic

5G63 Crocus

5G64 Alpine

5G65 Tornado

Jacks

5B61 Taupe

5B63 Camel 5B64 Pewter

5B66 Plum

5B70 Midnight

Link

5A20 Burgundy

5A21 Rust 5A23 Green

5A24 Blue

5A25 Navy

5A26 Purple

5A27 Black

5A28 Ocean 5A29 Lichen

5A30 Chamole

Playground

5F28 Claret

5F29 Chile

5F30 Amber

5F31 Nut 5F32 Blade

5F33 Stone

5F34 Sky

5F35 Navy

5F36 Huckleberry

5F37 Charcoal

Seating Vinyl

5801 Topaz

5805 Foggy Night 5809 Black

5810 Forest

5812 Navv

5813 Currant

5814 Leaf 5815 Seaside

5817 Pebble

5818 Spice

5819 Thistle 5820 Coffee

5822 Iris

Price Group 2

Cogent: Connect

5S15 Coconut 5S16 Turmeric

5S17 Tangerine

5S18 Scarlet 5S19 Concord

5S20 Maya Blue 5S21 Blue Jay

5S22 Basil

5S23 Wasabi 5S24 Nickel

5S25 Graphite 5S26 Licorice

5S27 Malt

5S28 Root Beer

5S93 Blueprint

5S94 Lizard 5S95 Sailor

5S96 Quicksilver

5S97 Nugget

5S98 Canary

5S99 Lipstick

Cogent: Geode Seating 5S46 Bark

5S47 Coal

5S48 Smoke

5S49 Cobalt

5S50 Ink

5S51 Shamrock 5S52 Pear

5S53 Berry

5S54 Mandarin

5S55 Sunset

5S56 Citrus 5S57 Thunder

Cogent: Geode Vertical

5S31 Pebble

5S32 Canyon 5S33 Honey

5S34 Ice 5S35 Slate

5S36 Cement 5S37 Rock

5S38 Oyster 5S39 Buff 5S40 Toast

5S41 Sesame 5S42 Ecru 5S43 Dove

Cogent: Trails

5S29 Bronzite 5S30 Amethyst

5S84 Jasper 5S85 Agate

5S86 Lapis 5S87 Malachite

5S88 Quartz 5S89 Carnelian 5S90 Tiger Eve

5S91 Travertine 5S92 Topaz

Cricket

5A84 Plum 5A85 Camel

5A86 Charcoal 5A87 Black

5A90 Currant 5A91 Spearmint

5A92 Sky

5A93 Midnight 5A95 Ocean 5A96 Forest

Crosswalk

5F48 Beech

5F49 Moon 5F50 Berry

5F51 Admiral Blue

5F52 Moss 5F53 Persimmon

5F54 Bittersweet

5F55 Midnight 5F56 Poppy

Nitelights

5F58 Hazelnut 5F59 Burgundy

5F60 Cherry

5F61 Earth 5F62 Shore

5F63 Moss 5F64 Sea

5F65 Regal Blue 5F66 Stone 5F67 Moon

Regis2 5F18 Black 5F24 Pacific

5F26 Cherry 5F27 Navy

Spyder 5B00 Orchid **3**

5B01 Foggy Night **3** 5B04 Peri **9** 5B05 Merlot 3

5B06 Dove **G** 5B07 Sage **3**

5B09 Topaz G 5B11 Currant G 5B12 Lichen G

Established

Zoe2

5C90 Eggplant 5C91 Aloe 5C92 Fiddle 5C93 Patina 5C94 Peacock 5C95 Rain

5C96 Grey Flannel 5C97 Pebble

5C98 Cymbal 5C99 Fiesta

Price Group 3

Cogent: Tides

5S71 Butter 5S72 Snow 5S73 Celery

5S74 Wicker 5S75 Pool

5S76 Cloud 5S77 Grass 5S78 Clay

5S79 Hyacinth 5S80 Jet 5S81 Doe

5S82 Boysenberry 5S83 Night

Cogent: Traxx

5S00 Lime 5S01 Natural 5S02 Marigold 5S03 Turf 5S04 Burnt Umber 5S05 Cherry 5S06 Terra Cotta 5S07 Azure 5S08 Royal Blue

5S09 Wine

5S10 Acorn

5S11 Forest

5S12 Graphite

Hampstead

B351 Blue Green V4 3 B359 Blue Blue Green V5 6 B366 Blue Blue Violet V4 6 B369 Blue Blue Violet V5 6 B377 Violet V5

(Low Intensity) 6 B389 Red Red Violet V5 1

B395 Grey V5 6 B399 Black B406 Windflower **G**

B413 Shale **G** B423 Clementine B424 Butter Cream

B425 Iris B426 Sapphire B427 Turquoise

B428 Navy B429 Charcoal B430 Spa

B431 Plum B432 Cocoa B433 Cork B434 Stone

B435 Metal B436 Peridot B437 Cactus B438 Sycamore

Price Group 5

B439 Candy Apple

Во Реер 5G66 Pita

5G67 Bone 5G68 Safari 5G69 Brown Sugar 5G70 Chocolate Chip 5G71 Candlelight 5G72 Honey Mustard 5G73 Marmalade 5G74 Picnic 5G75 Pinot 5G76 Bloom 5G77 Grapevine 5G78 Firefly 5G79 Artichoke 5G80 Serpent 5G81 Carolina 5G82 Blue Bonnet 5G83 Nautical 5G84 Gravel 5G85 Sharkskin

5G86 Kohl

Price Group 6

Brisa

BR01 Black Onvx BR04 Truffle BR06 Ash BR07 Sage **BR08** Celery BR09 Sterling Blue **BR10 Night Navy** BR11 Cambridge Blue BR12 Abyss BR13 Canyon BR14 Pompeian Red

BR15 Salsa BR16 Cinnabar BR17 Aztec

BR18 New Sand BR19 Cream BR20 White BR21 Moccasin

BR22 Buckskin BR23 Prairie

Leather Price Group

Steelcase Leather

L107 Black L202 Dusk L203 Bottle L207 Mahogany L220 Soapstone L221 Rocky L224 Plum L500 Camel L503 Navy L507 Vineyard

Elmosoft Leather Price Group

Elmosoft Leather

L110 Maritime Blue L111 Midnight Blue L112 Ebony

L113 Gunmetal L114 Mica

L115 Dove Grev L116 Plum Pleasure L122 Truffle

L128 Red Birch L132 Violet

L133 Espresso L134 Ruby

L135 Scarlet L136 Claret

L137 Cabernet L138 Bourbon

L139 Cinder L140 Garnet

L143 Pecan L144 Chamois L145 Palomino

L146 Russet L147 Saddle

L148 Goldstone L150 Ivory

L151 White L709 Sugar L710 Lava

L711 Parchment

L712 Buff L713 Sand L714 Maize

L715 Camel L716 Khaki L717 Cameo

L718 Mushroom L719 Taupe

L720 Fawn L721 Rock

L722 Desert L723 Storm L724 Mist

L725 Teal L726 Celadon

L727 Egyptian Blue L728 Bright Blue

L729 Aguarium L730 Hunter

L731 Fern L732 Edamame L733 Moss

L734 Key Lime L735 Creamsicle

L736 Lemon L737 Sunshine

L738 Drama L739 Byzantium L740 Dazzle

L741 Fuchsia L742 Flamingo

Select Surfaces

Designtex

For additional information and fabric samples, contact your local Designtex sales representative at 1.800.221.1540.

The following fabrics are part of the program formerly known as Designtex Graded-In. These patterns can be ordered through the Select Surfaces order fulfill model

See Surface Materials Reference Manual for complete Select Surfaces ordering information.

Price Group 2 -Finish Code 59DB

Bee - 4975 Ludinaton - 3285 Sandpiper - 2893

Price Group 3 -Finish Code 59DC

Boyne - 3280 Crossroads - 2895 Great Lakes - 3282 Lagoon - 4977 Prairie - 2552 Rocket - 2693

Price Group 4 -Finish Code 59DD

Astrid - 2747

At Ease - 3309

Bolzano - 3412 Bunta - 3360 Candor - 3306 Closed Loop - 2550 Easy Going - 3305 Free & Easy - 3316 Glen Arbor - 3283 Gujarat - 3357 Introvert - 2879 Kalanga - 3359 Leland - 3281 Matter of Fact - 3356 Metta - 2681 No Frills - 3318 Nonchalant - 3307 Omar Seating - 2865 Sari - 3361 Sarong - 3358 Saugatuck - 3284 To The Point - 3308 Topiary - 2897

Well Rounded - 3317

G = Established

Price Group 5 - Finish Code 59DE

Abex - 2072 Appleseed - 2682 Brooch - 2762 Café - 2789 Caillou - 2778 Cascadia - 2733 Crossover - 2683 Fonte - 2796 Halos - 2899 Kabuki - 2794 Metaphor - 2877 Protect - 2852 Salon - 2797 Surface - 2787 Sustain - 2851 Synchronize - 2876 Tailored Stripe - 2763 Terrasse - 2795 V - 2957

Price Group 6 -Finish Code 59DF

Acacia - 2843 Agave - 2847 Alistair - 2992 Allure - 2756 Amaranth w/o Crypton -2855u Amuse - 2767 Arlington - 2724 Banda - 3227 Barnsbury - 2726 Bottle Bank - 2869 Cassava - 2838 Chicory - 2993 Circolo - 3229 Converge - 2873 Copa - 2641 Coupe - H245 Dahlia - 2995 Décor - H244 Dot to Dot - 2691 Downtown - 2029 Epiphany - 2734 Faconne - 2764 Friendly Faux w/Knit Backing - 2008 Griglia - 3231 Hula Hoop - 3297 Kenaf - 2859 Kenaf w/o Crypton - 2859u Klange - 2741 Laureate - 2774 Palace - H254 Pueblo - 2844 Quintessence - 3347 React - 2861 Rice - 2858 Rough & Ready - 2016 Salvage - 2867 Seed - 2839 Senna - 2848 Sequence - 2742 Sock Hop - 3298 Soda Pop - 2868 Square - 2788 Swing Set - 2421 Tangent - 2875 Tartan - 2994 Teddy - H236 Terrain - 2846 Transpose - 2874 Tumbleweed - 2845

Price Group 7 - Finish Code 59DG

Amaranth - 2855 Baratto - 3266 Battista - 2718 Beam - 2785 Bon Bon - 2749 Calm - 2768 Cestino - 3270 Chakin - 7146 Coperta - 3228 Drive-In - 3299 Dwell - 2850 Faux Sure w/Knit Backing -3351 Flux - 3239 Inertia - 3235 Juxtaposition - 2744 Kaleidoscope - 2863 Lorien - H201 Minuet - 2656 Nexus - 3236 Oscillate - 3238 Point - 2783 Razor Stripe - 2857 Samba - 2654 Samba Otra Vez - 2885

Price Group 8 -Finish Code 59DH

Spiro - 3237

Uptown - 2024

Ziggurat - 2827

Biba - H216 Chandelier - 7354 Circumference - 2884 Facets - 7350 Honor Plus - 2547 Hue - 2710 Maglia - 3233 Polygon - 2883 Thumbnail Sketch - 2841 Titanium - 2842 Torsade - 7358 Wire - 2743

Price Group 9 -Finish Code 59DJ

Bangles - 7352 Belvedere - 3275 Gotham - 2390 Gramercy - 2599 Hofburg - 3276 Yorkshire - 2771

Price Group 10 -Finish Code 59DK

Chalet - 3290

Links - 7353

Lolland - 3263

Kanthas - H238

Metamorphosis w/Knit Backing - 3367 Migration w/Knit Backing -3373 Shimmering Tide w/Knit Backing - 3369 Tumble Stones w/Knit Backing - 3371 Wood Work w/Knit Backing -3372

Select Surfaces

Pollack

For additional information and fabric samples, contact Pollack at 1.212.627.7766 or go to pollackassociates.com.

Applies to:

 Universal mobile pedestal cushion top

Price Group 5 -Finish Code 59DE

Rewrite - 2304

Price Group 7 -Finish Code 59DG

Beadwork - 4123 Journey - 4121 Spice Market - 4128 Sumatra - 2291

Price Group 8 -Finish Code 59DH

Glyph Matelasse - 2305 Nest - 2329 Squirt - 2348

Price Group 9 -Finish Code 59DJ

Amazement - 2338 Bull's Eye - 2225 Louis - 2264 Microcosm - 2315 Mod - 2242 Quarry Stones - 2308 Volute - 2313

Price Group 10 -Finish Code 59DK

Glyph Velvet - 5058

Select Surfaces

Maharam

For additional information and fabric samples, contact Maharam at 1.800.645.3943 or go to maharam.com.

Price Group 5 - Finish Code 59DE

Messenger - 458640 Metric - 466014

Price Group 6 -Finish Code 59DF

Cinch - 466002 Focus - 465910 Imprint - 466030 Medium - 463490

Price Group 7 -Finish Code 59DG

Assemblage - 465927 Chance - 464010 Exchange - 466027 Minimal - 466026 Recollection - 465968 Trait - 464830 Twine - 466009 Vary - 465933

Price Group 8 -Finish Code 59DH

Across - 465964 Divina by Kvadrat - 460730 Remix by Kvadrat - 465956 Steelcut Trio by Kvadrat -465906 Zag - 466028

Price Group 9 -Finish Code 59DJ

Contrary - 465930 Hallingdal by Kvadrat -460760 Offset - 465951

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

Visit www.steelcase.com

For additional information regarding Customer's Own Material, call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to

lineone@steelcase.com.

Established

Color Coordination Lists

Ellipse Laminate Worksurface Coordination List

The colors of the plastic edge trim, grommet, and plastic T-mold are determined by the worksurface color you select. These colors are defaults and cannot be specified.

All laminates, except woodgrain laminates, will have solid color edging.

Woodgrain laminates will have a 1 mm woodgrain plastic edging and the grain of the edges will be horizontal. Plastic T-Mold will be cold color.

Diagric 4 mm Edwa

Wood worksurfaces do not have a plastic edge. Woodgrain edge will match the worksurface wood color.

Note: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Tip: To improve consistency, default edge colors are now identified by 6000-series numbers; actual colors and defaults have not changed. Because default edge colors are not actually entered when specifying products, no specification changes are required. (Previous specification guides used 2000-series numbers to describe default edge colors, while 6000-series numbers were used for customer-specified edge colors, even though the edges were identical.) See the Surface Materials Reference Manual for more details.

Laminate Color	Plastic 1 mm Edge Default Color	Plastic Grommet Default Color	Plastic T-Mold Default Color
Fiber		20100111 00101	
2850 Vanadium Fiber	6654 Sand	6612 Grey Value 2 G	6654 Sand
2851 Rhyme Fiber	6631 Cream	6608 Driftwood 	6631 Cream
2852 Tungsten Fiber	6636 Mist	6609 Smoke 	6636 Mist
2854 Vellum Fiber	6655 Warm White	6655 Warm White	6655 Warm White
2859 Novell Fiber	6001 Coffee	6001 Coffee	6001 Coffee
2860 Granite Fiber	6000 Black	6000 Black	6000 Black
2861 Coconut Fiber	6654 Sand	6654 Sand	6654 Sand
2862 Stucco Fiber	6053 Seagull	6053 Seagull	6053 Seagull
Micro	<u> </u>	<u> </u>	
2920 Marl Micro	6053 Seagull	6053 Seagull	6053 Seagull
2921 Gypsum Micro	6654 Sand	6654 Sand	6654 Sand
2922 Clay Micro	6654 Sand	6654 Sand	6654 Sand
2923 Shadow Micro	6249 Platinum Solid	6249 Platinum Solid	6249 Platinum Soli
Patina			
2870 Blonde Bronze Patina	6654 Sand	6612 Grey Value 2 9	6654 Sand
2871 Blackened Bronze Patina	6615 Grey Value 5	6000 Black	6615 Grey Value 5
2873 Instant Iron Patina	6615 Grey Value 5	6000 Black	6615 Grey Value 5
Solid			
2722 Cream 😉	6631 Cream	6008 Driftwood	6631 Cream
2730 Arctic White	6697 Fog	6609 Smoke 	6697 Fog
2746 Black	6000 Black	6000 Black	6000 Black
2759 Warm White 📵	6655 Warm White	6655 Warm White	6655 Warm White
2810 Dawn 😉	6635 Dawn 📵	6607 Woodrose 	6635 Dawn
2811 Mist 🖲	6636 Mist	6609 Smoke 3	6636 Mist
2883 Seagull	6053 Seagull	6053 Seagull	6053 Seagull
2884 Milk	6052 Milk	6052 Milk	6052 Milk
2885 Dune	6654 Sand	6654 Sand	6654 Sand
Speckle			
2820 Coffee Speckle	6631 Cream	6001 Coffee	6001 Coffee
2822 Woodrose Speckle	6635 Dawn (3	6607 Woodrose 6	6635 Dawn 🖯
2823 Driftwood Speckle	6631 Cream	6008 Driftwood	6631 Cream
2824 Smoke Speckle	6636 Mist	6609 Smoke 3	6636 Mist
2825 Vanadium Speckle	6619 Ice (6612 Grey Value 2 9	6612 Grey Value 2
Woodgrain			
2406 Clear Cherry	6234 Clear Cherry	6001 Coffee	6001 Coffee
2409 Clear Maple	6237 Clear Maple	6655 Warm White	6655 Warm White
2410 Graphite Walnut	6231 Graphite Walnut	6000 Black	6000 Black
2412 Natural Cherry	6034 Natural Cherry	6001 Coffee	6001 Coffee
2422 Medium Cherry	6036 Medium Cherry	6001 Coffee	6001 Coffee
2511 Winter on Maple	6037 Winter on Maple	6655 Warm White	6655 Warm White
2538 Clear Walnut	6245 Clear Walnut	6000 Black	6000 Black
2539 Warm Oak	6246 Warm Oak	6655 Warm White	6655 Warm White
2592 Blonde on Maple	6038 Blonde on Maple	6655 Warm White	6655 Warm White
2714 Natural Walnut	6041 Natural Walnut	6001 Coffee	6001 Coffee
2772 Medium Mahogany on Walnut 😉	6045 Medium Mahogany on Walnut ⑤	6001 Coffee	6001 Coffee

Established

Plastic Color Availability Matrix

Not every plastic component is available in every plastic color. The matrix below gives you an overview of which plastic colors can be specified for each plastic component.	6000 Black	6009 Arctic White	6249 Platinum Solid	6651 Tungsten 🖲	6652 Titanium 📵	6653 Solar Black	6654 Sand	6681 Grotto
Internode mounting bracket	•	•	•	•	•		•	•
Internode power module covers	•	•	•	•	•		•	•
Internode convenience tri-receptacles	П					•	•	•
interriode convenience in-receptacies				-				1 1
Internode convenience tri-receptacles						П		
		-	=	=	-	-	-	
Internode convenience tri-receptacle housing Internode convenience		•	•	-	-		•	•
Internode convenience tri-receptacle housing Internode convenience communication outlet housing		•	•	•	•	•	•	•
Internode convenience tri-receptacle housing Internode convenience communication outlet housing Above worksurface clamp kit			•	•		•		•

Legend

= Not available
= Available
= Established

Ellipse Open Line Laminate Edge Coordination Matrix

1 mm and T-Mold Edges and Grommets

The colors of the 1 mm and T-mold edges and grommets

are determined by the 2K finish number selected.

Combination of Edging and Grommets will be:

2K Number Selection	Plastic 1 mm Edge Color	Plastic T-Mold Edge Color	Plastic Grommet Color
2K00	6619 Ice 9	6612 Grey Value 2 G	6612 Grey Value 2 3
2K01	6245 Clear Walnut	6000 Black	6000 Black
2K03	6246 Warm Oak	6655 Warm White	6655 Warm White
2K04	6234 Clear Cherry	6001 Coffee	6001 Coffee
2K10	6041 Natural Walnut	6001 Coffee	6001 Coffee
2K15	6615 Grey Value 5	6615 Grey Value 5	6000 Black
2K21	6036 Medium Cherry	6001 Coffee	6001 Coffee
2K22	6631 Cream	6631 Cream	6608 Driftwood 9
2K27	6034 Natural Cherry	6001 Coffee	6001 Coffee
2K35	6638 Fog	6038 Fog	6609 Smoke 3
2K38	6009 Arctic White	6009 Arctic White	6009 Arctic White
2K48	6654 Sand	6654 Sand	6608 Driftwood 3
2K49	6053 Seagull	6053 Seagull	6053 Seagull
2K50	6052 Milk	6052 Milk	6052 Milk
2K52	6249 Platinum Solid	6249 Platinum Solid	6249 Platinum Solid
2K59	6655 Warm White	6655 Warm White	6655 Warm White
2K66	6037 Winter on Maple	6615 Grey Value 5	6000 Black
2K71 9	6045 Medium Mahogany on Walnut	6001 Coffee	6001 Coffee
2K74	6237 Clear Maple	6655 Warm White	6655 Warm White
2K75	6231 Graphite Walnut	6000 Black	6000 Black
2K85	6615 Grey Value 5	6000 Black	6000 Black
2K92	6000 Black	6000 Black	6000 Black
2K93	6001 Coffee	6001 Coffee	6001 Coffee
2K94	6001 Dawn	6001 Dawn	6607 Woodrose 9
2K98	6636 Mist	6636 Mist	6609 Smoke
2900			

Tip: To improve consistency, default edge colors are now identified by 6000-series numbers; actual colors and defaults have not changed. Because default edge colors are not actually entered when specifying products, no specification changes are required. (Previous specification guides used 2000-series numbers to describe default edge colors, while 6000-series numbers were used for customer-specified edge colors, even though the edges were identical.)

See the Surface Materials Reference Manual for more details.

Tip: Use 2900 for products without default edge colors.

Tip: Enter the 2K-edge detail number in the finish field, and include a complete description of the laminate to be used.

Tip: Standard laminates being used in the Open Line Laminate program to obtain a different edge detail will be charged the processing fee upcharge; however, no additional charges for the laminate will be applied.

Established

Universal Storage Edge Coordination Matrix

Recommended Front Edge Colors for Universal Storage Square Edge Laminate Tops

Edges

3 = Established

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Eage color is specified separately.	Recommended
Laminate Color	Edge Color
Fiber	
2850 Vanadium Fiber	6654 Sand
2851 Rhyme Fiber	6631 Cream
2852 Tungsten Fiber	6636 Mist
2854 Vellum Fiber	6655 Warm White
2859 Novell Fiber	6001 Coffee
2860 Granite Fiber	6000 Black
2861 Coconut Fiber	6654 Sand
2862 Stucco Fiber	6053 Seagull
Micro	
2920 Marl Micro	6053 Seagull
2921 Gypsum Micro	6654 Sand
2922 Clay Micro	6654 Sand
2923 Shadow Micro	6249 Platinum Solid
Patina	
2870 Blonde Bronze Patina	6654 Sand
2871 Blackened Bronze Patina	6615 Grey Value 5
2873 Instant Iron Patina	6615 Grey Value 5
Solid	
2722 Cream G	6631 Cream
2730 Arctic White	6009 Arctic White
2746 Black	6000 Black
2759 Warm White 9	6655 Warm White
2810 Dawn ⑤	6635 Dawn 9
2811 Mist 3	6636 Mist
2883 Seagull	6053 Seagull
2884 Milk	6052 Milk
2885 Dune	6654 Sand
Speckle	
2820 Coffee Speckle	6631 Cream
2822 Woodrose Speckle	6635 Dawn 9
2823 Driftwood Speckle	6631 Cream
2824 Smoke Speckle	6636 Mist
· · · · · · · · · · · · · · · · · · ·	6619 Ice 3
2825 Vanadium Speckle	0019 ICE 3
Woodgrain	C004 Ola av Ola aver
2406 Clear Cherry	6234 Clear Cherry
2409 Clear Maple	6237 Clear Maple
2410 Graphite Walnut	6231 Graphite Walnut
2412 Natural Cherry	6034 Natural Cherry
2422 Medium Cherry	6036 Medium Cherry
2511 Winter on Maple	6037 Winter on Maple
2538 Clear Walnut	6245 Clear Walnut
2539 Warm Oak	6246 Warm Oak
2592 Blonde on Maple	6038 Blonde on Maple
2714 Natural Walnut	6041 Natural Walnut
2772 Medium Mahogany on Walnut	6045 Medium Mahogany on Walnut 6

Laminate Color	Recommended Edge Color		
Turnstone Laminate Collection*			
2535 Virginia Walnut	6242 Virginia Walnut		
2536 Blackwood	6243 Blackwood		
2612 Marbled Maple	6676 Marbled Maple		
2614 Chocolate Walnut	6677 Chocolate Walnut		
2615 Marbled Cherry	6678 Marbled Cherry		


*A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard lead times and supported like standard laminates to help make ordering easy.

Surface Materials Application Topics

Customer's Own Material Yardage Requirements

Pre-approved fabrics

are available. To determine if the fabric you want is on the pre-approved list, call a COM Consultant at 616.246.9822.




For information regarding COM fabrics, refer to the Steelcase Surface Materials Reference Manual.

Component width is parallel to fabric length for all Ellipse screens.

Additional fabric is required to accommodate flaws, wrinkles, and other imperfections. Calculate the total yardage and add the appropriate percentage shown below.

Direction of Wood Grain




Direction of wood grain on wood veneer or wood grain laminate is always parallel to the user's edge of the worksurface.

Using junction worksurfaces to link straight worksurfaces will always produce shifts in grain direction as the orientation of the components changes.

Wood grain direction will alter the color and appearance of any worksurface. Two surfaces with grain directions that are at different angles to each other may look different even when they are identical. If you're not comfortable with the natural look of directional materials like wood, you should specify non-direc-

tional laminates.



Tip: When specifying wood grain laminates or wood veneer, make sure you have anticipated how the work-surface components will relate to each other.

esources


Resources

Lock and Keying	146
Style Number Index	148

Lock and Keying

All locking products

are standard with factoryinstalled, keyed-random locks. Consecutive, specific, and random keying are available as fieldinstalled options. Exceptions: Individual locking drawers are available only with field-installed locks



Locks consist of a factoryor field-installed lock cylinder and a factory-installed lock face ring. Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks

dom means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture

units will have the same key number. If you must have all locks keyed differently, you should specify fieldinstalled, key specific or key consecutive lock cylinders.

See below.

Key Random

FR305
FR421
FR305
or
XF1011

<→ XF1011

Required to Specify

Master key random

+\$23

Specify with master key random

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.

Tip: For products with optional lock colors, make sure to specify the color for both the lock and lock face ring.

Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.

Tip: Lock tools are reusable. You do not need to order additional lock tools with

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.

Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random

FR305
FR421
FR305
or
XF1011
XF Master
Key

Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.

every furniture order.

Tip: Designate the quantity per key number in your specification.

See example at right.

Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).

Example of a typical lock cylinder specification is shown below:

- 10 LOCK9201FR FR320
- 5 LOCK9201FR FR350
- 15 LOCK9201XF XF1100
- 30 Total
- 1 877102003SR standard lock tool
- 1 877102002SR master lock tool

Key Specific

FR350
FR350
FR350
or

XF1020
XF1020
XF

Key Consecutive

FR350
FR351
FR352
or
XF1020
XF1021
XF
Master
Key

Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Tip: You can change lock

cylinders in the field by using the appropriate lock

tool.

ocks.

Standard Includes	Required to Specify
	itequite epocity

- Lock cylinder, keyed random: 9201 Polished Chrome or 9250 Ember Chrome
- Chrome or 9250 Ember Chrome
 Two keys
- 1 Style number
- 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
Master key +\$23 Specify master key random. random each		Specify master key random.
Master key specific		
Master key consecutive		

Specification Information Color Style U.S. Number Base Price

FR Series (Standard Keying System) – Lock Cylinder Polished Chrome LOCK9201FR No cost Ember Chrome LOCK9250FR No cost

imber Chrome LOCK9250FR No cost

Standard Lock Tool

	*
877102003SR	\$23
	4=0
	·

XF Series (Master Keying System) - Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.

Master Lock Tool

	877102002SR	\$23				
•	•					
	•					



Style Number Index

800DV12 800DV6 800RW 877102002SR 877102003SR AABX0000X2	108 108 108 147	Dividers Dividers	ADXM2448L7			
800RW 877102002SR 877102003SR	108	Dividers	. ADAMETTOE!	53	Ellipse Desk	
877102002SR 877102003SR			ADXM2460L7	53	Ellipse Desk	
877102003SR	147	Rail	: ADXM2466L5	53	Ellipse Desk	
	177	Master Lock Tool	ADXM2472L4	53	Ellipse Desk	
AARYOOOY2	147	Standard Lock Tool	: ADXM3030L1	55	Ellipse Desk	
AABAUUUUAZ	71	Ellipse Support	ADXM3030V3	55	Ellipse Desk	
AAES0000X1	75	Ellipse Pwr Beam Recept	: ADXM3036L3	55	Ellipse Desk	
AASX1230L8	73	Ellipse Transaction Top	ADXM3036V5	55	Ellipse Desk	
AASX1230V0	73	Ellipse Transaction Top	: ADXM3042L8	55	Ellipse Desk	
AASX1236L9	73	Ellipse Transaction Top	ADXM3042V0	55	Ellipse Desk	
AASX1236V1	73	Ellipse Transaction Top	ADXM3048L0	55	Ellipse Desk	
AASX1242L0	73	Ellipse Transaction Top	ADXM3048V2	55	Ellipse Desk	
AASX1242V2	73	Ellipse Transaction Top	ADXM3054L5	55	Ellipse Desk	
AASX1248L1	73	Ellipse Transaction Top	: ADXM3054V7	55	Ellipse Desk	
AASX1248V3	73	Ellipse Transaction Top	: ADXM3060L0	55	Ellipse Desk	
AASX1254L2	73	Ellipse Transaction Top	· ADXM3060V2	55	Ellipse Desk	
AASX1254V4	73	Ellipse Transaction Top	: ADXM3066L8	55	Ellipse Desk	
AASX1260L1	73	Ellipse Transaction Top	· ADXM3066V0	55	Ellipse Desk	
AASX1260V3	73	Ellipse Transaction Top	ADXM3072L7	55	Ellipse Desk	
AASX1266L3	73	Transaction Top	: ADXM3072V9	55	Ellipse Desk	
AASX1266V5	73	Transaction Top	: ADXM3660L6	57	Ellipse Desk	
AASX1272L0	73	Ellipse Transaction Top	· ADXM3672L3	57	Ellipse Desk	
AASX1272V2	73	Ellipse Transaction Top	ADXP2430L7	53	Ellipse Desk	
AATX3012X5	72	Ellipse Screen	ADXP2430V9	53	Ellipse Desk	
AATX3022X6	72	Ellipse Screen	ADXP2436L9	53	Ellipse Desk	
AATX3612X1	72	Ellipse Screen	ADXP2436V1	53	Ellipse Desk	
AATX3622X2	72	Ellipse Screen	ADXP2442L4	53	Ellipse Desk	
AATX4212X4	72	Ellipse Screen	: ADXP2442V6	53	Ellipse Desk	
AATX4222X5	72	Ellipse Screen	ADXP2448L6	53	Ellipse Desk	
AATX4812X0	72	Ellipse Screen	ADXP2448V8	53	Ellipse Desk	
AATX4822X1	72	Ellipse Screen	ADXP2460L6	53	Ellipse Desk	
AATX5412X3	72	Ellipse Screen	ADXP2460V8	53	Ellipse Desk	
AATX5422X4	72	Ellipse Screen	ADXP2466L3	53	Ellipse Desk	
AATX6012X6	72	Ellipse Screen	ADXP2466V5	53	Ellipse Desk	
AATX6022X7	72	Ellipse Screen	ADXP2472L3	53	Ellipse Desk	
AATX6612X2	72	Ellipse Screen	ADXP2472V5	53	Ellipse Desk	
AATX6622X3	72	Ellipse Screen	ADXP3030L0	55	Ellipse Desk	
AATX7212X2	72	Ellipse Screen	ADXP3030V2	55	Ellipse Desk	
AATX7222X3	72	Ellipse Screen	ADXP3036L2	55	Ellipse Desk	
ADBB42	59	Ellipse Desk	ADXP3036V4	55	Ellipse Desk	
ADBB48	59	Ellipse Desk	ADXP3042L7	55	Ellipse Desk	
ADBB54	59 50	Ellipse Desk	ADXP3042V9	55 55	Ellipse Desk	
ADBB60	59	Ellipse Desk	ADXP3048L9	55	Ellipse Desk	
ADBB72	59	Ellipse Desk	ADXP3048V1	55 55	Ellipse Desk	
ADCP2442L0	61	Ellipse Corner Desk	ADXP3054L4	55 55	Ellipse Desk	
ADCP2442V3	61 61	Ellipse Corner Desk	: ADXP3054V6	55 55	Ellipse Desk	
ADCP2448L1	61	Ellipse Corner Desk	ADXP3060L9	55 55	Ellipse Desk	
ADCP2448V4	61 61	Ellipse Corner Desk Ellipse Corner Desk	ADXP3060V1	55 55	Ellipse Desk	
ADCP3042VE	61 61	Ellipse Corner Desk Ellipse Corner Desk	ADXP3066L6	55 55	Ellipse Desk	
ADCP3042V5	61 61	•	: ADXP3066V8	55 55	Ellipse Desk	
ADCP3048L3	61 61	Ellipse Corner Desk	ADXP3072L6	55 55	Ellipse Desk	
ADCP3048V6 ADXM2430L8	61 53	Ellipse Corner Desk	: ADXP3072V8	55 57	Ellipse Desk	
	53	Ellipse Desk	ADXP3660L5	57 57	Ellipse Desk	
ADXM2436L0 ADXM2442L5	53 53	Ellipse Desk Ellipse Desk	· ADXP3660V7 · ADXP3672L2	57 57	Ellipse Desk Ellipse Desk	

Style Number	Page	Description	: Style : Number	Page	Description	
ADXP3672V4	57	Ellipse Desk	. ATML3036L5	67	Ellipse Corner Cnf Table	
AJHM3090L2	65	Ellipse Triang Junct Top	ATML3036V6	67	Ellipse Corner Cnf Table	
AJHM3090V5	65	Ellipse Triang Junct Top	ATMR3036L3	69	Ellipse Corner Cnf Table	
AJHP3090L1	64	Ellipse Triang Junct Top	ATMR3036V4	69	Ellipse Corner Cnf Table	
AJHP3090V4	64	Ellipse Triang Junct Top	GFUCCM	125	Cord and Cable Mg	
AJHS3090L0	64	Ellipse Triang Junct Top	GFUCH	123	Cnvc Comm Housing	
AJHS3090V3	64	Ellipse Triang Junct Top	GFUCMC	125	Internode Harness Clip	
AJRM2390L1	63	Ellipse Radius Junct Top	GFUFFH12X	113	Floor Power Infeed	
AJRM2390V4	63	Ellipse Radius Junct Top	: GFUFFH12Y	113	Floor Power Infeed	
AJRM3090L5	63	Ellipse Radius Junct Top	GFUFFH12Z	113	Floor Power Infeed	
AJRM3090V8	63	Ellipse Radius Junct Top	: GFUFFH6X	113	Floor Power Infeed	
AJRM3290L7	63	Ellipse Radius Junct Top	GFUFFH6Y	113	Floor Power Infeed	
AJRM3290V0	63	Ellipse Radius Junct Top	GFUFFH6Z	113	Floor Power Infeed	
AJRP2390L0	62	Ellipse Radius Junct Top	GFUMB	116	Mounting Bracket	
AJRP2390V3	62	Ellipse Radius Junct Top	GFUPMBX	115	Power Module	
AJRP3090L4	62	Ellipse Radius Junct Top	GFUPMBXNYC	115	Power Module	
AJRP3090V7	62	Ellipse Radius Junct Top	GFUPMBY	115	Power Module	
AJRP3290L6	62	Ellipse Radius Junct Top	GFUPMBYNYC	115	Power Module	
AJRP3290V9	62	Ellipse Radius Junct Top	GFUPMBZ	115	Power Module	
AJRS2390L9	62	Ellipse Radius Junct Top	GFUPMBZNYC	115	Internode Power Module	
AJRS2390V2	62	Ellipse Radius Junct Top	GFUPMX	115	Power Module	
AJRS3090L3	62	Ellipse Radius Junct Top	GFUPMXNYC	115	Power Module	
AJRS3090V6	62	Ellipse Radius Junct Top	GFUPMY	115	Power Module	
AJRS3290L5	62	Ellipse Radius Junct Top	GFUPMYNYC	115	Power Module	
AJR\$3290V8	62	Ellipse Radius Junct Top	GFUPMZ	115	Power Module	
AJTP3090L6	64	Ellipse Triang Junct Top	GFUPMZNYC	115	Internode Power Module	
AJTS3090L5	64	Ellipse Triang Junct Top	GFUSCM	119	Comm Module	
ARAL2430L0	60	Ellipse Return	GFUT1G72X	122	Cnvc Tri-Recept	
ARAL2436L2	60	Ellipse Return	GFUT1G72Y	122	Cnvc Tri-Recept	
ARAL2442L7	60	Ellipse Return	GFUT1G72Z	122	Cnvc Tri-Recept	
ARAL2448L9	60	Ellipse Return	GFUT1S72X	122	Cnvc Tri-Recept	
ARAL2460L9	60	Ellipse Return	GFUT1S72Y	122	Cnvc Tri-Recept	
ARAR2430L8	60	Ellipse Return	GFUT1S72Z	122	Cnvc Tri-Recept	
ARAR2436L0	60	Ellipse Return	GFUT2G72X	122	Cnvc Tri-Recept	
ARAR2442L5	60	Ellipse Return	GFUT2G72Y	122	Cnvc Tri-Recept	
ARAR2448L7	60	Ellipse Return	GFUT2G72Z	122	Cnvc Tri-Recept	
ARAR2460L7	60	Ellipse Return	GFUT2S72X	122	Cnvc Tri-Recept	
ARFS0024X1	74	Ellipse Return Filler	GFUT2S72Y	122	Cnvc Tri-Recept	
ARFS0030X1	74	Ellipse Return Filler	GFUT2S72Z	122	Cnvc Tri-Recept	
ARFS0036X1	74	Ellipse Return Filler	GFUT3G72X	122	Cnvc Tri-Recept	
ASGT1930L5	112	Top	GFUT3G72Y	122	Cnvc Tri-Recept	
ASGT1930V3	112	Тор	GFUT3G72Z	122	Cnvc Tri-Recept	
ASGT1960L4	112	Тор	. GFUT3S72X	122	Cnvc Tri-Recept	
ASGT1960V2	112	Тор	GFUT3S72Y	122	Cnvc Tri-Recept	
ASGT1990L3	112	Тор	GFUT3S72Z	122	Cnvc Tri-Recept	
ASGT1990V1	112	Тор	GFUT4G72X	122	Cnvc Tri-Recept	
ASHC1921X1	74	Plastic Drawer	: GFUT4G72Y	122	Cnvc Tri-Recept	
ATCL3036L1	67	Ellipse Corner Cnf Table	GFUT4S72X	122	Cnvc Tri-Recept	
ATCL3036V2	67	Ellipse Corner Cnf Table	GFUT4S72Y	122	Cnvc Tri-Recept	
ATCR3036L9	69	Ellipse Corner Cnf Table	GFUTMB	124	Mounting Brkt	
ATCR3036V0	69	Ellipse Corner Cnf Table	GFUTMC	124	Clamp Kit	
ATGX0042L5	70	Round Conf Table	GFUTP96	123	Cnvc Tri-Recept	
ATGX0042L5	70	Round Conf Table Round Conf Table	GSGUBCX	115	Connector	
ATLX4278L1	70	Rect Conf Table	GSGUBCY	115	Connector	

:	Style Number	Page	Description	: Style : Number	Page	Description	:
:	GSGUFC	114	Mdlr Infeed Cover	GSGUHCX	117	Harness Connector	:
:	GSGUFMH12X	114	Internode Infeed	GSGUHHX	117	Internode Harness	:
:	GSGUFMH12Y	114	Internode Infeed	: GSGUHHY	118	Internode Harness	:
:	GSGUFMH12Z	114	Internode Infeed	GSGUHHZ	118	Internode Harness	:
:	GSGUFMH24X	114	Internode Infeed	: GSGUR1SGX	120	Internode Receptacle	:
:	GSGUFMH24Y	114	Internode Infeed	GSGUR1SGY	120	Internode Receptacle	:
:	GSGUFMH24Z	114	Internode Infeed	: GSGUR1SGZ	121	Internode Receptacle	:
:	GSGUFMM12X	114	Internode Infeed	GSGUR1SSX	120	Internode Receptacle	:
:	GSGUFMM12Y	114	Internode Infeed	: GSGUR1SSY	120	Internode Receptacle	:
:	GSGUFMM12Z	114	Internode Infeed	GSGUR1SSZ	121	Internode Receptacle	:
:	GSGUFMM24X	114	Internode Infeed	: GSGUR1TGX	120	Internode Receptacle	:
:	GSGUFMM24Y	114	Internode Infeed	GSGUR1TGY	120	Internode Receptacle	:
:	GSGUFMM24Z	114	Internode Infeed	: GSGUR1TGZ	121	Internode Receptacle	:
:	GSGUH100X	117	Internode Harness	GSGUR1TSX	120	Internode Receptacle	:
:	GSGUH100Y	118	Internode Harness	: GSGUR1TSY	120	Internode Receptacle	:
:	GSGUH100Z	118	Internode Harness	GSGUR1TSZ	121	Internode Receptacle	:
:	GSGUH120X	117	Internode Harness	: GSGUR2SGX	120	Internode Receptacle	:
:	GSGUH120Y	118	Internode Harness	GSGUR2SGY	120	Internode Receptacle	:
:	GSGUH120Z	118	Internode Harness	: GSGUR2SGZ	121	Internode Receptacle	:
:	GSGUH12X	117	Internode Harness	GSGUR2SSX	120	Internode Receptacle	:
:	GSGUH12Y	117	Internode Harness	: GSGUR2SSY	120	Internode Receptacle	:
:	GSGUH12Z	118	Internode Harness	GSGUR2SSZ	121	Internode Receptacle	:
:	GSGUH144X	117	Internode Harness	: GSGUR2TGX	120	Internode Receptacle	:
:	GSGUH144Y	118	Internode Harness	GSGUR2TGY	120	Internode Receptacle	:
:	GSGUH144Z	118	Internode Harness	: GSGUR2TGZ	121	Internode Receptacle	:
:	GSGUH22X	117	Internode Harness	GSGUR2TSX	120	Internode Receptacle	:
:	GSGUH22Y	117	Internode Harness	GSGUR2TSY	120	Internode Receptacle	:
:	GSGUH22Z	118	Internode Harness	GSGUR2TSZ	121	Internode Receptacle	:
:	GSGUH28X	117	Internode Harness	GSGUR3SGX	120	Internode Receptacle	:
:	GSGUH28Y	117	Internode Harness	GSGUR3SGY	120	Internode Receptacle	:
:	GSGUH28Z	118	Internode Harness	GSGUR3SGZ	121	Internode Receptacle	:
:	GSGUH32X	117	Internode Harness	GSGUR3SSX	120	Internode Receptacle	:
:	GSGUH32Y	117	Internode Harness	GSGUR3SSY	120	Internode Receptacle	:
:	GSGUH32Z	118	Internode Harness	GSGUR3SSZ	121	Internode Receptacle	:
:	GSGUH38X	117	Internode Harness	GSGUR3TGX	120	Internode Receptacle	:
:	GSGUH38Y	117	Internode Harness	GSGUR3TGY	120	Internode Receptacle	:
:	GSGUH38Z	118	Internode Harness	GSGUR3TGZ	121	Internode Receptacle	:
:	GSGUH44X	117	Internode Harness	GSGUR3TSX	120	Internode Receptacle	:
:	GSGUH44Y	117	Internode Harness	GSGUR3TSY	120	Internode Receptacle	:
:	GSGUH44Z	118	Internode Harness	GSGUR3TSZ	121	Internode Receptacle	:
:	GSGUH50X	117	Internode Harness	GSGUR4SGX	120	Internode Receptacle	:
:	GSGUH50Y	117	Internode Harness	GSGUR4SGY	120	Internode Receptacle	:
:	GSGUH50Z	118	Internode Harness	GSGUR4SSX	120	Internode Receptacle	:
:	GSGUH54X	117	Internode Harness	GSGUR4SSY	120	Internode Receptacle	:
:	GSGUH54Y	118	Internode Harness	GSGUR4TGX	120	Internode Receptacle	:
:	GSGUH54Z	118	Internode Harness	GSGUR4TGY	120	Internode Receptacle	:
:	GSGUH64X	117	Internode Harness	GSGUR4TSX	120	Internode Receptacle	:
:	GSGUH64Y	118	Internode Harness	GSGUR4TSY	120	Internode Receptacle	:
:	GSGUH64Z	118	Internode Harness	KDIVO2	109	Bookends	:
:	GSGUH76X	117	Internode Harness	KDIV20	109	Bookends	:
:	GSGUH76Y	118	Internode Harness	LOCK9201FR	147	Lock Cylinder	:
:	GSGUH76Z	118	Internode Harness	LOCK9201XF	147	Lock Cylinder	:
:	GSGUH88X	117	Internode Harness	LOCK9250FR	147	Lock Cylinder	:
:	GSGUH88Y	118	Internode Harness	LOCK9250XF	147	Lock Cylinder	:
•	GSGUH88Z	118	Internode Harness	: LPTL30	131	LED Personal Task Light	

Style Number	Page	Description	∑ Style ∑ Number	Page	Description	
LPTL30NR	131	LED Personal Task Light	RATCL1896_	102	Square Edge Top	
LS1FSC	127, 129	Daisy Chain Cord	RATCL24108_	103	Square Edge Top	
LS6FSC	127, 129	Daisy Chain Cord	RATCL2460_	103	Square Edge Top	
LSB24K	128	Utility Light	RATCL2466_	103	Square Edge Top	
LSB24KC	128	Utility Light	RATCL2472_	103	Square Edge Top	
LSB24KD	128	Utility Light	RATCL2490_	103	Square Edge Top	
LSB24M	129	Utility Light	RATCL2496_	103	Square Edge Top	
LSB24MC	129	Utility Light	RATCL3636_	103	Square Edge Top	
LSB24MD	129	Utility Light	RATCL3672_	103	Square Edge Top	
LSB36K	128	Utility Light	RATCL4836_	103	Square Edge Top	
LSB36KC	128	Utility Light	RATCL4872_	103	Square Edge Top	
LSB36KD	128	Utility Light	: RATCW1860_	103	Square Edge Top	
LSB36M	129	Utility Light	: RATCW1866_	103	Square Edge Top	
LSB36MC	129	Utility Light	: RATCW1872_	103	Square Edge Top	
LSB36MD	129	Utility Light	: RATCW1878_	103	Square Edge Top	
LSB48K	128	Utility Light	: RATCW1884_	103	Square Edge Top	
LSB48KC	128	Utility Light	: RATCW1890_	103	Square Edge Top	
LSB48KD	128	Utility Light	: RATCW1896_	103	Square Edge Top	
LSB48M	129	Utility Light	RATCW2460_	103	Square Edge Top	
LSB48MC	129	Utility Light	RATCW2466_	103	Square Edge Top	
LSB48MD	129	Utility Light	RATCW2472_	103	Square Edge Top	
LSL18	130	LED Light	: RATCW2490_	103	Square Edge Top	
LSL18YA	130	LED Light	RATCW2496_	103	Square Edge Top	
LSL18YB	130	LED Light	: RATF1830F	101	Steel Security Top	
LSM24K	126	Standard Light	RATF1830P	101	Steel Security Top	
LSM24KC	126	Standard Light	: RATF1836F	101	Steel Security Top	
LSM24KD	126	Standard Light	RATF1836P	101	Steel Security Top	
LSM36K	126	Standard Light	: RATF1842F	101	Steel Security Top	
LSM36KC	126	Standard Light	RATF1842P	101	Steel Security Top	
LSM36KD	126	Standard Light	RATF2430F	101	Steel Security Top	
LSM48K	126	Standard Light	RATF2430P	101	Steel Security Top	
LSM48KC	126	Standard Light	RATF2436F	101	Steel Security Top	
LSM48KD	126	Standard Light	RATF2436P	101	Steel Security Top	
RAACR18	110	Coat Rod	: RATL1830_	102	Square Edge Top	
RAACR2430	110	Coat Rod	: RATL1836_	102	Square Edge Top	
RAACR2436	110	Coat Rod	: RATL1842_	102	Square Edge Top	
RAACW1	111	Counterweight Package	: RATL2430_	102	Square Edge Top	
RAACW2	111	Counterweight Package	: RATL2436_	102	Square Edge Top	
RAACW3	111	Counterweight Package	RATW1830_	103	Square Edge Top	
RAACW4	111	Counterweight Package	: RATW1836_	103	Square Edge Top	
RAACW5	111	Counterweight Package	RATW1842_	103	Square Edge Top	
RAANBRK	111	Anchor Bracket Package	RATW2430_	103	Square Edge Top	
RAHF30	107	Hanging Folder Bars	: RATW2436_	103	Square Edge Top	
RAHF36	107	Hanging Folder Bars	RCC18304A_	90	Univ Combination Cabinet	
RAHF42	107	Hanging Folder Bars	RCC18304D_	90	Univ Combination Cabinet	
RASTDIV36	109	Shelf Divider Assembly	RCC18305E_	90	Univ Combination Cabinet	
RASTDIV36	109	Shelf Divider Assembly	RCC18305H_	90	Univ Combination Cabinet	
RASTDIV42	109	Shelf Divider Assembly	: RCC18305J_	91	Univ Combination Cabinet	
RATCL18108_		Square Edge Top	RCC18305M_	91	Univ Combination Cabinet	
RATCL1860_	102	Square Edge Top	RCC18306N_	91	Univ Combination Cabinet	
RATCL 1866_	102	Square Edge Top	RCC18306R_	91	Univ Combination Cabinet	
RATCL 1872	102	Square Edge Top	: RCC18306S_	92	Univ Combination Cabinet	
RATCL1878_	102	Square Edge Top	RCC18306V_	92	Univ Combination Cabinet	
RATCL1884_	102	Square Edge Top	RCC18364A_	90	Univ Combination Cabinet	
RATCL1890_	102	Square Edge Top	RCC18364D_	90	Univ Combination Cabinet	

	yle umber	Page	Description	: Style : Number	Page	Description	
R	CC18365E_	90	Univ Combination Cabinet	RLF24303_	86	Univ Lateral File	
R	CC18365H_	90	Univ Combination Cabinet	RLF24304_	86	Univ Lateral File	
R	CC18365J_	91	Univ Combination Cabinet	RLF24305_	86	Univ Lateral File	
	CC18365M_	91	Univ Combination Cabinet	RLF24362_	86	Univ Lateral File	
	CC18366N_	91	Univ Combination Cabinet	RLF24363_	86	Univ Lateral File	
	CC18366R_	91	Univ Combination Cabinet	RLF24364_	86	Univ Lateral File	
	CC18366S_	92	Univ Combination Cabinet	RLF24365_	86	Univ Lateral File	
•	CC18366V_	92	Univ Combination Cabinet	: RPAH1815C_	82	Ellipse Univ Hanging Pedestal	
	CC18424A_	90	Univ Combination Cabinet	: RPF1825A_	77	Univ Fixed Pedestal	
	CC18424D_	90	Univ Combination Cabinet	: RPF1825B_	77 77	Univ Fixed Pedestal	
	CC18425E_	90	Univ Combination Cabinet	: RPF1827A_	77 77	Univ Fixed Pedestal	
	CC18425H_ CC18425J_	90 91	Univ Combination Cabinet Univ Combination Cabinet	RPF1827B_ RPM1821C	77 81	Univ Fixed Pedestal Univ Mobile Pedestal	
	CC18425M	91	Univ Combination Cabinet	. RPM1827A	81	Univ Mobile Pedestal	
	CC18426N	91	Univ Combination Cabinet	: RPM1827B	81	Univ Mobile Pedestal	
	CC18426R	91	Univ Combination Cabinet	RPM2421C	81	Univ Mobile Pedestal	
	CC18426S_	92	Univ Combination Cabinet	RPM2427A	81	Univ Mobile Pedestal	
	CC18426V	92	Univ Combination Cabinet	RPM2427B	81	Univ Mobile Pedestal	
	CC24304A	90	Univ Combination Cabinet	RPULL15W	110	Wood Drawer Pull	
	CC24304D	90	Univ Combination Cabinet	RPULL30W	110	Wood Drawer Pull	
	CC24305E	90	Univ Combination Cabinet	RPULL36W	110	Wood Drawer Pull	
	CC24305H	90	Univ Combination Cabinet	RPULL42W	110	Wood Drawer Pull	
R	CC24305J	91	Univ Combination Cabinet	RPXCK2518P	78	Univ Conversion Kit	
R	CC24305M_	91	Univ Combination Cabinet	RPXCK2524P	78	Univ Conversion Kit	
R	CC24306N	91	Univ Combination Cabinet	RPXCK2530P	78	Univ Conversion Kit	
R	CC24306R_	91	Univ Combination Cabinet	RPXCK2718P	78	Univ Conversion Kit	
R	CC24306S_	92	Univ Combination Cabinet	RPXCK2724P	78	Univ Conversion Kit	
R	CC24306V_	92	Univ Combination Cabinet	RPXCK2730P	78	Univ Conversion Kit	
R	CC24364A_	90	Univ Combination Cabinet	RPXDBT	106	Bi-Level Tray	
R	CC24364D_	90	Univ Combination Cabinet	RPXDMT	106	Media Tray	
R	CC24365E_	90	Univ Combination Cabinet	RPXDPT	106	Pencil Tray	
R	CC24365H_	90	Univ Combination Cabinet	RPXDRS	107	Reference Shelf	
R	CC24365J_	91	Univ Combination Cabinet	RPXTC24P	81	Univ Ped Cushion Top	
R	CC24365M_	91	Univ Combination Cabinet	RPXTCH24P	81	Univ Ped Cushion Top	
	CC24366N_	91	Univ Combination Cabinet		95	Univ Storage Cabinet	
•	CC24366R_	91	Univ Combination Cabinet	RSC18303C_	96	Univ Storage Cabinet	
	CC24366S_	92	Univ Combination Cabinet	RSC18304F_	96	Univ Storage Cabinet	
•	CC24366V_	92	Univ Combination Cabinet	RSC18305K_	96	Univ Storage Cabinet	
	DIV	74	Dividers	RSC18306Q_	96	Univ Storage Cabinet	
•	DV1506	105	Dividers	RSC18362A_	95	Univ Storage Cabinet	
	DV1512	105	Dividers	: RSC18363C_	96	Univ Storage Cabinet Univ Storage Cabinet	
	DV151210 _F18302_	105 86	Dividers Univ Lateral File	RSC18364F_ RSC18365K	96 96	Univ Storage Cabinet Univ Storage Cabinet	
	F18302_	86	Univ Lateral File	RSC18366Q_	96	Univ Storage Cabinet	
•	.F18304_	86	Univ Lateral File	: RSC18422A_	95	Univ Storage Cabinet	
	F18305_	86	Univ Lateral File	RSC18423C_	96	Univ Storage Cabinet	
•	F18362_	86	Univ Lateral File	. RSC18424F_	96	Univ Storage Cabinet	
	F18363_	86	Univ Lateral File	RSC18425K_	96	Univ Storage Cabinet	
•	F18364_	86	Univ Lateral File	RSC18426Q_	96	Univ Storage Cabinet	
	F18365_	86	Univ Lateral File	RSC24302A_	95	Univ Storage Cabinet	
•	F18422_	86	Univ Lateral File	RSC24303C_	96	Univ Storage Cabinet	
RI	_F18423_	86	Univ Lateral File	RSC24304F_	96	Univ Storage Cabinet	
•	F18424_	86	Univ Lateral File	RSC24305K_	96	Univ Storage Cabinet	
RI	F18425_	86	Univ Lateral File	RSC24306Q_	96	Univ Storage Cabinet	
-	F24302	86	Univ Lateral File	RSC24362A	95	Univ Storage Cabinet	

Style Number	Page	Description
RSC24363C_	96	Univ Storage Cabinet
RSC24364F_	96	Univ Storage Cabinet
RSC24365K_	96	Univ Storage Cabinet
RSC24366Q_	96	Univ Storage Cabinet
RWC24304A_	99	Univ Wardrobe Cabinet
RWC24304B_	100	Univ Wardrobe Cabinet
RWC24305A_	99	Univ Wardrobe Cabinet
RWC24305C_	100	Univ Wardrobe Cabinet
RWC24306D_	99	Univ Wardrobe Cabinet
RWC24364A_	99	Univ Wardrobe Cabinet
RWC24364B_	100	Univ Wardrobe Cabinet
RWC24365A_	99	Univ Wardrobe Cabinet
RWC24365C_	100	Univ Wardrobe Cabinet
RWC24366D_	99	Univ Wardrobe Cabinet
RXADRL15	105	Rails
RXADRL24	108	Rails
RXADRL2442	108	Rails
RXSA1830	104	Adjustable Steel Standard Shelf
RXSA1836	104	Adjustable Steel Standard Shelf
RXSA1842	104	Adjustable Steel Standard Shelf
RXSA2424	104	Adjustable Steel Standard Shelf
RXSA2430	104	Adjustable Steel Standard Shelf
RXSA2436	104	Adjustable Steel Standard Shelf

Trademark List

- The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, PolyVision, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, Turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- The following are a registered trademarks of AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport and Mini-Port.
- The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- The following is a registered trademark of Mechanical Plactics Corp, Elmsford, NY: Toggler.
- The following is a registered trademark of Microsoft Corporation, Redmond, WA:
 Microsoft
- The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.
- The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.

- The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bira, Bivi, Bottomline, Brook, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappucino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Donovan, Dune, Duo, e3, e3 ceramicsteel, e³ environmental ceramicsteel, Echo, Edge, Elsna, Empress, Enea, ēno, EnSync, Enviro, Escapade, Exchange Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, media:scape, Mineral, Mingle, Mistic, Mistic Metal, Mistic Wood, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, node, Norfolk, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, PUCK, Quba, Rave, Reed, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Sidewalk, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Stationkits, Stiletto, Surprise!, Switch, Symphony, Sync, Tava, Tenaro, Terrazzo, Theorem, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolly, tX2, U-Free, Uno, Verge, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are used under license from Wilkhahn Furniture: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of MBDC, Charlottesville, VA: Cradle to Cradle
- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Ribbon, and Together
- ™ The following trademarks are under license from PP Mobler: Bar and Flag Halyard.

- The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, and Wrapp.
- ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
- ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cabridge, MA: Qt PRO Soundmasking and Qt Quite Technology.
- ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.

Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.